



Create conversation areas





Strong Monoliths. Pretty formations.

Canto


The OWA ceiling canopy is based on the acoustically effective Sinfonia mineral tile (sound absorption value 0.80). Their uniform appearance from below and the large format size of 1024 x 1024 mm provide attractive acoustic solutions – either as a monolith for discreetly designed conversation areas or arranged to create formations with harmonic surface areas. Canto is the best solution for rooms with exposed concrete and also for improvements in acoustics.




Pattern	Sinfonia white
Edges	Sinfonia white
Edge detail	Straight edges, all the way round
Size and weight	1024 x 1024 x 40 mm, approx. 8 kg
Grid suspension	Incl. wire suspension, L = 1.5 m, ceiling fixation
Light reflection	Approx. 87 (ISO 7724-2, ISO 7724-3)
Sound absorption	$\alpha_w = 0.80/NRC = 0.85$
Moisture resistance	Up to 90 % RH




Plan view



Cross section



Side view

**Hint:**

Please take into consideration that during the installation of the canopies wind pressure or wind suction can occur. In these cases all relevant measures of protection have to be taken.

Further information



*Information sur le niveau d'émission de substances volatiles dans l'air intérieur, présentant un risque de toxicité par inhalation, sur une échelle de classe allant de A+ (très faibles émissions) à C (fortes émissions)



Blauer Engel (German for „Blue Angel“) ensures environmentally-friendly products.


As from January 1st 2012 all construction, decoration and furnishing products are to be certified and labelled with an emission classification based on VOC tests. A+ indicates the highest standard.





So easy to get good room acoustics

Curve

The canopies Curve 1 (convex) and Curve 2 (concave) are white, fleece-covered, glasswool-based ceiling canopy modules and therefore a real lightweight on the ceiling. Even the edges are white and finished so that the individual modules can be hung alone or arranged in formations. Huge acoustic bonus: Curve 1 is an A-class absorber (sound absorption value 1.00). The nearly square 1200 x 1100 mm concave-shaped module can be covered with coloured fabric. This opens new design options for the ceiling.



Visible side	Fleece, white or coloured fabric°
Edges	Finished, white or coloured fabric°
Edge detail	Straight edges, all the way round
Size and weight Curve 1	1200 x 1100 x 40 mm, approx. 5 kg
Size and weight Curve 2	1100 x 910 x 40 mm, approx. 4 kg
Grid suspension	Incl. wire suspension, L = 1.5 m, ceiling fixation
Sound absorption	$\alpha_w = 1.00/NRC = 0.95$
Moisture resistance	Up to 95 % RH



Hint: Please take into consideration that during the installation of the canopies wind pressure or wind suction can occur. In these cases all relevant measures of protection have to be taken.

Further information



*Information sur le niveau d'émission de substances volatiles dans l'air intérieur, présentant un risque de toxicité par inhalation, sur une échelle de classe allant de A+ (très faibles émissions) à C (fortes émissions)



° Ceiling canopies with coloured fabric are not labelled with Blauer Engel.

As from January 1st 2012 all construction, decoration and furnishing products are to be certified and labelled with an emission classification based on VOC tests. A+ indicates the highest standard.


Blauer Engel (German for „Blue Angel“) ensures environmentally-friendly products.

OWAconsult® collection

Coloured fabric for Curve 1 + 2



52826




52834

52827



52835

52828




52836

52829




52837

52830





52838

52831




52839

52832





52840

52833




52841

52842



52844

52843



52845

Technical specifications


Composition	100 % polyester, FR ATY yarn
Weave	Panama
Weight	290 g/m ²
Width	1500 mm (+/- 50 mm)



Please order your sample with the coloured fabrics.

Hint:

The colours shown may vary from the original colours




Geometry of the exclusive

Selecta


Do you combine form consciousness with high acoustic demands on your working environment? Then go for Selecta, an exclusive series made of light glasswool absorbers in the A-class format (noise absorption value $\alpha_w = 1.00$). You can choose from five striking basic forms with white underside views. They can be freely combined for highly expressive geometries. The fleece-lined ceiling canopies, measuring up to 2,400 x 1,200 mm, are suspended with ceiling attachments and cables up to 1.5 m in length and open up countless options for creative acoustic solutions beneath almost any structure.




Visible side	Fleece, white
Edges	Finished, white
Edge detail	Straight edges, all the way round
Size and weight	
Selecta one	1200 x 1200 x 40 mm, approx. 5.5 kg
Selecta plus	1800 x 1200 x 40 mm, approx. 8.5 kg
Selecta grande	2400 x 1200 x 40 mm, approx. 11 kg
Selecta loop	Ø 1200 x 40 mm, approx. 4.5 kg
Selecta trigon	△ 1200 x 1200 x 40 mm, approx. 3 kg
Grid suspension	Incl. wire suspension, L = 1.5 m, ceiling fixation
Sound absorption	$\alpha_w = 1.00/NRC = 0.95$




Selecta one




Selecta plus




Selecta trigon



Selecta grande




Selecta loop



Hint:

Please take into consideration that during the installation of the canopies wind pressure or wind suction can occur. In these cases all relevant measures of protection have to be taken.

Further information



*Information sur le niveau d'émission de substances volatiles dans l'air intérieur, présentant un risque de toxicité par inhalation, sur une échelle de classe allant de A+ (très faibles émissions) à C (fortes émissions)



As from January 1st 2012 all construction, decoration and furnishing products are to be certified and labelled with an emission classification based on VOC tests. A+ indicates the highest standard.

Blauer Engel (German for „Blue Angel“) ensures environmentally-friendly products.




Islands of good sound, perfectly coordinated

Lega


Private meeting environments put together quickly and costeffectively: the Lega model of the ceiling grid has a base format of 625 mm x 625 mm and can be easily combined into larger 4-piece or 6-piece composite arrangements. The individual components and frame structure are pre-assembled and consist of high-quality aluminium profiles, colour-matched to the ceiling design (e.g. Bolero). A detailed assembly plan simplifies the installation.




Pattern	Constellation, Harmony, Cosmos/N, Bolero, Sinfonia
Edge detail	Edge 3
Size and weight	1290 x 1290 mm, 4 tiles 625 x 625 mm each, approx. 11 kg 1927 x 1290 mm, 6 tiles 625 x 625 mm each, approx. 17.6 kg
Grid suspension	Incl. wire suspension, L = 1.0 m (ceiling installation by builder)
Light reflection	Approx. 88 (ISO 7724-2, ISO 7724-3) (pattern Constellation)
Sound absorption	Dependent on surface pattern
Moisture resistance	Up to 95 % RH




Ceiling installation



Profile shapes



Cross profile



Frame profile

Hint: Please take into consideration that during the installation of the canopies wind pressure or wind suction can occur. In these cases all relevant measures of protection have to be taken.

Further information



*Information sur le niveau d'émission de substances volatiles dans l'air intérieur, présentant un risque de toxicité par inhalation, sur une échelle de classe allant de A+ (très faibles émissions) à C (fortes émissions)



As from January 1st 2012 all construction, decoration and furnishing products are to be certified and labelled with an emission classification based on VOC tests. A+ indicates the highest standard.

Blauer Engel (German for „Blue Angel“) ensures environmentally-friendly products.




More than good acoustics


Para

If you are looking for more than just good acoustics, the Para model of the ceiling grid can be made from your choice of any **OWAcoustic®** design with edge formation 3 or 6. The panels, with a basic format of 625 mm x 625 mm, can be easily combined into composite arrangements in groups of four or six. The individual components of the frame structure are pre-assembled and the colour is matched to the design. The supplied 1.0 m wire suspension makes installation possible under practically any ceiling structure.








Pattern	Constellation, Harmony, Cosmos/N, Bolero, Sinfonia
Edge details	Edge 3 and edge 6
Size and weight	1266 x 1266 mm, 4 tiles, 625 x 625 mm each, approx. 10.1 kg 1891 x 1266 mm, 6 tiles 625 x 625 mm each, approx. 14.6 kg
Grid suspension	Incl. wire suspension, L = 1.0 m (ceiling installation by builder)
Light reflection	Approx. 88 (ISO 7724-2, ISO 7724-3) (pattern Constellation)
Sound absorption	Dependent on surface pattern
Moisture resistance	Up to 95 % RH




Canopy suspension




C-section



Main tee



Cross tee



Hint: Please take into consideration that during the installation of the canopies wind pressure or wind suction can occur. In these cases all relevant measures of protection have to be taken.

Further information



*Information sur le niveau d'émission de substances volatiles dans l'air intérieur, présentant un risque de toxicité par inhalation, sur une échelle de classe allant de A+ (très faibles émissions) à C (fortes émissions)



As from January 1st 2012 all construction, decoration and furnishing products are to be certified and labelled with an emission classification based on VOC tests. A+ indicates the highest standard.

Blauer Engel (German for „Blue Angel“) ensures environmentally-friendly products.



Elegant design, solid acoustic performance


Vela

For rooms that are literally at the highest level: the large-size Vela model of the ceiling grid paves the way for your ceiling to have a spectacular optical appearance. The visible side of the tiles is the same as the Bolero design. The ceiling grid fits under practically any ceiling structure and can be installed in flexible, composite arrangements – design appeal and top acoustic performance in perfect harmony.





Types	concav, convex, sinus, linear
Pattern	Bolero (face side), white, fleece-covered
Edge colour	White, fleece-covered
Edge details	Straight edges, all the way round
Size and weight	Approx. 1250 x 1250 x 30 mm, approx. 16 kg Type sinus approx. 1850 x 1250 x 30 mm, approx. 22 kg
Grid suspension	Incl. wire suspension, L = 1.0 m (ceiling installation by builder)
Light reflection	Approx. 84 (ISO 7724-2, ISO 7724-3)
Sound absorption	$\alpha_w = 0.65/NRC = 0.80$ on request
Moisture resistance	Up to 90 % RH


convex




sinus



concave



linear



Hint: Please take into consideration that during the installation of the canopies wind pressure or wind suction can occur. In these cases all relevant measures of protection have to be taken.

Further information



*Information sur le niveau d'émission de substances volatiles dans l'air intérieur, présentant un risque de toxicité par inhalation, sur une échelle de classe allant de A+ (très faibles émissions) à C (fortes émissions)



Blauer Engel (German for „Blue Angel“) ensures environmentally-friendly products.

As from January 1st 2012 all construction, decoration and furnishing products are to be certified and labelled with an emission classification based on VOC tests. A+ indicates the highest standard.



OWA

Odenwald Faserplattenwerk GmbH
Dr.-F.-A.-Freundt-Straße 3 | 63916 Amorbach
tel +49 93 73.2 01-0 | info@owa.de
www.owa-ceilings.com

Brochure 1964 e
081500