



Max Energy Saving Co., Ltd

Contact Person: Ms Ziana Lin

www.maxesc.com 'Email: info@maxesc.com SKYPE: ziana.lin Mobile:0086 1588009957

A Series

| Model | HZ31-18S-A1 HZ31-18X-A1 | HZ12-18S-A1 HZ12-18X-A1 | HZ31-20S-A1 HZ31-20X-A1 | HZ12-20S-A1 HZ12-20X-A1 |
|---------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|
| Airflow(m3/h) | 18000 | 18000 | 20000 | 20000 |
| Air Pressure (pa) | 200 | 200 | 200 | 200 |
| Output (kw)/h | 1.1 | 1.1 | 1.5 | 1.5 |
| V/Hz | 380/50 | 220/50 | 380/50 | 220/50 |
| Fan Type | Axial | Axial | Axial | Axial |
| Fan Speed | Single | Variable(12speed) | Single | Variable(12speed) |
| Water tank (Liter) | 40 | 40 | 40 | 40 |
| Cooling area (m2) | 100-150 | 100-150 | 150-200 | 150-200 |
| Dimension L*W*H (mm) | 1100*1100*1030 1100*1100*980 | 1100*1100*1030 1100*1100*980 | 1100*1100*1030 1100*1100*980 | 1100*1100*1030 1100*1100*980 |
| Noise (db) | ≤70 | ≤70 | ≤70 | ≤70 |
| Net.wet (kg) | 76 | 76 | 76 | 76 |
| Discharge | Up Down | Up Down | Up Down | Up Down |
| Outlet size(mm) | 642*642 | 642*642 | 642*642 | 642*642 |
| Controller | Remote+LCD touch screen | Remote+LCD touch screen | Remote+LCD touch screen | Remote+LCD touch screen |
| 20ft in SKD packing(sets) | 33 | 33 | 33 | 33 |

Up

Down

Inside

Packing in SKD



| | | | | |
|---|---|---|--|---|
|  |  |  |  |  |
| Strong Body | 5090 Wet pad | Motor | Axial fan | Remote+LCD touch screen |



Max Energy Saving Co., Ltd

Contact Person: Ms Ziana Lin

www.maxesc.com 'Email: info@maxesc.com SKYPE: ziana.lin Mobile:0086 1588009957

B Series

| Model | HZ31-18S-A2 HZ31-18X-A2 HZ31-18C-A2 | HZ12-18S-A2 HZ12-18X-A2 HZ12-18C-A2 | HZ31-20S-A2 HZ31-20X-A2 HZ31-20C-A2 | HZ12-20S-A2 HZ12-20X-A2 HZ12-20C-A2 |
|---------------------------|---|---|---|---|
| Airflow(m3/h) | 18000 | 18000 | 20000 | 20000 |
| Air Pressure (pa) | 200 | 200 | 200 | 200 |
| Output (kw)/h | 1.1 | 1.1 | 1.5 | 1.5 |
| V/Hz | 380/50 | 220/50 | 380/50 | 220/50 |
| Fan Type | Axial | Axial | Axial | Axial |
| Fan Speed | Single | Variable(12speed) | Single | Variable(12speed) |
| Water tank (Liter) | 40 | 40 | 40 | 40 |
| Cooling area (m2) | 100-150 | 100-150 | 150-200 | 150-200 |
| Dimension L*W*H (mm) | 1050*1050*950 1050*1050*920 1050-1050*920 | 1050*1050*950 1050*1050*920 1050-1050*920 | 1050*1050*950 1050*1050*920 1050-1050*920 | 1050*1050*950 1050*1050*920 1050-1050*920 |
| Outlet size | 670*670 | 670*670 | 670*670 | 670*670 |
| Noise (db) | ≤73 | ≤73 | ≤73 | ≤73 |
| Net.wet (kg) | 74 | 74 | 74 | 74 |
| Discharge | Up Down Side | Up Down Side | Up Down Side | Up Down Side |
| Controller | Remote+LCD touch screen | Remote+LCD touch screen | Remote+LCD touch screen | Remote+LCD touch screen |
| 20ft in SKD packing(sets) | 33 | 33 | 33 | 33 |



Strong Body



5090 Wet pad



Motor



Axial fan



Remote+LCD touch screen



Max Energy Saving Co., Ltd

Contact Person: Ms Ziana Lin

www.maxesc.com 'Email: info@maxesc.com SKYPE: ziana.lin Mobile:0086 1588009957

18A Portable series

| Model | HZ31-18P-A1 | HZ12-18P-A1 |
|--------------------------------|-------------------------|-------------------------|
| Airflow(m3/h) | 18000 | 18000 |
| Air Pressure (pa) | 200 | 200 |
| Output (kw/h) | 1.1 | 1.1 |
| V/Hz | 380/50 | 220/50 |
| Fan Type | Axial | Axial |
| Fan Speed | Single | Variable(12speed) |
| Water tank (Liter) | 40 | 40 |
| Cooling area (m ²) | 100-150 | 100-150 |
| Dimension L*W*H (mm) | 1100*1100*1700 | 1100*1100*1700 |
| Noise (db) | ≤70 | ≤70 |
| Net.wet (kg) | 110 | 110 |
| Discharge | Side | Side |
| Controller | Remote+LCD touch screen | Remote+LCD touch screen |
| 20ft in SKD packing(sets) | 30 | 30 |



Strong Body



5090 Wet pad



Motor



Axial fan



Remote+LCD touch screen

6000-7000cmh Portable series

| Model | HZ12-60P | HA12-70P |
|--------------------------------|-------------------|------------------|
| Airflow(m3/h) | 6000 | 7000 |
| Air Pressure (pa) | 60 | 70 |
| Output (kw/h) | 0.25 | 0.3 |
| V/Hz | 220/50 | 220/50 |
| Fan Type | Axial | Axial |
| Fan Speed | Vairable (3speed) | Variable(3speed) |
| Water tank (Liter) | 60 | 60 |
| Cooling area (m ²) | 40-60 | 40-60 |
| Dimension L*W*H (mm) | 756*570*1380 | 756*570*1380 |
| Noise (db) | ≤63 | ≤62 |
| Net.wet (kg) | 35 | 35 |
| Discharge | Side | Side |
| Controller | Remote+buttom | Remote+buttom |
| 20ft | 52 | 52 |





Max Energy Saving Co., Ltd

Contact Person: Ms Ziana Lin

www.maxesc.com 'Email: info@maxesc.com SKYPE: ziana.lin Mobile:0086 1588009957

4000cmh Portable series

| Model | HZ134-2(red) | HZ134-1(white) |
|----------------------|-------------------|-------------------|
| Airflow(m3/h) | 4000 | 4000 |
| Air Pressure (pa) | 40 | 40 |
| Output (kw)/h | 0.28 | 0.28 |
| V/Hz | 220/50 | 220/50 |
| Fan Type | Centrifugal | Centrifugal |
| Fan Speed | Vairable (3speed) | Vairable (3speed) |
| Water tank (Liter) | 30 | 30 |
| Cooling area (m2) | 25-40 | 25-40 |
| Dimension L*W*H (mm) | 580*440*1583 | 580*440*1583 |
| Noise (db) | ≤63 | ≤63 |
| Net.wet (kg) | 46 | 46 |
| Discharge | Side | Side |
| Controller | Remote+buttom | Remote+buttom |
| 20ft | 54 | 54 |

3000cmh Portable series

| Model | HZ12-30P | |
|--------------------|---------------|--|
| Airflow(m3/h) | 3000 | |
| Air Pressure (pa) | 60 | |
| Output (kw)/h | 0.18 | |
| V/Hz | 220/50 | |
| Fan Type | Centrifugal | |
| Fan Speed | Vairable | |
| Water tank (Liter) | 30 | |
| Cooling area (m2) | 30-60 | |
| Noise (db) | ≤62 | |
| Net.wet (kg) | 50 | |
| Discharge | Side | |
| Controller | Remote+buttom | |
| 20ft | 54 | |