



**MEDLINT**  
MEDICAL EQUIPMENTS & PRODUCTS

®



MEDLINT Medical Equipment offers a one-stop shopping for home medical equipment and supplies



WE OFFER A COMPREHENSIVE LINE OF INNOVATIVE,  
TOP QUALITY PRODUCTS



**MEDLINT**  
MEDICAL EQUIPMENTS & PRODUCTS

[WWW.MEDLINT.CO.ZA](http://WWW.MEDLINT.CO.ZA)



WE OFFER A COMPREHENSIVE LINE OF INNOVATIVE,  
TOP QUALITY PRODUCTS

INNOVATION TECHNOLOGY

## ABOUT MEDLINT

MEDLINT is a company focused initially on the distribution of leading brands hospital equipment used by medical doctors and nurses in hospitals, surgery and home care living facilities. After establishing a market presence with these products, we will expand to offer other services. Our source of differentiation will be in our distribution and marketing strategies. We leverage our corporate account and create marketing programs to drive demand for our products solutions at the corporate level. We establish a unique network of clinical sales, nationwide, who will then build relationships at the facility level by providing value-added service and expertise.

MEDLINT Medical Equipment offers a one-stop shopping for health. Our company has a broad range of home healthcare aids and equipment for sale/rental we offer peace of mind for patients, nurses and doctors. This is more than equipment and supplies. MEDLINT Medical Equipment provides free delivery to client's home, care homes, nursing homes, hospitals and hospice. As part of our service to our clients we offer equipment setup, personal fittings and hands-on instructions. Our bilingual staff is available upon request. These are all part of the service that clients can count on.

MEDLINT distinguishes itself from other competitors by supplying accurate service and quality products to our customers in the most professional, efficient and reliable manner.





Luxury 4 Wheel Scooter **ES480**



  
Color



Compact 4 Wheel Scooter **ES4100**





  
Color



## CONTENTS

Patient Monitors .....	1-2
Oxygen Concentrator s.....	3-4
Syringe pump & Feeding pumps.....	5-6
ECG machines.....	7-8
Ultrasound Scanners.....	9-10
Suction Pumps .....	11-12
Finger pulse oximeters .....	13-14
Wheelchairs.....	15-16
Rollators.....	17-18
Over bed tables.....	19-20
Hospital beds.....	21-22
Emergency stretcher.....	23-24
Bedside locker .....	25-26
Price list.....	27-30





### G9L DEPTH OF ANESTHESIA MONITOR

Product feature:

Advanced streamline outline design, elegant appearance

Portable, compact, lightweight, easily operation

Built-in rechargeable battery and seat-type charger, support working Long hours

Right, Easy-to-Read LED Numerals

Unique digital SPO2 technology: fast, accurate, stable, super Anti-Movement, anti-interference

High-capacity memory function to store hundreds set of data Easily

Can be connected to PC, download history data for analysis And print the result

Suitable for adult, pediatrics, neonates

Widely used in Operation room, ICU, CCU, clinical Departments, Outpatient department, Emergency Department, ward and physicians' Offices, homecare, Transport patient.



### G3 SERIES MULTI-PARAMETER PATIENT MONITOR

Super ability in against electrosurgical interference. Neither in Cutting nor in burning, ECG waveform and HR can be influenced, Very short recovering time after defibrillation, especially suitable for Use in emergency or operating room.

Unique thoracic impedance & nasal tube double model respiration Test method (when patient can not lie quietly, only nasal tube Respiration can detect the right respiration waveform and Respiration rate).

12.1" color TFT LCD screen, High brightness, Wide viewing, 8 Waveforms can be displayed on the same screen . lightness and Volume are adjustable independently.

Streamlined outline design with sense of the times & foldable Handle.

Multi-language interface selection: Chinese, English, Spanish, Portuguese, French, Arabic, Russian, Italian, Turkish, etc.

User-friendly and man-machine dialogue interface with pop-up Menus, dialogue boxes, rotary mouse and etc.

Low-power consumption design with standby mode,





## **G6B/G6B G6 SERIES FETAL/ MATERNAL MONITOR**

Portable handle, all-in-one probe holder.

12.1 inch foldable color TFT LCD Screen, display waveform and data simultaneously.

FHR, TOCO, FM and waveform of fetal activities can be monitored.

Count fetal movement in auto/manual mode.

The color of display area can be adjustable.

It can store at least 24hrs CTG data in power-down memory.

Data won't be erased after switch off. Recall printing is available.

Alarm review.

Auto/manual patient ID generation, easy user-management & data searching.

25mm/s high speed review of printing. Alarm light on the top. Smart alarm setting: light & sound alarm, alarm range and tone can be adjusted. It also owns Sensor off alarm, monitor abnormal alarm and remark function.



## **2800 CENTRAL MONITORING SYSTEM**

Capable of connecting 8,12,16,24,32 units patient monitor simultaneously

Multi-display modes on dual , single or emphasis display

Complete solution for Wired, Wireless or mixture networking

Support centralized,distributed or mixed networking

Support NMT monitor connection, easily for you check its parameters"

Multi-clinical office unified networking, data sharing

Central station can operate patient monitor remotely.

Can realize remote operation to monitor via central station.

Data storage and output (Can record data to disc)

Trend diagram, Trend chart and dynamic waveform review function

Clinical report printing

LAN connection

wireless LAN connection

RS232 serial connection

RS485 interface connection



### JAY-10 OXYGEN CONCENTRATOR

Nebulizer (Atomization)

Low purity alarm: when oxygen purity is above 82%, it will give green light; when the purity is below 82% (82% not included), it will give red light.

Maintenance alarm: alarm for maintenance after 3000 hours operation

Alarm for high temperature inside systems above 50°C

Pulse oximeter: fingertip pulse oximeter is available for monitoring patient oxygen saturation on site.

Small LCD display: accumulating time; present working time; presetting time.

Dual flows.

### JAY-5P OXYGEN CONCENTRATOR

It is portable oxygen concentrator with PS technology. It can be run by vehicle DC12V, lithium battery or 220V~240V or 110V

Especially for homecare, shopping, traveling, etc., outdoor application

#### **Technical Parameter:**

1 Model No.: JAY-5P  
 Oxygen Flow (L/min) : 1-5  
 Oxygen Concentration (%) : 90~30  
 Oxygen Pressure (MPa): 0.03~0.07  
 Noise (dBA) : ≤45  
 Dimension(mm): 310×320×85  
 N.W. (Kg): 6Kgs  
 Rated Power (W) : ≤75  
 Power Supply (V) : DC12V; AC220V/110V



## JAY-20 OXYGEN CONCENTRATOR



Model JAY-20

Oxygen flow(L/min) 0-20

Oxygen concentration 93%±3%

Outlet Pressure (Mpa) ≥0.14/0.4

power Consumption ≤850W/1500W

Operation voltage(V/Hz) AC230V, 50Hz(AC220V/110V±10%, 50/60±1Hz are available)

Sound Level(db) ≤60db

LCD display Switch times; Operating pressure; Accumulating Time;

Present Working Time from 10 mins to 40 hours;

Alarm Power failure alarm; High&Low pressure alarm;

## JAY-8 OXYGEN CONCENTRATOR

Nebulizer(Atomization)

\*Low purity alarm: when oxygen purity is above 82%, it will give green light; when the purity is below 82% (82% not included), it will give red light.

\*Maintenance alarm: alarm for maintenance after 3000 hours operation

\*Alarm for high temperature inside systems above 50°C

\*Pulse oximeter: fingertip pulse oximeter is available for monitoring patient oxygen saturation on site.

\*Small LCD display: accumulating time; present working time presetting time.

\*Dual flows.



### **SYRINGE PUMP JAZ-C6**

Occlusion, Nearly empty, Finish, Syringe dislocated, Plunger/Clutch disengaged, Battery low, Battery exhausted, Power cable disconnected, Flow rate over limit, Volume over limit, System error, Non-operation time over

Continuous operation time of battery: over 4 hours for dual channel when battery is recharged for 12 hours, at flow rate of 5 mL/h.

Ambient temperature: 5 to 40 , Relative humidity: 20% to 80%

Ambient temperature: -40 to 55 , Relative humidity: ≤ 95%



### **FEEDING PUMP JYB-500 (JAF-301)**

- Easy to operate and user friendly
- Audible and visible alarms includes overtime alarm, occlusion alarm, empty alarm, infusion over alarm, low battery alarm, operation error alarm, etc.
- Large colorful LCD display.
- Purge and Reverse function.
- Two Power supplies: AC power supply or built-in rechargeable Lithium-ion polymer battery.

#### Technical Specification

1. Flow rate: 1ml/h~500ml/h, 1ml/h increment.
2. Target infused volume / Tar. volume: 0~9999ml, (0~999.9ml, 0.1ml increment; 1000~9999ml, 1ml increment).
3. Infused volume: 0~9999ml, (0~999.9ml, 0.1ml increment; 1000~9999ml, 1ml increment).



## STACKABLE SYRINGE PUMP

### JAZ1800C(JAZ-500C )

Compatible with syringes of most of the standard brands.

- Stackable to be the maximum 8 channels
  - Automatic Calibration for syringes.
- Three working modes: Rate control mode, Time control mode and Dose weight control mode (ug/kg/min or mg/kg/h).
- Built in rechargeable battery (Lithium-ion polymer battery).
  - 8 hours internal battery backup.
- Spec of the fuse: F1AL /250V, two (inside).
- Alarm functions: occlusion, empty, near empty, low battery, infusion over, syringe loo
- Three levels of the occlusion limited pressure: high, middle and low.



## SYRINGE PUMP JAZ1800 (JAZ-500)

Compatible with syringes of most of the standard brands.

- Automatic Calibration for syringes.
- Three working modes: Rate control mode, Time control mode and Dose weight control mode (ug/kg/min or mg/kg/h).
- Built in rechargeable battery (Lithium-ion polymer battery).
- Alarm functions: occlusion, empty, near empty, low battery, infusion over, syringe loose,
- Three levels of the occlusion limited pressure: high, middle and low.
- Three levels of alarm sound: high, middle and low.
- The Syringe pump goes into KVO mode



**TWELVE CHANNEL ECG –  
9” DISPLAY**



9 inch color LCD touch screen operation system, easy to operate.  
Manual/Auto printing: 3CH+3R,6CH,6CH+1R, 12CH,12CH+1R.  
5 minutes arrhythmia analysis.  
Automatic analysis, calculation, waveform review.  
1000 ECG data storage, SD card supported.  
Alarm of electrodes breaking off, human diagram indicates the unconnected lead.  
V1,V3,V5 chest lead examination mode, fit for massive physical examination.  
Recording one case ECG data in 3 seconds,and useful for the large-scale Examination  
More than 3hrs continuous work under battery supply Ports: RS232 port USB port, Ethernet

**SINGLE CHANNEL ECG –  
4.3” DISPLAY**

4.3 inch Color LCD screen operation system, 12 leads simultaneously display.  
Manual/Auto printing: 1CH,1CH+1R,60 seconds arrhythmia analysis.  
Automatic analysis, calculation, waveform review.  
Single channel printing (50mm recorder paper),chest waveform in uncompressed and easy to readable  
100 ECG data storage, SD card supported.  
Alarm of electrodes breaking off, human diagram indicates the unconnected lead.  
V1,V3,V5 chest lead examination mode,easy operation  
Recording one case ECG data in 3 seconds,and useful for the large-scale Examination  
Ports: RS232 port USB port, Ethernet port





**5.7" DISPLAY MODEL: ECG  
- 1106G**

Portable 6 channel ECG machine  
 Manual/Auto/Arrhythmia Analysis Modes  
 112mm 3/6 channel format recording  
 Built in rechargeable Li-Ion battery 14.4V(2200mAh)  
 Adapt to 110-230V,50/60HZ AC power supply  
 Real-time ECG waveform,cases save/replay  
 Built in USB/RS232 interface(ECGNET software optional)  
 Package:40cm×34cm×22cm GW:4.6KG NW:1.7KG  
 320×240graphic 3.8 inch LCD

**THREE CHANNEL ECG – 4.3”  
DISPLAY**

4.3 inch color LCD screen operation system, 12 leads simultaneously display.  
 Manual/Auto printing: 3CH,3CH+1R,60 seconds arrhythmia analysis.  
 Automatic analysis, calculation, waveform review.  
 200 ECG data storage, SD card supported.  
 Alarm of electrodes breaking off, human diagram indicates the unconnected lead.  
 V1,V3,V5 chest lead examination mode, fit for massive physical examination.  
 Recording one case ECG data in 3 seconds,and useful for the large-scale Examination Voice alarm,more intuitive and reliable  
 AC:110V/220V,50/60Hz DC: Built-in rechargeable lithium battery  
 More than 3hrs continuous work under



## COLOR DOPPLER ULTRASOUND

### SCANNER JAQ-6

Demonstrates excellent performance in cardiac, obstetric, gynecological, breast, musculoskeletal and vascular diagnosis.

- Spatial-compounding imaging technology.
  - TP-view technology.
  - Panoramic imaging technology.
- Expand-pulse-inversion imaging technology.
  - Speckle noise reduction technology.
- Pulse-inversion harmonic imaging technology.
  - Free-hand 3D imaging technology.
    - Directional power Doppler.
    - Triple synchronous display.
    - Double synchronous display.
    - Color deflection technology.
- Powerful built-in analytical software packages (including cardiac package, obstetric package, gynecological package, urinary package, abdominal package, musculoskeletal package, vascular package and small organs package) and Custom formula and .



## COLOR DOPPLER ULTRASOUND

### SCANNER JAQ-V3



Features:

- A powerful bed-side color Doppler ultrasonic diagnostic system.
- Triple probe-Connector activated.
- 12.1" Hi-resolution antidiagnostic LCD display.
- Optimization key: multi-parameters preset and one key image optimization.
- Off-line analytical system: retreatment, reanalysis and re-diagnosis of stored images.
- Probe auto-freeze protection: prolong the probe usage by preset auto-freezing .
- Integrated intelligent workstation and report system: Large storage and convenient data management.
- Input/Output interfaces: Video, S-Video, RS-232, USB2.0, VGA, DICOM3.0.

## DIGITAL ULTRASOUND SCANNER

### JAC 2200

- \*Windows XP Embedded operation system
- \*Three-Dimensional Imaging technology, rebuild the 3D image from the 2D image
- \*Backlight silica gel PBT keyboard, easy for darkroom operation
- \*Smart 8 segment TGC Adjustment, sophisticated segment adjustment
- \*Double activated socket, probe electronically shifting

#### SPECIFICATION:

- \*Application: Abdomen, Obstetrics and superficial examination, etc.
- \* Display Mode: B, 2B, 4B, B/M, M
- \*256 frames cine-loop, speed can be adjusted.



## ULTRASOUND SCANNER

Clear image and extensive clinical application bringing you enjoyable operating experience .

- Free-hand 3D imaging module and software for convenient 3D image.
- Advanced image optimization software
- package for fine and smooth image.
- Off-line analytical system: retreatment, reanalysis and re-diagnosis of stored images.
- Custom Self-define keys: custom functional keys according to user's requirement.
- Probe auto-freeze protection: prolong the probe usage by preset auto-freezing.
- Light indicator: prompt the current operation step.
- Integrated intelligent workstation and report system: Large storage and convenient data management.
- Input/output interfaces: Video, S-Video, RS-232, USB2.0, VGA, DICOM3.0.





### **SUCTION PUMP YX930D-1A**

Maintenance free oil-less pump, high flow rate, without pollution by oil mist.

- Move smoothly and freely with pull handle, human-machine designing, structure of novelty.
- Large-bore bottles made of PC plastics with high quality, convenient to clean, using safely.
- Effective overflow protection device prevents liquid entering pump reliably.
- Transparent non-toxic PVC hoses and unique connections are easy to observe and link.
- Air filter equipped reduces environmental pollution by bacterium from absorbed liquid.
- Hand-switch and foot-switch installed in parallel can be selected at will.
- Stability and durability, low noise, safe and reliable to operate.

### **SUCTION PUMP SXT-5A**

Long life single piston cylinder which requires no lubrication or daily maintenance produces no pollution to the environment.

- High flow, high vacuum, good performance and fast vacuum build-up. The vacuum can be regulated by the vacuum regulator according to the requirement, and displayed by the vacuum gauge.
- Overflow protection device can safely and efficiently prevent the liquid from entering into the pump.
- Body made of plastic material is light, compact and convenient for carrying and operating.
- Autoclavable, transparent plastic bottle is more durable and more convenient for cleaning.





### **SUCTION PUMP VTS32**

Bedside drainage with noiseless

- There are two modes of operation, continuous and intermittent, intermittent mode working time can set.
- High life and long time continuous work without fault.
- Vacuum can be regulated with requirement. And the vacuum set is constant and reliable with high precision pressure sensor
- Overflow protection device can protect the pump against pollution by the liquid
- The release valve is used to release the suddenly high vacuum in the pipe and ensure the safety.
- It works with low-vacuum sound-light alarm.

### **SUCTION PUMP YX930D**

Maintenance free oil-less pump, high flow rate, without pollution by oil mist.

- The bottles inserted in the tray, compact in size, easy to move.
- Large-bore bottle with stopper having sealing ring is convenient to open and clean.
- Overflow protection prevents liquid entering pump. Transparent non-toxic PVC hoses and unique connection are easy to observe and link.
- Air filter equipped reduces bacterium in absorbed liquid to environmental pollution.
- Hand-switch and foot-switch installed in parallel can be selected at will.
- Stability and durability, low noise, safe and reliable to operate. .





## FINGER PULSE OXIMETER

### A310

#### Technical Parameters

- Display mode: double color OLED display
- Compact , convenient and one-touch operation, automatic measurement;
- 8 display, monitor blood oxygen saturation, pulse parameters, Pulse bar and Plethysmogram display;
- Small and lightweight (total weight 50g includes battery), easy to carry;
- Low-power, the two AAA batteries with the sustainable use of 30 hours
- Alarm when low-voltage;
- Automatic shutdown function within 7 seconds after fingertip off;



## FINGER PULSE OXIMETER

### JAX 204

- Technical Parameters
- Display mode: double color OLED display
- Compact , convenient and one-touch operation, automatic measurement;
- 8 display, monitor blood oxygen saturation, pulse parameters, Pulse bar and Plethysmogram display;
- Small and lightweight (total weight 50g includes battery), easy to carry;
- Low-power, the two AAA batteries with the sustainable use of 30 hours
- Alarm when low-voltage;



### **FINGER PULSE OXIMETER JAX 207**

#### Technical Parameters

- Display mode: double color OLED display
- Compact , convenient and one-touch operation, automatic measurement;
- 8 display, monitor blood oxygen saturation, pulse parameters, Pulse bar and Plethysmogram display;
- Small and lightweight (total weight 50g includes battery), easy to carry;
- Low-power, the two AAA batteries with the sustainable use of 30 hours
- Alarm when low-voltage;
- Automatic shutdown function within 7 seconds after fingertip off;



### **FINGER PULSE OXIMETER 320**

#### Technical Parameters

- Display mode: double color OLED display
- Compact , convenient and one-touch operation, automatic measurement;
- 8 display, monitor blood oxygen saturation, pulse parameters, Pulse bar and Plethysmogram display;
- Small and lightweight (total weight 50g includes battery), easy to carry;
- Low-power, the two AAA batteries with the sustainable use of 30 hours
- Alarm when low-voltage;

Automatic shutdown function within 7 seconds



### **WHEELCHAIR**

- Made of steel powder coated frame. Foldable.
- Flip up armrest. Detachable footrest.
- 8" PVC castor. 24" solid MAG wheel.
- Nylon seat and backrest.
- Plastic footrest.
- Seat width: 41cm/46cm
- **Product Number: SK-SW216**



### **WHEELCHAIR**

- Made of steel powder coated. Foldable.
- Flip up armrest. Detachable footrest.
- 200x38 PU castor. 24" MAG pneumatic.
- Nylon seat and backrest. With soft cushion.
- Aluminum footrest.
- Seat width: 56cm
- **Product Number: SK-SW220**



### **WHEELCHAIR**

- Made of steel powder coated frame. Foldable.
- Fixed armrest and footrest.
- 8" PVC castor, 24" solid wheel.
- Nylon seat and backrest.
- Plastic footrest.
- Seat width: 41cm/46cm

● **Product Number: SK-SW202**



### **WHEELCHAIR**

- Made of steel chromed plating. Foldable.
- Flip up armrest. Detachable footrest. Drop back handle.
- 8" PVC castor. 24" solid wheel.
- Nylon seat and backrest.
- Plastic footrest.
- Seat width: 41cm/46cm

● **Product Number: SK-SW219**



### **SK-RT420**

- Steel delta rollator
- Made of steel powder coated frame.
- Shopping basket. Bag and plate included..



### **SK-RT402**

- Aluminum rollator
- Made of aluminum liquid coated frame.
- Easily folded for storage and travel.
- Folding backrest.
- Easily squeeze and release hand brakes come with locking mechanism.
- With 6" wheels.
- PU soft seat.



### **SK-RT417**

- Steel rollator
- Made of steel powder coated frame.
- Both basket and meal plate are included.
- PU seat.
- With 8" wheels.



### **SK-RT406**

- Aluminum rollator
- Made of aluminum liquid coated frame.
- Can be easily folded for storage and travel.
- Contoured padded backrest. Add comfort and lumber support.
- With 5" wheels. Can be easily locked while pushing down the handles.
- PVC soft seat.



**SK-BT01A**

**OVER BED TABLE**

- Dimension: 775x385x775-1055mm
- Made of aluminum frame. PP plastic table top.
- Height adjustable by gas spring.
- Mounted on castors.



**SK-BT01**

**OVER BED TABLE**

- Over bed table
- Dimension: 775x385x775-1055mm
- Made of aluminum frame. Wooden table top.
- Height adjustable by gas spring.
- Mounted on castors.



**SK-BT04**  
**OVER BED TABLE**

- SK-BT02
- Over bed table
- Dimension: 780x390x800-1300mm
- Made of steel powder coated frame. Wooden table top.
- Height adjustable by gas spring.
- Mounted on castors..



**SK-BT04**  
**OVER BED TABLE**

- Over bed table
- Dimension: 780x390x800-1300mm
- Made of steel powder coated frame. Wooden table top.
- Height adjustable by screw.
- Table is retroflexed
- Mounted on castors.

**Electric hospital bed with five functions SK-EB101**



Dimension: 2120x1000x520x780mm  
Made of steel powder coated frame, detachable PP head and foot board, foldable PP side rails. With soft joint part on bed board. 4pcs motors and 1pc controller  
Backrest lifting: 0-80°  
Footrest lifting: 0-40°  
Height adjustment: 520-780mm  
Forward and back tilting: 0-10°  
Central locking castor system  
Standard accessories: 1pc IV pole  
Options: mattress, bedside locker, over bed table

**Two-crank manual hospital bed**

Dimension: 2120x1000x500mm  
Made of steel powder coated frame, detachable PP head and foot board, foldable aluminum side rails. 2pcs manual crank mechanism. One shelf for storage.  
Backrest lifting: 0-80°  
Footrest lifting: 0-40°  
4pcs luxurious castors, 2 castors with brake.  
Standard accessories: 1pc IV pole  
Options: mattress, bedside locker, over bed table



### Four-crank manual hospital bed SK-MB101



Dimension: 2120x1000x520-780mm

Made of steel powder coated frame, detachable PP head and foot board, foldable aluminum side rails. 4pcs manual crank mechanism.

Backrest lifting: 0-80°

Footrest lifting: 0-40°

Height adjustment: 520-780mm

Forward and back tilting: 0-10°

Central locking castor system

Standard accessories: 1pc IV pole

Options: mattress, bedside locker, over bed table

### Three-crank manual hospital bed

Dimension: 2120x1000x480-720mm

Made of steel powder coated frame, detachable PP head and foot board, foldable aluminum side rails. 3pcs manual crank mechanism.

Backrest lifting: 0-80°

Footrest lifting: 0-40°

Height adjustment: 480-720mm

4pcs luxurious castors, 2 castors with brake.

Standard accessories: 1pc IV pole

Options: mattress, bedside locker, over bed table





#### **SK-FA04**

#### **EMERGENCY STRETCHER**

- Emergency stretcher
- Dimension: 1900x720x490-720mm
- Height, backrest and footrest adjustable by manual crank mechanism.
- Backrest lift up: 0-80°
- Footrest lift up: 0-40°
- Height lift up: 490-720mm
- Mounted on 4pcs 5" castors. With brake.
- With mattress.



#### **SK-FA10**

#### **FOLDING STRETCHER**

- Folding stretcher
- Unfold size: 185x52x23cm
- Folding size: 93x52x10cm
- Net weight: 5KG
- Weight capacity: 160KG
- Packing size: 96x18x54cm, 2pcs/CTN
- 687567845791



### **ULTRASOUND SCANNER**

- Stretcher for ambulance car
- Dimension: 1940x550x850mm
- Made of aluminum frame.
- Backrest and footrest adjustable.
- Mounted on castors.



### **SK-FA08**

#### **LUXURIOUS HYDRAULIC**

Luxurious hydraulic rise-and-fall stretcher cart, dimension: 2120x800x610/930mm. The bed is made of galvanized steel tube and surface coated by electrostatic spray. The back board is made of American electrotyped board with X-ray cassette. The bed can be raised and lowered, tilted forward and backward which is controlled by the treadle lying on two sides of the bed. The carts surface is of separate structure and the upper part is supported by the imported large hydraulic pole to make the bed never sway. It is completed with infusion stand, drainage hook and collapsible aluminum alloy side rails. It is the best choice for emergency room, ICU, ICU bed and emergency bed for transferring patient.





**BEDSIDE LOCKER**

**SK-BL06**

- Bedside locker
- Dimension: 498x508x700mm
- Made of ABS plastic and steel powder coated frame.
- Mounted on castors.



**BEDSIDE LOCKER**

**SK-BL01A**

- ABS bedside locker
- Dimension: 480x480x800mm
- Made of ABS plastic frame.
- Mounted on castors.



**BEDSIDE LOCKER**

**SK-BL03**

- Dimension: 450x500x780mm
- Made of ABS plastic and steel powder coated frame.
- With locker and key.
- Mounted on castors.



**BEDSIDE LOCKER**

**K-BL10**

- Made of steel powder coated frame
- Dimension: 48x48x88cm
- Knock down packing, very small packing.  
Packing size: 79x46x14cm/pc

<b>PRODUCTS</b>	<b>PRICE EX VAT</b>
GLOVES LATEX POWDER FREE 100'S SMALL/MEDIUM/LARGE	R68.39
GLOVES LATEX POWDER 100'S SMALL/MEDIUM/LARGE/EXTRA LARGE	R60.41
GLOVES NITRILE POWDER FREE 100'S SMALL/MEDUIM/LARGE'S	R67.25
GLOVES HIGH RISK POWDER FREE 50'S SMALL/MEDIUM/LARGE	R113.99
GLOVES HOUSEHOLD YELLOW PER PAIR-SMALL/MEDIUM /LARGE/X LARGE	R7.97
GLOVE PVC 100'S	R11.39
NEEDLES 100'S 18g 1.5 INCH PINK	R19.37
NEEDLES 100'S 20g 1.5INCH YELLOW	R19.37
NEEDLES 100'S 21g 1 INCH GREEN	R19.37
NEEDLES 100'S 21g 1.5 INCH GREEN	R19.37
NEEDLES 100'S 22g INCH BLACK	R19.37
NEEDLES 100'S 23g 1 INCH	R19.37
NEEDLES 100'S 25g 5/8 INCH RED	R19.37
NEEDLES 100'S 26g 5/8INCH ORANGE	R19.37
SCALPEL BLADES 100'S SIZE 11/12/15/20	R53.57
JELCO CANULA 14g/16g/18g/20g/22g/24g	R14.81
CREPE BANDAGE 15MM x 4.5m 12's	R75.23
CREPE BANDAGE 100MM X 4.5M 12's	R63.83
CREPE BANDAGE 75MM X 4.5M 12's	R41.03
CREPE BANDAGE 50MM X 4.5M 12's	R34.19
ELASTIC ADHESIVE BANDAGE 25MM X 3M SINGLE	R10.25
ELASTIC ADHESIVE BANDAGE 50MM X 3M SINGLE	R12.53
ELASTIC ADHESIVE BANDAGE 75MM X 3M SINGLE	R14.81
CONFORMING BANDAGES 100MM SINGLE	R3.41
CONFORMING BANDAGES 75MM SINGLE	R2.17
CONFORMING BANDAGES 50MM SINGLE	R1.71
CERVICAL COLLAR SMALL/MEDIUM/LARGE	R23.93
COLLAR AND CUFF	R36.47
TRIANGULAR BANDAGES NON WOVEN	R6,21
FIRST AID DRESSING No.1	R2.27
FIRST AID DRESSING No.2	R2.51
FIRST AID DRESSING No.3	R3.76
FIRST AID DRESSING No.4	R5.13
FIRST AID DRESSING No.5	R5.69
FIRST AIDD FORCEPTS PLASTIC	R2.85
FIRST AID SCISSOR	R3.99
CPR MOUTH PIECE (FIRST AID)	R2.85

<b>PRODUCTS</b>	<b>PRICE EX VAT</b>
ADMIN SET 60 DROPPER WITH NEEDLE	R7.97
ADMIN SET 20 DROPPER WITH NEEDLE	R7.97
ALCOHOL SWEBS 200's	R26.79
TONGUE BLADES (WOODEN) 100's	R17.09
ABDOMINAL SWEBS 25's 450 X 370 6 PLY	R132.35
GAUZE SWABS 100MM X 100MM 100's	R26.21
GAUZE SWABS 75MM X 75MM 100's	R15.39
GAUZE SWABS 50MM X 50MM 100's	R13.67
GAUZE SWABS STERILE 100MM X 100MM 5's	R2.85
GAUZE SWABS STERILE 75MM X 75MM 5's	R2.27
COTTON WOOL BALLS 500G	R53.57
COTTON WOOL ROLLS 50G	R6.84
COTTON WOOL ROLLS 100G	R11.39
COTTON WOOL ROLLS 500G	R38.75
TEGADERM DRESSING 10 X12 CM	R15.90
TEGADERM DRESSING 6 X 7 CM	R9.11
BURN GEL 10CM X 10CM	R12.53
PARAFIN GAUZE 10CM X 10CM 36's	R43.31
PARAFIN GAUZE 10CM X 7M	R47.87
FACE MUSK 2 PLY 100's	R26.21
FACE MUSK 3 PLY TIES 50'S	R29.99
DISPOSABLE APRONS WHITE PVC 100's	R91.19
MOP CAPS WHITE 100's	R46.68
SLEEVE PROTECTORS BLUE 100's	R30.77
ANKLE GUARD SMALL/MEDIUM/LARGE/EXTRA LARGE	R14.81
ELBOE GUARD SMALL/MEDIUM/LARGE	R14.81
KNEE GUARD SMALL/MEDIUM/LARGE/EXTRA LARGE	R14.81
WRIST GUARD SMALL/MEDIUM/LARGE	R14.81
BOTTLES FLAT 100ML 100's AMBER/CLEAR	R108.30
BOTTLES FLAT 100ML 500's AMBER/CLEAR	R513.00
BOTTLES FLAT 200ML 100's AMBER/CLEAR	R168.71
BOTTLES FLAT 50ML 100's AMBER/CLEAR	R79.80
BOTTLES FLAT 50ML 1000's AMBER/CLEAR	R777.48
TABLET COUNTING TRAY	R51.30
TABLET BAGS WHITE 75 X 106 1000's	R102.59
TABLETS VIALS 100ML 50's CLEAR/AMBER	R44.45
TABLETS VIALS 50ML 100's CLEAR/AMBER	R51.29



<b>PRODUCTS</b>	<b>PRICE EX VAT</b>
TABLET VIALS 30ML 100's CLEAR/AMBER	R44.45
TABLETS VIALS 20ML 100's CLEAR/AMBER	R30.77
TABLET VIALS 10ML 100's CLEAR/AMBER	R27.35
OINTMENT JARS 15G 200	R95.75
OINTMENT JARS 30G 200	R96.89
SPECIMEN JARS + GREEN CAPS 125's	R111.15
LABELS TABLET/CAPSULES 1000's	R49.01
LABLES BLANK 1000's	R49.01
LABLES MIXTURE 1000's	R49.01
LABLES OINTMENT 1000's	R49.01
LABLES POISON 1000's	R49.01
RECORD CARDS 500's	R91.19
RECORD CARDS 1000's	R175.55
MEDICAL TUMBLER 60ML	R1.71
MEDICINE SPOONS 1000's	R200.07
SAFETY BOX 10L	R39.90
SAFETY BOX 5L	R30.77
ECG ELECTRODES ADULT 50's	R55.85
ECG ELECTRODES CHILD 50's	R81.51
ECG ELECTRODES MEDITRACE 100's	R153.90
URINE BAGS 2L	R15.95
BP MONITOR UPPER ARM NORDITALIA	R455.99
STETHOSCOPE DUAL HEAD DOCTOR	R28.49
STETHOSCOPE NURSE	R25.07
STETHOSCOPE RAPPAPORT	R91.19
AUTOCLAVE SEMI AUTOMATIC 25L	R8 892.00
BATH SEAT WITH STRAPPING	R239.40
BEDSIDE LOCKER PLASTIC BIEGE	R1 422.72
BEDSIDE LOCKER S/STEEL	R1 778.40
DOUBLE STEP	R473.10
DRIP STAND MOBILE	R490.20
EXAMINATION COUCH	R1 067.04
EXAMINATION COUCH FOLDING	R1 354.32
EXAMINATION COUCH WITHFACE HOLD	R1 185.60
GYNAE COUCH STANDARD WITH STIRRUPS	R2 242.37
INSTRUMENT TROLLEY SMALL 457 X 457	R1 065.90
INSTRUMENT TROLLEY MEDIUM 610 X 457	R1 185.60

