



Foretrade

National Medical Supplier

quality equipment at affordable prices

PRODUCTS CATALOGUE

CONTACT DETAILS

TELEPHONE: +27110461898

MOBILE: +2778 6868 484





EMAIL: foretradmed@gmail.com







www.foretrademed.co.za

FULL PRODUCT CATALOGUE

TABLE OF CONTENTS

1	X-Ray Units
2	X-Ray Accessories
3	Ultrasound Scanners
4	Colour Dopplers
5	ECG-EKG
6	Patient Monitors
7	Baby Monitors
8	O.T. Tables
9	O.T. Lights
10	Sterilizers
11	Dental Units
12	Electro-Apparatus Suction
13	Lab Instruments
14	5 Senses (ENT)
15	ENT
16	Lab Products
17	Microscopes
18	Anaesthesia Machines
19	Optic Endoscopes
20	Patient Beds
21	Scales
22	Stretchers
23	Hospital Products
24	Wheel Chairs
25	Test Strips
26	Pendant
27	Diagnostic
28	Veinlite




X-RAY UNITS				
ITEM NAME		MODEL CODE	SELLING PRICE	
X-ray unit			RANDS	DOLLARS
HHMC Mega pixel Suit for Peripheral angiography,Limb angiography and organ angiography I.I 9" 3 field Digital image PC Workstation				
	16KW Mega Pixel HF Toshiba tube 9" Thales I.I 19" LCD Monitor with PC workstation with stored energy function Option Toshiba x-ray tube electric arm	HHMC-160	R 1 611 748.52	\$ 128 939.88
	10KW Mega Pixel HF the tube made in China 9" Thales I.I 19" LCD Monitor with PC workstation with stored energy function With PC, Option Toshiba x- ray tube electric arm	HHMC-100	R 1 264 602.69	\$ 101 168.21
	5KW Mega Pixel HF the tube made in China 9" Thales I.I 19" LCD Monitor with PC workstation with stored energy function With PC, Option Toshiba x- ray tube electric arm	HHMC-50	R 892 660.72	\$ 71 412.86
	HMC 400 thousand pixel Satisfied the bony Diagnostic, therapy and part organ angiography I.I 9" 3 field		R 0.00	
	16KW 400 thousand pixel Toshiba tube 9" Thales I.I 14" CRT Monitor high definition medical monitor with PC workstation with stored energy function Without PC, Option Toshiba x ray tube	HMC-160	R 855 466.52	\$ 68 437.32

	10KW 400 thousand pixel the tube made in China 9" Thales I.I 14" CRT Monitor high definition medical monitor with stored energy function Without PC, Option Toshiba x ray tube	HMC-100	R 805 874.26	\$ 64 469.94
	5KW 400 thousand pixel the tube made in China Rotating anode 9" Thales I.I 14" CRT Monitor high definition medical monitor with stored energy function Without PC, Option Toshiba x ray tube	HMC-50	R 706 689.74	\$ 56 535.18
	5KW 400 thousand pixel the tube made in China Rotating anode 9" Thales I.I 14" CRT Monitor high definition medical monitor	HMC-50P	R 724 047.03	\$ 57 923.76
	5KW 400 thousand pixel Toshiba tube fixed anode 9" Thales I.I 14" CRT Monitor high definition medical monitor Without PC, Toshiba tube	HMC-50G	R 632 301.34	\$ 50 584.11
	5KW 400 thousand pixel IMD tube assembly rotation anode 9" Toshiba.I.I 14" CRT Monitor high definition medical monitor	HMC-50H	R 681 893.61	\$ 54 551.49
3.6KW,1.6KW 400 thousand pixel Satisfied the bony Diagnostic and therapy				
	3.6KW 9" I.I Fixed anode double Focus Radiographic : KV: 40-110 mA: 10-60 Fluoroscope: KV: 40-110 mA: 0.3-5mA Without PC	HMC-36	R 600 066.37	\$ 48 005.31
	C-arm option : for any model: except HMC-50H Toshiba Tube Head		R 111 582.59	\$ 8 926.61
	PC working station		R 49 592.26	\$ 3 967.38



HF Mobile Medical Diagnostic X-Ray Machine

	HF Mobile Medical Diagnostic X-Ray Machine 1. 20KW 2. Swing arm $\pm 90^\circ$ 3. Toshiba X Ray tube 4. Remotecomtrol exposure handbrake Toshiba Tube Head	HM-200	R 545 514.88	\$ 43 641.19
	HF Mobile Medical Diagnostic X-Ray Machine 1. 20KW 2. Swing arm $\pm 90^\circ$; 3. Toshiba X Ray tube; 4. remotecomtrol exposure handbrake 5. with CR American ICR	HM-200C	R 1 686 136.91	\$ 134 890.95
	HF Mobile Medical Diagnostic X-Ray Machine 1. 20KW 3. Swing arm $\pm 90^\circ$; 4. Toshiba X Ray tube; 5. remotecomtrol exposure handbrake 6. with DR walean IP board With DR walean IP	HM-200D	R 1 909 302.09	\$ 152 744.17
	HF Mobile Medical Diagnostic X-Ray Machine 1. 3.2KW 2. Radiographic: KV: 40-110KV mA:10-60mA 3. Swing arm $\pm 90^\circ$ 4. X-Ray tube made in China 5. Remote control exposure handbrake	HM-32A	R 235 563.25	\$ 18 845.06
	1. 3.2KW 2. X-ray tube head Lateral & Longitudinal turning 3. Radiographic: KV:40-90KV mA:10-40mA 3. Swing arm $\pm 90^\circ$ 4. Toshiba X Ray tube 5. Remote control exposure handbrake	HM-32	R 297 553.57	\$ 23 804.29

	<p>Model:YZ021-2 fixed Anode Focus 1.6KW KV:40-90KV mA:10-40mA mAS:5-160mA Power capacity:≥2.0KVA X-ray tube head only Longitudinal turning X-ray tube made in China</p>	<p>YZ021-2</p>	<p>R 168 613.69</p>	<p>\$ 13 489.10</p>
	<p>X-ray film scanner 1. Gray Scale: 16bits 2. Spatial Resolution: 40800 pixels/line 3. Film Size: 5"×7"to14"×17" 4. Scanning Speed: 24 seconds 5. Operation System Win2000/XP</p>	<p>SCAN880</p>	<p>R 148 776.79</p>	<p>\$ 11 902.14</p>
	<p>CCD DR Detector 1. Detector technology: Blue plus CCD 2. Scintillator: GOS / CsI 3. View Field: 17"×17" (43cm x 43cm) 4. Imaging Pixels: 4,096 x 4,096 (16 Megapixel) 5. Time to process image: Approximately 5s 6. Spatial resolution: 4.6lp/mm 7. Grayscale: 14bit</p>	<p>DR1600</p>	<p>R 818 272.33</p>	<p>\$ 65 461.79</p>
	<p>XGY OPER-0.4 MRI System</p>	<p>MRI</p>	<p>R 13 637 872.10</p>	<p>\$ 1 091 029.77</p>
	<p>UC ARM TOSHIBA X-ray tube, ANGELL High voltage generator</p>	<p>TR30KW-DR</p>	<p>R 1 438 175.60</p>	<p>\$ 115 054.05</p>
	<p>UC ARM TOSHIBA X-ray tube, CPI High voltage generator</p>	<p>TR50KW-DR</p>	<p>R 1 611 748.52</p>	<p>\$ 128 939.88</p>



	<p>Mobile C-Arm TV X-ray machine 9" High frequency 、 392</p>	<p>HMW-H</p>	<p>R 471 126.49</p>	<p>\$ 37 690.12</p>
	<p>Mobile C-Arm TV X-ray machine 9" Normal frequency、 19</p>	<p>HMW-G</p>	<p>R 488 483.78</p>	<p>\$ 39 078.70</p>
	<p>Computed Radiography CR SYSTEM Specification: 1. Scanning Resolution:HR 10 lines/mm,SR 6.4 lines/mm. 2. Scanning Time: 37s-83s/piece IP (Long time for high resolution,short time for low resolution) 3. Scan speed:40-80sheets/H 4. Greyscale of Sampling:12 b</p>	<p>TR-CR-2012</p>	<p>R 545 514.88</p>	<p>\$ 43 641.19</p>

<p>UNCCS CODES USED AND DEFINITION</p>	
<p>481190</p>	<p>X-ray equipment, parts and accessories thereof</p>








X-RAY UNITS				
ITEM NAME		MODEL CODE	SELLING PRICE	
X-ray unit			RANDS	DOLLARS
	10mA X-Ray unit	JF-10	R 19 856.48	\$ 1 774.88
	100mA Mobile X-ray Unit suitable for ward, operating room, accident field and mobile Clinique etc. in common Radiography Radiography : Voltage: 50- 90kV Distance between the focus of x-ray generator to the ground UP and DOWN: 810- 1790mm x-ray generator transverse retractility: 255mm x-ray generator LEFT and RIGHT: $\pm 50^\circ$ x-ray generator move around level axis: $\pm 180^\circ$ x-ray generator move around vertical axis: $\pm 90^\circ$	F100	R 84 098.04	\$ 7 517.14
	100mA Mobile X-ray Unit suitable for ward, operating room, accident field and mobile Clinique etc. in common Radiography Radiography : Voltage: 50- 90kV Distance between the focus of x-ray generator to the ground UP and DOWN: 810- 1790mm x-ray generator tr	TRF100	R 65 409.58	\$ 5 846.67
	100mA Radiography & fluoroscopy X-ray unit 1.100mA 90KV	TR100F	R 66 577.61	\$ 5 951.07
	200mA X-ray unit 1.200mA 100KV 2. Radiography with four side moving table-face	TR200B	R 102 786.49	\$ 9 187.62









	<p>300mA X-ray unit 1. 300mA 125KV 2. Radiography with four side moving table-face</p>	<p>TR300A</p>	<p>R 127 315.08</p>	<p>\$ 11 380.12</p>
	<p>500mA X-ray Unit 1. 500mA 125KV 2. Radiography & fluoroscopy</p>	<p>F99IBT</p>	<p>R 350 408.48</p>	<p>\$ 31 321.43</p>
	<p>500mA X-ray Unit 1. 500mA 125KV 2. Radiography & fluoroscopy 3. with T.V system , 9" I.I</p>	<p>F52-8C</p>	<p>R 809 443.60</p>	<p>\$ 72 352.50</p>
	<p>500mA X-ray Unit 1. 500mA 125KV 2. Radiography with four side moving table-face SC4-4</p>	<p>FY51-3</p>	<p>R 280 326.79</p>	<p>\$ 25 057.14</p>
	<p>HF Mobile Medical Diagnostic X-ray Machine 1. With battery 2. H.T generator Max.Power: 5kw 3. X-ray tube: Fixed anode, Focus: 1.5mm 4. kV: 40-120kV 5. mA: 20-100mA 6. mAs: 1-250mAsat 7. Power capacity: ≥3.5kVA</p>	<p>HF-50B</p>	<p>R 299 015.24</p>	<p>\$ 26 727.62</p>
	<p>50KW X-ray Unit 1. High frequency 2. Radiography 3. 630mA 150KV 4. Digital display</p>	<p>HF-50R</p>	<p>R 574 669.91</p>	<p>\$ 51 367.14</p>
	<p>X-ray chest stand 1. With Cassette</p>	<p>TR-SS</p>	<p>R 2 336.06</p>	<p>\$ 208.81</p>

	X-ray chest stand 1. With Bucky	TR-BS	R 22 192.54	\$ 1 983.69
	X-ray Table	TR100CP	R 19 856.48	\$ 1 774.88
	X-ray film dryer 1. Suit for 20 film drying	TRFD-85	R 8 176.20	\$ 730.83
X-RAY FILM PROCESSOR				
	X-ray film Processor 1. Film applicable for X-ray, CT, MRI 2. 100pcs/hour(12"x15")	FP350XT	R 42 049.02	\$ 3 758.57
HF Mobile Medical Diagnostic X-Ray Machine				
	HF 200mA X-ray unit 1. 25kW high frequency 2. Single radiographic 3. X-ray tube voltage: 40~125kV	TR-20G	R 205 572.98	\$ 18 375.24
	HF 300mA X-ray unit 1. 30kW high frequency 2. Single radiographic 3. X-ray tube voltage:40~125kV	TR-30G	R 233 605.66	\$ 20 880.95
	HF 500mA X-ray unit 1. 50kW high frequency 2. Single radiographic 3. X-ray tube voltage:40~150kV	TR-50G	R 303 687.35	\$ 27 145.24
	50mA mobile X-ray apparatus For hospital patient room and emergency room photography Generator window down, the territory between focus and ground is 450mm to 1770mm Generator revolving of level ±180°; Generator revolving of	TR50C	R 42 049.02	\$ 3 758.57










	Veterinary X-ray Machine 1. 50mA/100mA 2. Normal frequency with table, by using the bridge rectifying combined X-ray generator 3. Tube voltage: 40-90kV / 50-90kV 4. Tube current: 30,50mA, 2gears / 15,30,60,100mA, 4gears	TR-DW50	R 52 327.67	\$ 4 677.33
		TR-DW100	R 74 753.81	\$ 6 681.90
	30KW/50KW DR Detector Type blue plus CCD Scintillator GdOS Imaging Area 17*17 Maximum Spatial Resolution 3.57LP/MM Generator:Output Power 30KW / 50KW Max Output Current 200mA / 630mA Max Output Voltage 150KV Range Of MAS	TR30KW-WT	R 1 284 831.11	\$ 114 845.24
		TR50KW-WT	R 1 401 633.94	\$ 125 285.72

UNCCS CODES USED AND DEFINITION	
481190	X-ray equipment, parts and accessories thereof

X-RAY ACCESSORIES					
ITEM NAME		MODEL CODE	SELLING PRICE		
			RANDS	DOLLARS	
	Tank for film developing	19L	XTD	R 400.55	\$ 32.04
		38L		R 425.35	\$ 34.03
	X-ray film Processor 1. Film applicable for X-ray, CT, MRI 2. 100pcs/hour(12"x15")		FP350XT	R 44 633.04	\$ 3 570.64
	X-ray Film Viewer 1. the frame of screen is made of aluminium-alloy shape 2.with 12cm thickness 3.Life lamp tube for 3000hour			R 446.23	\$ 35.70
	On/off for turning light FL-A	Single connection	FL-A	R 474.94	\$ 38.00
		Double connections	FL-A	R 499.74	\$ 39.98
	Revolving for adjusting the light FL-B1	Single connection	FL-B1	R 524.53	\$ 41.96
		Double connections	FL-B1	R 549.33	\$ 43.95
		three connections	FL-B1	R 574.13	\$ 45.93
	Super thin x-ray film viewer with LCD 1. Super slim design 2. With 2.5cm thickness 3.Life lamp tube for 20000hour	Single connection	PD-S	R 598.92	\$ 47.91
		Double connections	PD-S	R 623.72	\$ 49.90
	X-ray Film Cassette: AX-11	8"x 10"	AX-II	R 648.51	\$ 51.88
		10"x 12"	AX-II	R 673.31	\$ 53.86
		12"x 15"	AX-II	R 698.11	\$ 55.85
		14"x 14"	AX-II	R 722.90	\$ 57.83
		14"x 17"	AX-II	R 747.70	\$ 59.82
		18 x 24CM	AX-II	R 772.49	\$ 61.80
		24 x 30CM	AX-II	R 797.29	\$ 63.78
		30 x 40CM	AX-II	R 822.09	\$ 65.77
		35.6x35.6	AX-II	R 846.88	\$ 67.75
		35x43	AX-II	R 871.68	\$ 69.73
	High-speed Intensifying Screen Blue 400	8" x 10" (18 x 24cm)	YZ2-FLB-400	R 896.48	\$ 71.72
		10"x 12" (24x30cm)	YZ2-FLB-400	R 921.27	\$ 73.70
		12"x 15" (30x40cm)	YZ2-FLB-400	R 946.07	\$ 75.69
		14"x14" (35.5x35.5cm)	YZ2-FLB-400	R 970.86	\$ 77.67
		14"x 17" (35.5x43cm)	YZ2-FLB-400	R 995.66	\$ 79.65
		11"x 14"	YZ2-FLB-400	R 1 020.46	\$ 81.64
	High-speed Intensifying Screen Green 400	8" x 10" (18 x 24cm)	3YG-500	R 1 045.25	\$ 83.62
		10"x 12" (24x30cm)	3YG-500	R 1 070.05	\$ 85.60
		12"x 15" (30x40cm)	3YG-500	R 1 094.84	\$ 87.59



		14"x 14" (35.5x35.5cm)	3YG-500	R 1 119.64	\$ 89.57
		14"x17" (35.5x43cm)	3YG-500	R 1 144.44	\$ 91.55
		11"x14"	3YG-500	R 1 169.23	\$ 93.54
	Protective mask (A) without cap		X-17	R 1 194.03	\$ 95.52
	Protective mask (B) without cap		X-18	R 1 218.83	\$ 97.51
	Protective mask (C) with cap		X-19	R 1 243.62	\$ 99.49
	X-ray Film Viewer 1. On/off for turning light 2. The frame of screen is made of aluminium-alloy shape 3. with 10cm thickness 4. Life lamp tube for 3000hour 5. 2000cd/m2. 6. 6300Lux 7. Tube: 3pcs of 15W tube	Single connection	FL-A	R 1 293.21	\$ 103.46
		Double connections	FL-A	R 1 318.01	\$ 105.44
		Triple connections	FL-A	R 1 342.81	\$ 107.42
	X-RAY FILM VIEWER	DOUBLE	FL-B1	R 1 367.60	\$ 109.41
		THREE	FL-B1	R 1 392.40	\$ 111.39
	Super thin x-ray film viewer with LCD 1. Super slim design 2. With 2.4cm thickness 3. Life lamp tube for 20000hour 4. 1500cd/m2. 5. 5000Lux 6. Tube:120pcs of LED	Single connection	PD-S	R 1 417.19	\$ 113.38
		Double connections	PD-S	R 1 441.99	\$ 115.36
	X-ray Film Cassette: AX-11	8"x 10"	AX-II	R 1 466.79	\$ 117.34
		10"x 12"	AX-II	R 1 491.58	\$ 119.33
		12"x 15"	AX-II	R 1 516.38	\$ 121.31
		14"x 14"	AX-II	R 1 541.17	\$ 123.29
		14"x 17"	AX-II	R 1 565.97	\$ 125.28
	High-speed Intensifying Screen Blue 400	5"x7"	YZ2-FLB-400	R 1 590.77	\$ 127.26
		8" x 10"	YZ2-FLB-400	R 1 615.56	\$ 129.25
		10"x 12"	YZ2-FLB-400	R 1 640.36	\$ 131.23
		12"x 15"	YZ2-FLB-400	R 1 665.16	\$ 133.21
		14"x14"	YZ2-FLB-400	R 1 689.95	\$ 135.20
		14"x 17"	YZ2-FLB-400	R 1 714.75	\$ 137.18
		11"x 14"	YZ2-FLB-400	R 1 739.54	\$ 139.16
	High-speed Intensifying Screen Green 400	5"x7"	3YG-500	R 1 764.34	\$ 141.15
		8" x 10"	3YG-500	R 1 789.14	\$ 143.13
		10"x 12"	3YG-500	R 1 813.93	\$ 145.11


		12"x 15"	3YG-500	R 1 838.73	\$ 147.10
		14"x 14"	3YG-500	R 1 863.52	\$ 149.08
		14"x17"	3YG-500	R 1 888.32	\$ 151.07
		11"x14"	3YG-500	R 1 913.12	\$ 153.05
	Tank for film developing (PVC)	19L	XTD	R 1 937.91	\$ 155.03
	Tank for film developing (PVC)	38L	XTD	R 1 962.71	\$ 157.02
	X-ray Hanger	8 x 10 (18 x 24cm)	X-01	R 1 987.51	\$ 159.00
		10 x 12 (24 x 30cm)	X-01	R 2 012.30	\$ 160.98
		12 x 15 (30 x 40cm)	X-01	R 2 037.10	\$ 162.97
		14 x 14 (35.5 x 35.5cm)	X-01	R 2 061.89	\$ 164.95
	X-ray dental film for adult	3x4cm adult/150pcs/box	X-02	R 2 086.69	\$ 166.94
	Dark rooms lamps 1. table top darkroom		X-04	R 2 111.49	\$ 168.92
	Lead Under Shorts 0.5mpb		X-05	R 2 136.28	\$ 170.90
	Protective scart 0.5mpb		X-06	R 2 161.08	\$ 172.89
	Lead Apron 0.35mpb		X-07	R 2 185.87	\$ 174.87
	Lead Apron 0.65mpb 1.8mm			R 2 210.67	\$ 176.85
	Conventional Vest Apron for men (pull on from the back side and one- faced) 0.35mmpb		X-08	R 2 235.47	\$ 178.84
	Conventional Vest Apron for women (pulled on from the right side and one-faced) 0.35mmpb		X-08	R 2 260.26	\$ 180.82
	Lead Coat Apron 0.5mmpb		X-08C	R 2 285.06	\$ 182.80





	Lead Apron set (vest and skirt) 0.5mmpb		X-08D	R 2 309.85	\$ 184.79
	Lead Glove 0.25mmpb 390		X-09	R 2 334.65	\$ 186.77
	Lead Glove 0.5mmpb 390			R 2 359.45	\$ 188.76
	prtection glasses		X-10	R 2 384.24	\$ 190.74
	Lead Screen(triple couplets)		X-11	R 2 409.04	\$ 192.72
	Lead Screen(double couplets)		X-12	R 2 433.84	\$ 194.71
	Lead Screen(single couplet)		X-13	R 2 458.63	\$ 196.69
	Protective Collar Staight Type(A) 0.50mmpb		X-14	R 2 483.43	\$ 198.67
	Protective Collar One Piece Strange Type(B) 0.50mmpb		X-15	R 2 508.22	\$ 200.66
	protective cap Universal Type 0.50mmpb		X-16	R 2 533.02	\$ 202.64
			B TYPE		


UNCCS CODES USED AND DEFINITION	
481190	X-ray equipment, parts and accessories thereof

ULTRASOUND SCANNERS


ITEM NAME		MODEL CODE	SELLING PRICE	
	Ultrasound Scanner:		RANDS	DOLLARS
	<p>Colour Doppler Ultrasound Diagnosis System</p> <ol style="list-style-type: none"> 1. With Real-time color 2. Through software change to 3D with Computer 3. Including 3 probe 	TCB380	R 506 399.81	\$ 40 511.98
	Probe for color doppler		R 37 204.88	\$ 2 976.39
	<p>Digital Ultrasound scanner</p> <ol style="list-style-type: none"> 1. Digital B-Ultrasound 2. with 7 different color options 3. 3D with Computer , 4. Including 3 probe 	TBC9000D	R 134 350.97	\$ 10 748.08
	<p>B-Ultrasound scanner</p> <ol style="list-style-type: none"> 1. Digital B-Ultrasound By Portable 2. 80 element 3. 10" screen 4. USB to PC 5. STG 8 steps 6. two probe holder 7. Cineloop 	TBP9618	R 37 204.88	\$ 2 976.39
	<p>B-Ultrasound scanner</p> <ol style="list-style-type: none"> 1. Digital B-Ultrasound By Stand 2. 80 element 3. 10" screen 4. USB to PC 5. STG 8 steps 6. two probe holder 7. Cineloop 	TBC9618C	R 62 008.14	\$ 4 960.65
	<p>B-Ultrasound scanner</p> <ol style="list-style-type: none"> 1. By portable 2. 10.4 LCD 3. USB flash disk or to HP printer 4. Number of Element: 128 5. STG 6 steps 6. two probe holder 7. Cineloop 8. weight: Approx. 5kg 	TBP830	R 62 008.14	\$ 4 960.65
	<p>Laptop Ultrasound Scanner</p> <ol style="list-style-type: none"> 1. Laptop type 2. 8 different color options 3. 15" TFT LCD 4. Number of Element: 128 5. STG 7 steps 6. two probe holder 7. Cineloop 8. Approx: 5kg 	TBLP-1	R 62 008.14	\$ 4 960.65

	B-Ultrasound scanner 1. Trolley By portable 2.USB flash disk or to HP printer 3.Number of Element:80 4.14 inch screen 5.STG 6steps 6.two probe holder 7.Cineloop	TBP860	R 41 485.01	\$ 3 318.80
	B-Ultrasound scanner 1. Trolley By stand 2.USB flash disk or to HP printer 3.Number of Element:80 4.14 inch screen 5.STG 6steps 6.two probe holder 7.Cineloop	TBC1100	R 68 208.95	\$ 5 456.72
	B-Ultrasound scanner 1. suit for veterinary By portable 2.USB flash disk or to HP printer 3.Number of Element:80 4.10 inch screen 5.STG 6steps 6.two probe holder 7.Cineloop	TBP820Vet	R 34 104.48	\$ 2 728.36
	Probe	L080-80B	R 24 803.26	\$ 1 984.26
		L080-57B	R 16 535.50	\$ 1 322.84
		C080-60F	R 14 468.57	\$ 1 157.49
		C080-60E	R 20 669.38	\$ 1 653.55
	B-Ultrasound scanner 1. By portable 2.10.4 LCD 3. Number of Element: 80 4.STG 6steps 5.two probe holder 6.Cineloop	TBP9000C	R 27 903.66	\$ 2 232.29
	B-Ultrasound scanner 1. By portable 2.10.4 LCD 3. Number of Element: 80 4.STG 6steps 5.two probe holder 6.Cineloop 7. With USB, no printer	TBP3000D	R 28 937.13	\$ 2 314.97
	B-Ultrasound scanner 1. Trolley By stand 2.Number of Element:80 4. 14 inch screen 5.STG 8steps 6.two probe holder 7.Cineloop	TBC9000E	R 49 606.51	\$ 3 968.52
		TBPCP	R 4 133.88	\$ 330.71
	Linear Scanning probe 3.5MHZ		R 15 502.03	\$ 1 240.16
		CXP	R 2 066.94	\$ 165.36
	Vagina probe 7.5MHZ		R 18 602.44	\$ 1 488.20
	Gel 250ML/bottle		R 15.90	\$ 1.27
	Gel 2.5L/bucket		R 127.20	\$ 10.18





	Gel	TBG5L	R 254.39	\$ 20.35
	Ultrasound Scanner:			
	Ultrasound Scanner with normal type 1. 80 E/ 24channel . 2. Full digital 3. Back-light, silicon-gel alphameric keyboard 4.working modes: B, B/B, B/M, M 5. 10" flash-free monitor 6. 2 probe sockets 7. 6 segment TGC 8. Multiple peripheral ports of USB, video and grounding	TBP-9618	R 27 903.66	\$ 2 232.29
	Ultrasound Scanner with PC 1. Base on TBP9618 normal type 2. with PC platform 3. 8 segment TGC 4. with USB, VGA, video, DICOM3.0 and grounding 5. Permanent storage of 5,000 frames of ultrasound images, unlimited to SD card 6. option: 3D	TBP-9618	R 45 472.64	\$ 3 637.81
	TBP9618P option			
	3D		R 31 004.07	\$ 2 480.33
	6.5MHZ		R 19 635.91	\$ 1 570.87
	7.5MHZ		R 17 568.97	\$ 1 405.52
	Laptop Ultrasound Scanner 1. Laptop type 2. 8 different color (pseudo) 3. Equiped with recharge battery(2pcs) for 3 hours on waorking, with USB connector 4. 15"TFT LCD 5. Number of Element:80 6. STG 7steps 7. Two probe holder 8. Cineloop 9. Approx: 2.25kg	TBLP-500	R 53 740.39	\$ 4 299.23
	High-frequey linear Scanning probe 5.0--7.5MHZ		R 0.00	\$ -
	High-frequey Convex Scanning probe 3.5--6.5MHZ		R 0.00	\$ -
	Vaginal probe 5.0--8MHZ		R 0.00	\$ -

	<p>Ultrasound Scanner with PC by stand</p> <ol style="list-style-type: none"> 1. 80 E/ 24channel . 2. Full digital with PC platform 3. Back-light, silicon-gel alphameric keyboard 4. working modes: B, B/B, B/M, M 5. 14" flash-free monitor 6. 2 probe sockets 7. 8 segment TGC 8. with USB, VGA, video, DICOM3.0 and grounding 9 Permanent storage of 5,000 frames of ultrasound images, unlimited to SD card 10.option: 3D 	TBC-9618CII	R 78 543.64	\$ 6 283.49
TBC9618CII option				
	3D		R 31 004.07	\$ 2 480.33

UNCCS CODES USED AND DEFINITION	
481231	Ultrasound scanners

Price List of							
Name of products	Picture	Standard Specification	MODEL CODE	SELLING PRICE			
				RANDS	DOLLARS		
Trolley Color Doppler System		Convex Array Probe, 5120 syetem processing channels, 177 dB dynamic range, Display: B, C, M, CFM(Color Flow Mapping),PWD(Pulse Wave Doppler), PD(Power Doppler), DPI(Directional Power -- Dpower), Display mode: B, 2B, 4B, M, B/PWD, B/M, B/C, B/Power, C/Power, B/DPower, C/DPower, B/C/PWD, Scanning Depth: 35cm, Frame: 586 frame/s, 15inch LCD monitor, Two probe sockets, Hard disk: 160GB, DICOM 3.0, Remote system diagnosis and online service Standard Special Functions: Coded Excitation, Trapezoid Imaging, Automatic Intima media thickness (IMT) Measurement, Tissue Harmonic Imaging (THI-phase) , Spatial Compounding Imaging (SCI), Tissue Restoration Image(SRA+Structure enhancement), 2-D Color flow estimation, Color Zoom, Synthetic Aperture, Wide Field of View (WFOV) Imaging, Automatic Sound Speed Optimization, Crystal imaging	iMAGO C21 (32)	R 320 102.40	\$ 25 608.19		
		1. Free Steering M software				R 6 668.80	\$ 533.50
		2. 3D Multi-gate Spectrum Doppler				R 25 563.73	\$ 2 045.10
		3. Elastic (Strain) Imaging				R 26 452.91	\$ 2 116.23
		4. 3D software (B mode)				R 11 114.67	\$ 889.17
		5. Cardiac function package(including TDI, Strain Rate Imaging, HPRF Imaging)				R 12 226.13	\$ 978.09
		6. DICOM ultrasound work station(including Main unit ,software,moni				R 21 117.87	\$ 1 689.43
		7. DICOM ultrasound work station(including software and monitor)				R 10 670.08	\$ 853.61
		8. Three probe sockets				R 3 556.69	\$ 284.54
		9. 4D package (including Volume probe,4D software,4D hardware)				R 124 706.56	\$ 9 976.52
		10. Linear array probe				R 24 452.27	\$ 1 956.18
		11. Phased array probe (Cardiac probe)				R 26 675.20	\$ 2 134.02
		12. Trans-vaginal array probe (150°)				R 26 675.20	\$ 2 134.02




Trolley Color Doppler System	 <p>32 Channels</p>	<p>Trolley Main unit with 17inch LCD monitor Three probe sockets One convex array probe B /M /2B /4B /BM mode DPI(Directional Power Doppler) CFM(Color Flow Mapping) THI(Tissue Harmonic Imaging) SRA Compound Imaging PW(Pluse Wave Doppler) 160G Hard Disk&DVD-R/W,USB port,S-VIDEO&VGA port Measurement and Calculation Software Packages</p>	XK6800 (32)	R 255 637.33	\$ 20 450.99	
	 <p>64 Channels</p>	<p>Trolley Main unit with 17inch LCD monitor Three probe sockets One convex array probe B /M /2B /4B /BM mode DPI(Directional Power Doppler) CFM(Color Flow Mapping) THI(Tissue Harmonic Imaging) SRA Compound Imaging PW(Pluse Wave Doppler) 160G Hard Disk&DVD-R/W,USB port,S-VIDEO&VGA port Measurement and Calculation Software Packages</p>	XK6800 (64)	R 300 096.00	\$ 24 007.68	
	Optional Parts for XK6800	1. CW (Continous Wave Doppler) 1515\$			R 0.00	\$ -
		2. Free Styering M Software			R 6 668.80	\$ 533.50
		3. TDI			R 11 114.67	\$ 889.17
		4. Panoramic Imaging			R 16 672.00	\$ 1 333.76
		5. 3D Software			R 33 344.00	\$ 2 667.52
		6. Superficial Probe			R 33 344.00	\$ 2 667.52
		7. Transvaginal Probe			R 33 344.00	\$ 2 667.52
8. Phased Array Probe				R 36 678.40	\$ 2 934.27	
Portable Color Doppler		<p>Main unit with 15inch LCD monitor One convex array probe B /2B /BM /4B /M Color Doppler Mode: CFM,PDI,PW Triplex: 2D mode,Doppler&CFM Duplex: 2D mode& Doppler THI(Tissue Harmonic Imaging) Three probe sockets 160G Hard Disk USB,VGA,Video port,Printer port Gross weight: 10kgs</p>	AFS-5000	R 200 064.00	\$ 16 005.12	
	Optional Parts for AFS-5000	1. Superficial Probe			R 33 344.00	\$ 2 667.52
		2. Transvaginal Array Probe			R 33 344.00	\$ 2 667.52
		3. Micro-Convex Array Probe			R 36 678.40	\$ 2 934.27
		4. Mitsubishi Video Printer			R 16 894.29	\$ 1 351.54


Full digital 2D Portable Color Doppler		Convex array probe Main unit with 15inch LCD monitor B /2B /BM /4B /M Color Doppler Mode: CFM,PDI,PW Triplex: 2D mode,Doppler&CFM Duplex: 2D mode& Doppler THI(Tissue Harmonic Imaging) Two probe sockets USB,VGA,Video port,Printer port	XK300	R 177 834.66	\$ 14 226.77	
		1. Transvaginal Array Probe		R 17 783.47	\$ 1 422.68	
		2. Micro-Convex Array Probe		R 17 783.47	\$ 1 422.68	
		3. Mitsubishi Video Printer		R 16 894.29	\$ 1 351.54	
Full digital Laptop Ultrasound Scanner		Convex array probe Windows XP software Full-digital ultrasound scanner software 10.4inch LCD screen Powerful image and report management 1024 frames cine loop 2 probe sockets USB,VGA, DICOM3.0	XK200	R 42 235.73	\$ 3 378.86	
		Optional Parts for XK200				
		1. 3D Function		R 11 114.67	\$ 889.17	
		2. Transvaginal Array Probe		R 10 003.20	\$ 800.26	
		3. Micro-Convex Array Probe		R 10 003.20	\$ 800.26	
		4. Linear Probe		R 10 003.20	\$ 800.26	
4. Mitsubishi Video Printer		R 16 894.29	\$ 1 351.54			
Utouch-8 Touch Screen LCD Ultrasound Scanner		Convex array probe 18.5inch LCD monitor Computer keyboard mouse software	Utouch-8	R 48 904.53	\$ 3 912.36	
		Optional Parts for Utouch-8				
		1. 3D Function		R 11 114.67	\$ 889.17	
		2. Transvaginal Array Probe		R 10 003.20	\$ 800.26	
		3. Micro-Convex Array Probe		R 10 003.20	\$ 800.26	
		4. Linear Probe		R 10 003.20	\$ 800.26	
5. Keyboard for Ubox 10		R 3 334.40	\$ 266.75			
4. Mitsubishi Video Printer		R 16 894.29	\$ 1 351.54			
Digital Laptop Ultrasonic Diagnosis Equipment		Main unit with 12inch LCD Monitor One convex array probe 8 TGC adjustment Back-light keys 256 frames cineloop memory 7 kinds of real time pseudo color image display Two probe sockets USB,VGA,Video port Printer port Gross weight:6.5kgs	XK21355LCD	R 28 898.13	\$ 2 311.85	

		1. Superficial Probe		R 10 003.20	\$ 800.26
		2. Transvaginal Array Probe		R 10 003.20	\$ 800.26
		3. Micro-Convex Array Probe		R 10 670.08	\$ 853.61
		4. Mitsubishi Video Printer		R 16 894.29	\$ 1 351.54
		5. Battery Inside the Machine		R 6 668.80	\$ 533.50
		Optional Parts for XK/21355LCD			
		Main unit with 10 inches SVGA Monitor One convex array probe Two probe sockets 8 TGC adjustment Back-light keys 256 frames cineloop memory Image Zoom in and partial Zoom Image permanent storage USB,VGA,Video port Printer port Gross weight:13.5kgs	XK21355	R 23 000.00	\$ 1 840.00
	V1.3 version+old machine body				
		Main unit with 10 inches SVGA Monitor One convex array probe Two probe sockets 8 TGC adjustment Back-light keys 256 frames cineloop memory Image Zoom in and partial Zoom Image permanent storage USB,VGA,Video port Printer port Gross weight:13.5kgs	XK21355	R 21 117.87	\$ 1 689.43
	V2.2version+new machine body				
		1. Superficial Probe		R 10 003.20	\$ 800.26
		2. Transvaginal Array Probe		R 10 003.20	\$ 800.26
		3. Micro-Convex Array Probe		R 10 670.08	\$ 853.61
		4. Mitsubishi Video Printer		R 16 894.29	\$ 1 351.54
		5. Battery Inside the Machine		R 6 668.80	\$ 533.50
		Optional Parts for XK/21355			
		Main unit with 10 inches SVGA Monitor One convex array probe Two probe sockets 8 TGC adjustment Back-light keys 256 frames cineloop memory Image Zoom in and partial Zoom Image permanent storage USB,VGA,Video port Printer port Gross weight:50kgs	XK21353	R 36 678.40	\$ 2 934.27
	New Mchine Body				
		Main unit with 10 inches SVGA Monitor One convex array probe Two probe sockets 8 TGC adjustment Back-light keys 256 frames cineloop memory Image Zoom in and partial Zoom Image permanent storage USB,VGA,Video port Printer port Gross weight:50kgs	XK21353	R 38 901.33	\$ 3 112.11
	Old Machine Body				



Digital
Portable
Ultrasonic
Diagnosis
Equipment



Digital
Trolley
Ultrasonic
Diagnosis
Equipment

		1. Superficial Probe		R 10 003.20	\$ 800.26
		2. Transvaginal Array Probe		R 10 003.20	\$ 800.26
		3. Micro-Convex Array Probe		R 10 670.08	\$ 853.61
		4. Mitsubishi Video Printer		R 16 894.29	\$ 1 351.54
		Optional Parts for XK/21353			
		<p>Main unit with 10inch SVGA monitor One convex array probe Windows XP operation software(PC platform) Powerful measurement & calculation software packages 8-segment TGC adjustment Automatic report generation Back-lit keyboard Probe automatic identification Hard disk: 160G USB,VGA,Video port Printer port Gross weight:13.5kgs</p>	XK21355 Plus	R 36 678.40	\$ 2 934.27
80 Elements Full-digital Portable Ultrasonic Diagnosis Equipment		<p>Main unit with 10inch SVGA monitor One convex array probe Windows XP operation software(PC platform) Powerful measurement & calculation software packages 8-segment TGC adjustment Automatic report generation Back-lit keyboard Probe automatic identification Hard disk: 160G USB,VGA,Video port Printer port Gross weight:13.5kgs</p>	XK21355 Plus	R 28 898.13	\$ 2 311.85
		Optional Parts for XK/21355Plus			
		1. Superficial Probe		R 14 449.07	\$ 1 155.93
		2. Transvaginal Array Probe		R 14 449.07	\$ 1 155.93
		3. Micro-Convex Array Probe		R 15 115.95	\$ 1 209.28
		4. Mitsubishi Video Printer		R 16 894.29	\$ 1 351.54
		<p>Main unit with 10inch SVGA monitor One convex array probe Windows XP operation software(PC platform) Powerful measurement & calculation software packages 8-segment TGC adjustment Automatic report generation Back-lit keyboard Probe automatic identification Hard disk: 160G USB,VGA,Video port Printer port Gross weight:55kgs</p>	XK213535 Plus (128 Elem)	R 88 917.33	\$ 7 113.39
	128 Elements				






Full-digital Trolley PC- based Ultrasonic Diagnosis Equipment		Main unit with 10inch SVGA monitor One convex array probe Windows XP operation software(PC platform) Powerful measurement & calculation software packages 8-segment TGC adjustment Automatic report generation Back-lit keyboard Probe automatic identification Hard disk: 160G USB,VGA,Video port Printer port Gross weight:55kgs	XK213535 Plus (80 Elem)	R 58 907.73	\$ 4 712.62	
	80 Elements					
	Optional Parts for XK/21353Plus	1. Superficial Probe			R 14 449.07	\$ 1 155.93
		2. Transvaginal Array Probe			R 14 449.07	\$ 1 155.93
		3. Micro-Convex Array Probe			R 15 115.95	\$ 1 209.28
4. Mitsubishi Video Printer				R 16 894.29	\$ 1 351.54	

Veterinary Ultrasound Scanners






Name of products	Picture	Standard Specification	MODEL CODE	SELLING PRICE	
Digital Laptop Ultrasonic Diagnosis Equipment		Main unit with 12inch LCD Monitor One convex array probe 8 TGC adjustment Back-light keys 256 frames cineloop memory 7 kinds of real time pseudo color image display Two probe sockets USB,VGA,Video port Printer port Gross weight:6.5kgs	XK21355LCD (VET)	R 30 009.60	\$ 2 400.77
Digital Portable Ultrasonic Diagnosis Equipment		Main unit with 10 inches SVGA Monitor One convex array probe Two probe sockets 8 TGC adjustment Back-light keys 256 frames cineloop memory Image Zoom in and partial Zoom Image permanent storage USB,VGA,Video port Printer port Gross weight:13.5kgs	XK21355 (VET)	R 23 340.80	\$ 1 867.26
Optional Parts for XK/21355LCD & XK/21355	1. Superficial Probe			R 10 003.20	\$ 800.26
	2. Transvaginal Array Probe			R 10 003.20	\$ 800.26
	3. Micro-Convex Array Probe			R 10 670.08	\$ 853.61
	4. Rectal Probe			R 11 114.67	\$ 889.17
	5. Mitsubishi Video Printer			R 16 894.29	\$ 1 351.54
	6. Battery Inside the Machine			R 6 668.80	\$ 533.50

Other Medical Equipment					
Name of products	Picture	Standard Specification	MODEL CODE	SELLING PRICE	
Laptop Colposcope Working Station		14 Inch laptop computer High resolution SONY color digital CCD camera stand with wheels, height can be adjustable Abundant software Easy operation Gross weight:6kgs		R 36 678.40	\$ 2 934.27
Portable Infrared Light Machine		Infrared Light High Frequency Electrocauterize Millimeter Wave Gross weight:10kgs		R 15 560.53	\$ 1 244.84

Price List of XUKANG Products

Name of products	Picture	Standard Specification	MODEL CODE	SELLING
				RANDS
Portable Digital Ultrasound Scanners		10-inch SVGA high resolution monitor back-light silicon gel keyboard B, B/B, 4B, B/M,M 256 8 sections ajustable 32frames temporary,8frames permanent 256 ≤240mm No yes VGA, USB2.0,PAL-D Video printer	KX2000G(11)	R 31 121.07
		Main Unit (with one 3.5 MHz convex probe)	KX2600(11)	R 40 012.80
		Main Unit (with one 3.5 MHz convex probe)	KX5000(10)	R 48 904.53
		Main Unit (with one 3.5 MHz convex probe)	KX5100(10)	R 51 127.47
		Main Unit (with one 3.5 MHz convex probe)	KX5200	R 57 796.27

		Main Unit (with one 3.5 MHz convex probe)	KX5500(11)	R 53 350.40
Trolley Digital Ultrasound Scanners		Main Unit (with one 3.5 MHz convex probe)	KX2000E(11)	R 53 350.40
		Main Unit (with one 3.5 MHz convex probe)	KX2802	R 57 796.27
		Main Unit (with one 3.5 MHz convex probe)	KX2805	R 84 471.47
Colour Dopplers		Main Unit DCU10 with 3.5MHz convex probe and 7.5MHz linear probe and 6.5MHz trans-vaginal probe	DCU 10	R 102 232.70
		Optional Parts for DCU 10	Assorted Cart	R 6 668.80
		Main Unit DCU5 with 3.5MHz convex probe and 7.5MHz linear probe and 6.5MHz trans-vaginal probe	DCU 5	R 122 239.10

Ophthalmic Ultrasound Scanner		Main Unit (Main unit + 10.0MHz mechanical sector B-mode probe + 10.0MHz A-mode probe+ Footswitch)	ODU-8	R 144 490.67
		Main Unit (Main unit + 10.0MHz mechanical sector B-mode probe + 10.0MHz A-mode probe+ Footswitch)	ODU-5	R 100 032.00
		OD1-A: Biometer Only: Main Unit + 10.0MHz A Probe, Gage blocks for A-Scan/Biometer, Footswitch, Adapter, Touchscreen pen	OD1-A	R 28 898.13
		OD1-P: Pachymeter Only Main Unit + 20.0MHz Angled Probe, Gage blocks for Pachymeter, Footswitch, Adapter, Touchscreen pen	OD1-P	R 33 344.00
		OD1-AP: Biometer/Pachymeter Main Unit + 10.0MHz A Probe, 20.0MHz Angled Probe, Two Gage blocks for A-Scan/Biometer, Footswitch, Adapter, Touchscreen pen	OD1-AP	R 60 019.20
Probes of KX2000G(09)				
	Abdomen,GYN,OB,urology	3.5MHz convex probe	3.5C60B1	R 11 699.65
	Cardio	3.5MHz micro-convex cardio probe	3.5C20B1	R 19 499.42
	Pediatrics	5.0MHz convex pediatric probe	5.0C20B1	R 19 499.42
	Endovaginal,endorectal	6.5MHz convex transvaginal probe	6.5C11B1	R 23 399.30
	Small parts,orthopedics,breast,musculoskeletal	7.5MHz high frequency linear probe	7.5L40B1	R 17 549.47
Probes of KX2600(07)				
	Abdomen,GYN,OB,urology	3.5MHz convex probe		R 15 599.53
	Cardio	3.5MHz micro-convex cardio probe		R 27 299.18

	Pediatrics	5.0MHz convex pediatric probe		R 23 399.30
	Endovaginal,endorectal	6.5MHz convex transvaginal probe		R 21 449.36
	Small parts,orthopedics,breast,musculoskeletal	7.5MHz high frequency linear probe		R 19 499.42
	Rectal	7.5MHz high frequency linear rectal probe		R 23 399.30
Probes of KX2000G(11),2600(09),2600(11),2802,2000E(11),5500(10),5500(11),				
	Abdomen,GYN,OB,urology	3.5MHz convex probe	3.5C60B2	R 15 599.53
	Cardio	3.5MHz micro-convex probe	3.5C20B2	R 23 399.30
	Pediatrics	5.0MHz convex pediatric probe	5.0C20B2	R 23 399.30
	Endovaginal,endorectal	6.5MHz convex transvaginal probe	6.5C11B2	R 23 399.30
	Small parts,orthopedics,breast,musculoskeletal	7.5MHz high frequency linear probe	7.5L40B2	R 19 499.42
	Rectal	7.5MHz high frequency linear probe	7.5L40B4	R 23 399.30
	Pediatrics	6.5MHz micro-convex probe	6.5C20B2	R 25 349.24
Probes of KX2805				
	Abdomen,GYN,OB,urology	3.5MHz convex probe	3.5C50D1	R 25 349.24
	Cardio	3.5MHz micro-convex cardio probe	3.5C20D1	R 25 349.24
	Pediatrics	5.0MHz convex pediatric probe	5.0C20D1	R 25 349.24
	Endovaginal,endorectal	6.5MHz convex transvaginal probe	6.5C11D1	R 29 249.12
	Small parts,orthopedics,breast,musculoskeletal	7.5MHz high frequency linear probe	7.5L40D1	R 25 349.24
	Rectal	7.5MHz high frequency linear probe	7.5L40D2	R 31 199.06
Probes of KX5000,KX5100				
	Abdomen,GYN,OB,urology	3.5MHz convex probe	3.5C60F1	R 15 599.53
	Cardio	3.5MHz micro-convex cardio probe	3.5C20F1	R 23 399.30
	Pediatrics	5.0MHz convex pediatric probe	5.0C20F1	R 23 399.30
	Endovaginal,endorectal	6.5MHz convex transvaginal probe	6.5C11F1	R 21 449.36
	Small parts,orthopedics,breast,musculoskeletal	7.5MHz high frequency linear probe	7.5L40F1	R 19 499.42
	Rectal	7.5MHz high frequency linear probe	7.5L40F2	R 23 399.30
Probes of KX5200				
	Abdomen,GYN,OB,urology	3.5MHz convex probe	3.5C60E1	R 15 599.53
	Cardio	3.5MHz micro-convex cardio probe	3.5C20E1	R 23 399.30
	Pediatrics	5.0MHz convex pediatric probe	5.0C20E1	R 23 399.30
	Endovaginal,endorectal	6.5MHz convex transvaginal probe	6.5C11E1	R 23 399.30
	Small parts,orthopedics,breast,musculoskeletal	7.5MHz high frequency linear probe	7.5L40E1	R 19 499.42
	Rectal	7.5MHz high frequency linear probe	7.5L40E2	R 25 349.24
Other Optional Parts				
	Goggle			R 8 774.74
	Mobile trolley			R 5 849.82
	Ultrasound working station			R 2 924.91
	External battery (for KX5000,KX5100,KX5200)			R 2 924.91

	Internal battery	R 1 949.94
	Black carrying box of KX5500	R 1 949.94
	Belt of KX5200	R 779.98
	Black plastic stuffing box of KX5200	R 2 339.93
	Video Recorder P93W-S	R 0.00
	Battery base charger	R 1 072.47
	Thermal printer	R 13 649.59

PRICE
DOLLARS
\$ 2 489.69
\$ 3 201.02
\$ 3 912.36
\$ 4 090.20
\$ 4 623.70

\$ 4 268.03

\$ 4 268.03

\$ 4 623.70

\$ 6 757.72

\$ 8 178.62

\$ 533.50

\$ 9 779.13


\$ 11 559.25
\$ 8 002.56
\$ 2 311.85
\$ 2 667.52
\$ 4 801.54
\$ 935.97
\$ 1 559.95
\$ 1 559.95
\$ 1 871.94
\$ 1 403.96
\$ 1 247.96
\$ 2 183.93

\$ 1 871.94
\$ 1 715.95
\$ 1 559.95
\$ 1 871.94
\$ 1 247.96
\$ 1 871.94
\$ 1 871.94
\$ 1 871.94
\$ 1 559.95
\$ 1 871.94
\$ 2 027.94
\$ 2 027.94
\$ 2 027.94
\$ 2 027.94
\$ 2 339.93
\$ 2 027.94
\$ 2 495.93
\$ 1 247.96
\$ 1 871.94
\$ 1 871.94
\$ 1 715.95
\$ 1 559.95
\$ 1 871.94
\$ 1 247.96
\$ 1 871.94
\$ 1 871.94
\$ 1 871.94
\$ 1 559.95
\$ 2 027.94
\$ 701.98
\$ 467.99
\$ 233.99
\$ 233.99

\$	156.00
\$	156.00
\$	62.40
\$	187.19
\$	-
\$	85.80
\$	1 091.97

PICTURE	DESCRIPTION	MODEL CODE	SELLING PRICE				
			RANDS	DOLLARS			
	U5 main unit includes 1pc convex probe + 1pc linear probe or 1pc convex probe + 1pc transvaginal probe as standard configuration 15" high resolution and contrast LCD Bmode, Mmode SRA (Speckle Reduction Algorithm) PW (Pulse Wave Doppler) Color Module (CFM/Power Doppler /Directional Power Doppler) THI Trapezoid imaging 80G hard disk USB ports Measurement & calculation software packages (General, OB&GYN, Basic Cardiac) 1 years warranty from ex-factory date for main unit and probes Super Image module (Compound Imaging, Panoramic Imaging, TSS) I-image Free hand 3D module DICOM CW MODULE(Continuous Wave Doppler)	U5 FDA (4D)	R 240 076.80	\$ 19 206.14			
	Optional		4D	R 116 996.49	\$ 9 359.72		
			Linear probe or Trans-vaginal probe	R 23 399.30	\$ 1 871.94		
			Micro convex probe	R 23 399.30	\$ 1 871.94		
			Phased array probe	R 23 399.30	\$ 1 871.94		
			Pediatric micro-convex probe	R 23 399.30	\$ 1 871.94		
			U6 main unit includes 1pc convex probe + 1pc linear probe or 1pc convex probe + 1pc transvaginal probe as standard configuration 15" high resolution and contrast LCD Bmode, Mmode SRA (Speckle Reduction Algorithm) PW (Pulse Wave Doppler) Color Module (CFM/Power Doppler /Directional Power Doppler) CW MODULE(Continuous Wave Doppler) THI Trapezoid imaging Compound Imaging Panoramic Imaging TSS 160G hard disk, USB ports Measurement & calculation software packages (General, OB&GYN, Basic Cardiac) 1 years warranty from ex-factory date for main unit and probes I-image Free hand 3D module DICOM Extended Cardiac Package (Steering M, ECG, TDI, Color M mode, Advanced Cardiac Measurement)	U6 (4D)	R 327 590.17	\$ 26 207.21	
			Optional		4D	R 175 494.74	\$ 14 039.58
					Linear probe or Trans-vaginal probe	R 35 098.95	\$ 2 807.92
					Phased array probe	R 35 098.95	\$ 2 807.92

	Standard Configuration	Pediatric micro-convex probe	U8 FDA (4D)	R 35 098.95	\$ 2 807.92
		U8 main unit includes 1pc convex probe + 1pc linear probe or 1pc convex probe + 1pc transvaginal probe as standard configuration		R 341 239.76	\$ 27 299.18
		15" high resolution and contrast LCD			
		Bmode, Mmode			
		SRA (Speckle Reduction Algorithm)			
		PW (Pulse Wave Doppler)			
		Color Module (CFM/Power Doppler /Directional Power Doppler)			
		CW MODULE(Continuous Wave Doppler)			
		THI			
		Trapezoid imaging			
		Compound Imaging			
		Panoramic Imaging			
		TSS			
		160G hard disk, USB ports			
		Measurement & calculation software packages (General, OB&GYN, Basic Cardiac)			
1 years warranty from ex-factory date for main unit and probes					
Free hand 3D module					
I-Image					
DICOM					
4D package (real-time 4D software, 4D volume probe – abdomen)					
Extended Cardiac Package (Steering M, ECG, TDI, Color M mode,Advanced Cardiac Measurement)					
Optional	4D	R 175 494.74	\$ 14 039.58		
	Linear probe or Trans-vaginal probe	R 35 098.95	\$ 2 807.92		
	Phased array probe	R 35 098.95	\$ 2 807.92		
	Pediatric micro-convex probe	R 35 098.95	\$ 2 807.92		
 <p>i3^{new} 4D Color Doppler Fast • Light • Quiet • Smart</p> <p>CE</p>	Standard Configuration	I3 includes 1pc convex probe + 1pc linear probe or 1pc convex probe + 1pc transvaginal probe as standard configuration	I3 FDA (4D)	R 245 692.63	\$ 19 655.41
		19" LCD, 4probe connectors,Hard disk (32-GB),DVD-RW, 6USB ports		R 0.00	\$ -
	Optional	4D	R 116 996.49	\$ 9 359.72	
		Linear probe or Trans-vaginal probe	R 23 399.30	\$ 1 871.94	
		Micro convex probe	R 23 399.30	\$ 1 871.94	
		Phased array probe	R 23 399.30	\$ 1 871.94	
		Pediatric micro-convex probe	R 23 399.30	\$ 1 871.94	

Name of products	Picture	Standard Specification	MODEL CODE	SELLING PRICE			
				RANDS	DOLLARS		
Laptop Colour Doppler with Complete Application		Main Unit with 15-Inch Rotating Medical LCD Monitor Hard Disc Imaging Archiving 2 USB Ports, 1 Probe Connector, Built-in Battery, Power Adapter B, 2B, 4B, M, B/M, THI, CFM, B/C, PWD, CPA, DPA, CW, TDI, B/C Split B+CFM, B+CPA, B+DPA, B+PW, B+CFM+PW, B+CPA+PW VS Flow, MFI, UltraCloud Trapezoidal Imaging, Extended Imaging, Nanoview, Panoscope, XBeam, Smarchive, FusionFreq, Fusion THI, Smart GSC, Auto-fit, Foco Tracing, Microflow, Auto IMT Measurement Broadband Convex Probe C3LC (R60, 2.0-5.0MHz, 128 Elements)	APOGEE 1000 (Convex Probe)	R 268 701.94	\$ 21 496.16		
				SOFTWARE		R 0.00	\$ -
				DICOM 3.0		R 12 401.63	\$ 992.13
				Ultracould		R 51 673.45	\$ 4 133.88
				SonoAir (Wifi Module, Ultrasound to iPhone/iPad)		R 6 200.81	\$ 496.07
				TRANSDUCERS		R 0.00	\$ -
				Broadband Convex Probe C3LC (R60, 2.0-5.0MHz, 192 Elements)		R 33 071.01	\$ 2 645.68
				Broadband Convex Probe C3LC (R60, 2.0-5.0MHz, 128 Elements)		R 27 903.66	\$ 2 232.29
				Broadband Convex Probe C3LC (R40, 2.0-5.0MHz, 128 Elements)		R 27 903.66	\$ 2 232.29
				Broadband Linear Probe L8LC (38mm, 5.0-12.0MHz, 128 Elements)		R 27 903.66	\$ 2 232.29
				Broadband Linear Probe L8LC (50mm, 5.0-12.0MHz, 192 Elements)		R 33 071.01	\$ 2 645.68
				Broadband Linear Probe L8LC (38mm, 5.0-12.0MHz, 192 Elements)		R 33 071.01	\$ 2 645.68
				Broadband Linear Probe L8LC (38mm, 6.0-14.0MHz, 128 Elements)		R 33 071.01	\$ 2 645.68
				Broadband Linear Probe L10LC (25mm, 7.0-14.0MHz, 128 Elements)		R 33 071.01	\$ 2 645.68
				Broadband Phased Array Probe P3FC (1.7-4.0MHz)		R 33 071.01	\$ 2 645.68
				Broadband Vaginal Probe V6LC (4.0-9.0MHz)		R 33 071.01	\$ 2 645.68
				Broadband Microconvex Probe C3IC (2.0-5.0MHz)		R 27 903.66	\$ 2 232.29
				Broadband Rectal Probe U5LC (4.0-7.0MHz)		R 33 071.01	\$ 2 645.68
				Broadband Bi-Plane Probe ECBP (5.0-12.0MHz)		R 93 012.21	\$ 7 440.98
				ACCESSORIES		R 0.00	\$ -
				Biopsy guide for convex or linear probe		R 16 535.50	\$ 1 322.84
				Biopsy guide for endocavity probe		R 20 669.38	\$ 1 653.55
				Mobile trolley CR-20		R 6 200.81	\$ 496.07
				Mobile trolley CR-11L (with 15 inch LCD monitor)		R 24 803.26	\$ 1 984.26
				Footswitch JT-2		R 1 033.47	\$ 82.68
				Mitsubishi P95DW video B/W printer		R 14 881.95	\$ 1 190.56
				Mitsubishi P93W video B/W printer		R 14 468.57	\$ 1 157.49
				Mitsubishi CP31W-Z video color printer		R 36 171.41	\$ 2 893.71
Optional Parts for APOGEE 1000		R 0.00	\$ -				

Portable Colour Doppler with Complete Application



Optional Parts for APOGEE 1200TOUCH

<p>Main Unit with 15-Inch Medical LCD Monitor Hard Disc Imaging Archiving 2 USB Ports, 2 Probe Connectors, ECG Port</p> <p>B, 2B, 4B, M, B/M, CFM, B/C, PWD, CPA, DPA, CW B+CFM, B+CPA, B+DPA, B+PW, B+CFM+PW, B+CPA+PW</p> <p>VS Flow, MFI, TDI, ECG, Anatomical M-mode</p> <p>Trapezoidal Imaging, Extended Imaging, Nanoview, Panoscope, XBeam, Smarchive, FusionFreq, Fusion THI, Smart GSC, Auto-fit, Foco Tracing, Microflow, Auto IMT Measurement</p> <p>Broadband Convex Probe C3L60K (2.0-5.0MHz, 128 Elements) + Broadband 4D Convex Probe 4DL40K (4.0-7.0MHz) and 4D Lite Software</p>	<p>APOGEE 1200TOUCH (Convex + 4D Probes)</p>	<p>R 248 032.56</p>	<p>\$ 19 842.60</p>
<p>Main Unit with 15-Inch Medical LCD Monitor Hard Disc Imaging Archiving 2 USB Ports, 2 Probe Connectors, ECG Port</p> <p>B, 2B, 4B, M, B/M, CFM, B/C, PWD, CPA, DPA, CW B+CFM, B+CPA, B+DPA, B+PW, B+CFM+PW, B+CPA+PW</p> <p>VS Flow, MFI, TDI, ECG, Anatomical M-mode</p> <p>Trapezoidal Imaging, Extended Imaging, Nanoview, Panoscope, XBeam, Smarchive, FusionFreq, Fusion THI, Smart GSC, Auto-fit, Foco Tracing, Microflow, Auto IMT Measurement</p> <p>Broadband Convex Probe C3L60K (2.0-5.0MHz, 128 Elements) + Broadband Linear Probe L8L38K (5.0-12.0MHz, 128 Elements)</p>	<p>APOGEE 1200TOUCH (Convex + Linear Probes)</p>	<p>R 186 024.42</p>	<p>\$ 14 881.95</p>
<p>SOFTWARE</p>		<p>R 0.00</p>	<p>\$ -</p>
<p>DICOM 3.0</p>		<p>R 12 401.63</p>	<p>\$ 992.13</p>
<p>Elastography Imaging</p>		<p>R 41 338.76</p>	<p>\$ 3 307.10</p>
<p>VS Flow</p>		<p>R 16 535.50</p>	<p>\$ 1 322.84</p>
<p>ECG</p>		<p>R 24 803.26</p>	<p>\$ 1 984.26</p>
<p>TDI</p>		<p>R 24 803.26</p>	<p>\$ 1 984.26</p>
<p>Ultracould</p>		<p>R 51 673.45</p>	<p>\$ 4 133.88</p>
<p>SonoAir (Wifi Module, Ultrasound to iPhone/iPad)</p>		<p>R 6 200.81</p>	<p>\$ 496.07</p>
<p>TRANSDUCERS</p>		<p>R 0.00</p>	<p>\$ -</p>
<p>Broadband 4D Convex Probe 4DL40K (4.0-7.0MHz) and 4D Lite Software</p>		<p>R 72 342.83</p>	<p>\$ 5 787.43</p>
<p>Broadband 4D Convex Probe 4DL40K (4.0-7.0MHz) and 4D Pro Software</p>		<p>R 93 012.21</p>	<p>\$ 7 440.98</p>
<p>Broadband 4D Vaginal Probe C3I20K (4.0-9.0MHz) and 4D Lite Software</p>		<p>R 103 346.90</p>	<p>\$ 8 267.75</p>
<p>Broadband 4D Vaginal Probe C3I20K (4.0-9.0MHz) and 4D Pro Software</p>		<p>R 124 016.28</p>	<p>\$ 9 921.30</p>
<p>Broadband Convex Probe C3L60K (2.0-5.0MHz, 192 Elements)</p>		<p>R 33 071.01</p>	<p>\$ 2 645.68</p>
<p>Broadband Convex Probe C3L60K (2.0-5.0MHz, 128 Elements)</p>		<p>R 27 903.66</p>	<p>\$ 2 232.29</p>
<p>Broadband Convex Probe C3L40K (2.0-5.0MHz, 128 Elements)</p>		<p>R 27 903.66</p>	<p>\$ 2 232.29</p>
<p>Broadband Linear Probe L8L50K (5.0-12.0MHz, 128 Elements)</p>		<p>R 27 903.66</p>	<p>\$ 2 232.29</p>
<p>Broadband Linear Probe L8L50K (5.0-12.0MHz, 192 Elements)</p>		<p>R 33 071.01</p>	<p>\$ 2 645.68</p>
<p>Broadband Linear Probe L8L38K (5.0-12.0MHz, 128 Elements)</p>		<p>R 27 903.66</p>	<p>\$ 2 232.29</p>
<p>Broadband Linear Probe L8L38K (5.0-12.0MHz, 192 Elements)</p>		<p>R 33 071.01</p>	<p>\$ 2 645.68</p>
<p>Broadband Linear Probe L8L38K (7.0-14.0MHz, 128 Elements)</p>		<p>R 33 071.01</p>	<p>\$ 2 645.68</p>
<p>Broadband Linear Probe L10L25K (7.0-14.0MHz, 128 Elements)</p>		<p>R 33 071.01</p>	<p>\$ 2 645.68</p>
<p>Broadband Vaginal Probe V6L11K (4.0-9.0MHz)</p>		<p>R 33 071.01</p>	<p>\$ 2 645.68</p>
<p>Broadband Phased Array Probe P3F14K (1.7-4.0MHz)</p>		<p>R 33 071.01</p>	<p>\$ 2 645.68</p>
<p>Broadband Microconvex Probe C5I20K (4.0-7.0MHz)</p>		<p>R 27 903.66</p>	<p>\$ 2 232.29</p>
<p>Broadband Microconvex Probe C3I20K (2.0-5.0MHz)</p>		<p>R 27 903.66</p>	<p>\$ 2 232.29</p>
<p>Broadband Bi-Plane Probe U5L50K (5.0-12.0MHz)</p>		<p>R 93 012.21</p>	<p>\$ 7 440.98</p>

Trolley Colour Doppler with Complete Application



ACCESSORIES		R 0.00	\$ -
Biopsy guide for convex or linear probe		R 16 535.50	\$ 1 322.84
Biopsy guide for endocavity probe		R 20 669.38	\$ 1 653.55
Travelling case PC026-877C		R 2 066.94	\$ 165.36
Travelling case BXX-02		R 3 100.41	\$ 248.03
Mobile trolley CR-11		R 10 334.69	\$ 826.78
Mobile trolley CR-11L (with 15 inch LCD monitor)		R 24 803.26	\$ 1 984.26
Footswitch JT-2		R 1 033.47	\$ 82.68
External four probe connector TQ-B006		R 37 204.88	\$ 2 976.39
Mitsubishi P95DW video B/W printer		R 14 881.95	\$ 1 190.56
Mitsubishi P93W video B/W printer		R 14 468.57	\$ 1 157.49
Mitsubishi CP31W-Z video color printer		R 36 171.41	\$ 2 893.71
		R 0.00	\$ -
<p>Main Unit with 18.5-inch Medical LCD Monitor 8.4-inch Touch Screen Monitor Hard Disc Imaging Archiving 2 USB Ports, 4 Probe Connectors (3 Active & 1 Dock), DVD-RW B, 2B, 4B, M, B/M, THI, CFM, B/C, PWD, CPA, DPA, CW, TDI, B/C Split B+CFM, B+CPA, B+DPA, B+PW, B+CFM+PW, B+CPA+PW</p> <p>Trapezoidal Imaging, Extended Imaging, Nanoview, Auto-fit, Smarchive, Auto IMT Measurement</p> <p>Broadband Convex Probe C3L60C (2.0-5.0MHz) Broadband Linear Probe L8L38C (5.0-12.0MHz)</p>		APOGEE 3300 (Convex + 4D Probe)	R 196 359.11 \$ 15 708.73
SOFTWARE		R 0.00	\$ -
DICOM 3.0		R 12 401.63	\$ 992.13
Elastography Imaging		R 41 338.76	\$ 3 307.10
Xbeam		R 12 401.63	\$ 992.13
Panoscope		R 12 401.63	\$ 992.13
Anatomical M-Mode		R 16 535.50	\$ 1 322.84
SonoAir (Wifi Module, Ultrasound to iPhone/iPad)		R 6 200.81	\$ 496.07
TRANSDUCERS		R 0.00	\$ -
Broadband 4D Convex Probe C5L40C (4.0-7.0MHz) and 4D Lite Software		R 72 342.83	\$ 5 787.43
Broadband 4D Vaginal Probe C3I20K (4.0-9.0MHz) and 4D Lite Software		R 103 346.90	\$ 8 267.75
Broadband Convex Probe C3L60C (2.0-5.0MHz)		R 27 903.66	\$ 2 232.29
Broadband Convex Probe C3L40C (2.0-5.0MHz)		R 27 903.66	\$ 2 232.29
Broadband Linear Probe L8L38C (5.0-12.0MHz)		R 27 903.66	\$ 2 232.29
Broadband Linear Probe L8L50C (5.0-12.0MHz)		R 27 903.66	\$ 2 232.29
Broadband Linear Probe L10L25C (8.0-12.0MHz)		R 33 071.01	\$ 2 645.68
Broadband Linear Probe L10L38C (8.0-12.0MHz)		R 41 338.76	\$ 3 307.10
Broadband Vaginal Probe V6L11C (4.0-9.0MHz)		R 33 071.01	\$ 2 645.68
Broadband Microconvex Probe C5I20C (4.0-7.0MHz)		R 27 903.66	\$ 2 232.29
Broadband Microconvex Probe C3I20C (2.0-5.0MHz)		R 27 903.66	\$ 2 232.29
Broadband Bi-Plane Probe U5L50C (5.0-12.0MHz)		R 93 012.21	\$ 7 440.98
ACCESSORIES		R 0.00	\$ -
Biopsy guide for convex or linear probe		R 16 535.50	\$ 1 322.84
Biopsy guide for endocavity probe		R 20 669.38	\$ 1 653.55
High Density K91HG-CE for Mitsubishi P93W		R 413.39	\$ 33.07
Mitsubishi P95DW video B/W printer		R 14 881.95	\$ 1 190.56
Mitsubishi P93W video B/W printer		R 14 468.57	\$ 1 157.49
Mitsubishi CP31W-Z video color printer		R 36 171.41	\$ 2 893.71

Optional Parts for APOGEE 3300		KP61B-CE for Mitsubishi P93W	R 206.69	\$ 16.54	
Trolley Colour Doppler with Complete Application		Main Unit with 18.5-inch Medical LCD Monitor 8.4-inch Touch Screen Monitor Hard Disc Imaging Archiving 2 USB Ports, 4 Probe Connectors, DVD-RW B, 2B, 4B, M, B/M, THI, CFM, B/C, PWD, CPA, DPA, CW, TDI, B/C Split B+CFM, B+CPA, B+DPA, B+PW, B+CFM+PW, B+CPA+PW Trapezoidal Imaging, Extended Imaging, Nanoview, XBeam, Smarchive, FusionFreq, Fusion THI, Smart GSC, Auto-Fit, Foco Tracing, Microflow, Anatomical M-Mode, Auto IMT Measurement Broadband Convex Probe C3L60C (2.0-5.0MHz) with Broadband Linear Probe L8L38C (5.0- 12.0MHz) - PACKAGE 1 or Broadband Convex Probe C3L60C (2.0-5.0MHz) with Broadband Palsed-Array Probe P3F14C (1.7-4.0MHz) - PACKAGE 2	APOGEE 3500TOUCH (Convex + 4D Probe)	R 237 697.87	\$ 19 015.83
		SOFTWARE		R 0.00	\$ -
		DICOM 3.0	R 12 401.63	\$ 992.13	
		Elastography Imaging	R 41 338.76	\$ 3 307.10	
		Panoscope	R 12 401.63	\$ 992.13	
		SonoAir (Wifi Module, Ultrasound to iPhone/iPad)	R 6 200.81	\$ 496.07	
		TRANSDUCERS		R 0.00	\$ -
		Broadband 4D Convex Probe C5L40C (4.0-7.0MHz) and 4D Lite Software	R 72 342.83	\$ 5 787.43	
		Broadband 4D Vaginal Probe C3I20K (4.0-9.0MHz) and 4D Lite Software	R 103 346.90	\$ 8 267.75	
		Broadband Convex Probe C3L60C (2.0-5.0MHz)	R 31 004.07	\$ 2 480.33	
		Broadband Convex Probe C3L40C (2.0-5.0MHz)	R 31 004.07	\$ 2 480.33	
		Broadband Linear Probe L8L38C (5.0-12.0MHz)	R 31 004.07	\$ 2 480.33	
		Broadband Linear Probe L8L50C (5.0-12.0MHz)	R 31 004.07	\$ 2 480.33	
		Broadband Linear Probe L8L38C (7.0-14.0MHz)	R 37 204.88	\$ 2 976.39	
		Broadband Linear Probe L10L25C (7.0-14.0MHz)	R 37 204.88	\$ 2 976.39	
		Broadband Palsed-Array Probe P3F14C (1.7-4.0MHz)	R 37 204.88	\$ 2 976.39	
		Broadband Vaginal Probe V6L11C (4.0-9.0MHz)	R 37 204.88	\$ 2 976.39	
		Broadband Microconvex Probe C6I15C (4.5-7.5MHz)	R 31 004.07	\$ 2 480.33	
		Broadband Microconvex Probe C5I20C (4.0-7.0MHz)	R 31 004.07	\$ 2 480.33	
		Broadband Microconvex Probe C3I20C (2.0-5.0MHz)	R 31 004.07	\$ 2 480.33	
		Broadband Bi-Plane Probe U5L50C (5.0-12.0MHz)	R 93 012.21	\$ 7 440.98	
		ACCESSORIES		R 0.00	\$ -
		Biopsy guide for convex or linear probe	R 16 535.50	\$ 1 322.84	
		Biopsy guide for endocavity probe	R 20 669.38	\$ 1 653.55	
		High Density K91HG-CE for Mitsubishi P93W	R 413.39	\$ 33.07	
		Mitsubishi P95DW video B/W printer	R 14 881.95	\$ 1 190.56	
		Mitsubishi P93W video B/W printer	R 14 468.57	\$ 1 157.49	
		Mitsubishi CP31W-Z video color printer	R 36 171.41	\$ 2 893.71	
		KP61B-CE for Mitsubishi P93W	R 206.69	\$ 16.54	

Trolley Colour Doppler with Complete Application



Main Unit with 17-inch Medical LCD Monitor
8.4-inch Touch Screen Monitor
Hard Disc Imaging Archiving
2 USB Ports, 4 Probe Connectors, DVD-RW, ECG Port
B, 2B, 4B, M, B/M, THI, CFM, B/C, PWD, CPA, DPA, CW, TDI, B/C Split
B+CFM, B+CPA, B+DPA, B+PW, B+CFM+PW, B+CPA+PW

Trapezoidal Imaging, Extended Imaging, Nanoview, XBeam, Panoscope, Smarchive, FusionFreq, Fusion THI, Smart GSC, Auto-Fit, Foco Tracing, Microflow, MFI, Anatomical M-Mode, Auto IMT Measurement

Broadband Convex Probe C3L60C (2.0-5.0MHz, 128 Elements) with Broadband Linear Probe L8L38C (5.0-12.0MHz, 128 Elements) - PACKAGE 1

or

Broadband Convex Probe C3L60C (2.0-5.0MHz, 128 Elements) with Broadband Phased-Array Probe P3F14C (1.7-4.0MHz) - PACKAGE 2

**APOGEE
3800TOUCH
(Convex + 4D
Probe)**

R 310 040.70

\$ 24 803.26

SOFTWARE

R 0.00

\$ -

DICOM 3.0

R 12 401.63

\$ 992.13

Elastography Imaging

R 41 338.76

\$ 3 307.10

VS Flow

R 16 535.50

\$ 1 322.84

ECG

R 24 803.26

\$ 1 984.26

TDI

R 24 803.26

\$ 1 984.26

Ultracould

R 51 673.45

\$ 4 133.88

SonoAir (Wifi Module, Ultrasound to iPhone/iPad)

R 6 200.81

\$ 496.07

TRANSDUCERS

R 0.00

\$ -

Broadband 4D Convex Probe 4DL40K (4.0-7.0MHz) and 4D Lite Software R 72 342.83 \$ 5 787.43

Broadband 4D Convex Probe 4DL40K (4.0-7.0MHz) and 4D Pro Software R 93 012.21 \$ 7 440.98

Broadband 4D Vaginal Probe C3I20K (4.0-9.0MHz) and 4D Lite Software R 103 346.90 \$ 8 267.75

Broadband 4D Vaginal Probe C3I20K (4.0-9.0MHz) and 4D Pro Software R 124 016.28 \$ 9 921.30

Broadband Convex Probe C3L60K (2.0-5.0MHz, 192 Elements) R 37 204.88 \$ 2 976.39

Broadband Convex Probe C3L60K (2.0-5.0MHz, 128 Elements) R 31 004.07 \$ 2 480.33

Broadband Convex Probe C3L40K (2.0-5.0MHz, 128 Elements) R 31 004.07 \$ 2 480.33

Broadband Linear Probe L8L50K (5.0-12.0MHz, 128 Elements) R 31 004.07 \$ 2 480.33

Broadband Linear Probe L8L38K (5.0-12.0MHz, 192 Elements) R 37 204.88 \$ 2 976.39

Broadband Linear Probe L8L38K (5.0-12.0MHz, 128 Elements) R 31 004.07 \$ 2 480.33

Broadband Linear Probe L8L38K (5.0-12.0MHz, 192 Elements) R 37 204.88 \$ 2 976.39

Broadband Linear Probe L8L38K (7.0-14.0MHz, 128 Elements) R 37 204.88 \$ 2 976.39

Broadband Linear Probe L10L25K (7.0-14.0MHz, 128 Elements) R 37 204.88 \$ 2 976.39

Broadband Vaginal Probe V6L11K (4.0-9.0MHz) R 37 204.88 \$ 2 976.39

Broadband Phased Array Probe P3F14K (1.7-4.0MHz) R 37 204.88 \$ 2 976.39

Broadband Microconvex Probe C5I20K (4.0-7.0MHz) R 31 004.07 \$ 2 480.33

Broadband Microconvex Probe C3I20K (2.0-5.0MHz) R 31 004.07 \$ 2 480.33

Broadband Bi-Plane Probe U5L50K (5.0-12.0MHz) R 93 012.21 \$ 7 440.98

ACCESSORIES

R 0.00

\$ -

Biopsy guide for convex or linear probe R 16 535.50 \$ 1 322.84

Biopsy guide for endocavity probe R 20 669.38 \$ 1 653.55

High Density K91HG-CE for Mitsubishi P93W R 413.39 \$ 33.07

Mitsubishi P95DW video B/W printer R 14 881.95 \$ 1 190.56

Mitsubishi P93W video B/W printer R 14 468.57 \$ 1 157.49

Mitsubishi CP31W-Z video color printer R 36 171.41 \$ 2 893.71

KP61B-CE for Mitsubishi P93W R 206.69 \$ 16.54

Trolley Colour Doppler with Complete Application



Optional Parts for APOGEE 5500

Main Unit with 18.5-inch Medical LCD Monitor
10.4-inch Touch Screen Monitor
Hard Disc Imaging Archiving
4 USB Ports, 4 Probe Connectors, DVD-RW,
Detachable Ultrasound Gel Warmer, Controllable
Temperature

B, 2B, 4B, M, B/M, THI, CFM, B/C, PWD, CPA,
DPA, CW, TDI, B/C Split
B+CFM, B+CPA, B+DPA, B+PW, B+CFM+PW,
B+CPA+PW

Trapezoidal Imaging, Extended Imaging,
Nanoview, XBeam, Panoscope, Smarchive,
FusionFreq, Fusion THI, Smart GSC, Auto-Fit,
Foco Tracing, Microflow, MFI, Anatomical M-
Mode, Auto IMT Measurement

Broadband Convex Probe C3LC (2.0-5.0MHz,
128 Elements)
Broadband Linear Probe L8LC (50mm, 5.0-
12.0MHz, 192 Elements)
Broadband Phased-Array Probe P3FC (2.0-
4.4MHz)

APOGEE 5500 (Convex + 4D Probe)	R 392 718.22	\$ 31 417.46
--	---------------------	---------------------

SOFTWARE	R 0.00	\$ -
DICOM 3.0	R 12 401.63	\$ 992.13
Elastography Imaging	R 41 338.76	\$ 3 307.10
SonoAir (Wifi Module, Ultrasound to iPhone/iPad)	R 6 200.81	\$ 496.07
TRANSDUCERS	R 0.00	\$ -
Broadband 4D Convex Probe C5LF (4.0-7.0MHz) and 4D Pro Software	R 93 012.21	\$ 7 440.98
Broadband Convex Probe C3LC (2.0-5.0MHz, 128 Elements)	R 31 004.07	\$ 2 480.33
Broadband Convex Probe C3LC (2.0-5.0MHz, 192 Elements)	R 37 204.88	\$ 2 976.39
Broadband Linear Probe L8LC (50mm, 5.0-12.0MHz, 192 Elements)	R 37 204.88	\$ 2 976.39
Broadband Linear Probe L8LC (38mm, 5.0-12.0MHz, 128 Elements)	R 31 004.07	\$ 2 480.33
Broadband Linear Probe L8LC (50mm, 5.0-12.0MHz, 128 Elements)	R 31 004.07	\$ 2 480.33
Broadband Vaginal Probe V6LC (4.0-9.0MHz)	R 37 204.88	\$ 2 976.39
Broadband Phased-Array Probe P3FC (1.7-4.0MHz)	R 37 204.88	\$ 2 976.39
Broadband Rectal Probe U5LC (4.0-7.0MHz)	R 37 204.88	\$ 2 976.39
Broadband Bi-Plane Probe ECBP (5.0-12.0MHz)	R 93 012.21	\$ 7 440.98
ACCESSORIES	R 0.00	\$ -
Biopsy guide for convex or linear probe	R 16 535.50	\$ 1 322.84
Biopsy guide for endocavity probe	R 20 669.38	\$ 1 653.55
High Density K91HG-CE for Mitsubishi P93W	R 413.39	\$ 33.07
Mitsubishi P95DW video B/W printer	R 14 881.95	\$ 1 190.56
Mitsubishi P93W video B/W printer	R 14 468.57	\$ 1 157.49
Mitsubishi CP31W-Z video color printer	R 36 171.41	\$ 2 893.71
KP61B-CE for Mitsubishi P93W	R 206.69	\$ 16.54



Main Unit with 15-Inch Medical LCD Monitor
Hard Disc Imaging Archiving
2 USB Ports, 2 Probe Connectors

B, 2B, 4B, M, B/M, THI, CFM, B/C, PWD, CPA,
DPA, B/C Split
B+CFM, B+CPA, B+DPA, B+PW, B+CFM+PW,
B+CPA+PW
SRT Imaging
Trapezoidal Imaging, Extended Imaging, Auto
IMT Measurement

Broadband Convex Probe C3L60G (2.0-5.0MHz)
+ Broadband 4D Convex Probe 4DL40G (4.0-
7.0MHz) and 4D Lite Software


CTS-8800 Plus Color (Convex + 4D Probe)	R 186 024.42	\$ 14 881.95
--	---------------------	---------------------

SOFTWARE	R 0.00	\$ -
Panoramic Imaging	R 12 401.63	\$ 992.13
Compound Imaging	R 12 401.63	\$ 992.13

Portable Colour Doppler with Basic Application



Optional Parts for CTS-8800 PLUS COLOR



Elastography Imaging	R 41 338.76	\$ 3 307.10
DICOM 3.0	R 12 401.63	\$ 992.13
Wifi Module (Ultrasound to iPhone/iPad)	R 6 200.81	\$ 496.07
TRANSDUCERS	R 0.00	\$ -
Broadband 4D Convex Probe 4DL40G (4.0-7.0MHz) and 4D Lite Software	R 72 342.83	\$ 5 787.43
Broadband 4D Convex Probe C3I20G (4.0-9.0MHz) and 4D Lite Software	R 103 346.90	\$ 8 267.75
Broadband Convex Probe C3L60G (2.0-5.0MHz)	R 25 836.72	\$ 2 066.94
Broadband Convex Probe C3L40G (2.0-5.0MHz)	R 25 836.72	\$ 2 066.94
Broadband Linear Probe L7L38G (5.0-12.0MHz)	R 25 836.72	\$ 2 066.94
Broadband Linear Probe L7L50G (5.0-12.0MHz)	R 25 836.72	\$ 2 066.94
Broadband Microconvex Probe C3I20G (2.0-5.0MHz)	R 25 836.72	\$ 2 066.94
Broadband Microconvex Probe C5I20G (2.0-7.0MHz)	R 25 836.72	\$ 2 066.94
Broadband Microconvex Probe C6I15G (4.5-7.5MHz)	R 25 836.72	\$ 2 066.94
Broadband Vaginal Probe V6L11G (4.0-9.0MHz)	R 33 071.01	\$ 2 645.68
Broadband Bi-plane Probe U5L50G (5.0-12.0MHz)	R 93 012.21	\$ 7 440.98
ACCESSORIES	R 0.00	\$ -
Biopsy guide for convex or linear probe	R 16 535.50	\$ 1 322.84
Biopsy guide for endocavity probe	R 20 669.38	\$ 1 653.55
Travelling case PC026-877C	R 2 066.94	\$ 165.36
Travelling case BXX-02	R 3 100.41	\$ 248.03
Mobile trolley CR-11	R 10 334.69	\$ 826.78
Mobile trolley CR-11L (with 15 inch LCD monitor)	R 24 803.26	\$ 1 984.26
Footswitch JT-2	R 1 033.47	\$ 82.68
Mitsubishi P95DW video B/W printer	R 14 881.95	\$ 1 190.56
Mitsubishi P93W video B/W printer	R 14 468.57	\$ 1 157.49
Mitsubishi CP31W-Z video color printer	R 36 171.41	\$ 2 893.71
Built-in Battery (*must built-in the main unit before factory delivery)	R 6 200.81	\$ 496.07
KP61B-CE for Mitsubishi P93W	R 206.69	\$ 16.54
High Density K91HG-CE for Mitsubishi P93W	R 413.39	\$ 33.07
	R 0.00	\$ -

Portable Colour Doppler with Basic Application



Optional Parts for CTS-8800PLUS BLACK & WHITE

Main Unit with 15-Inch Medical LCD Monitor Hard Disc Imaging Archiving 2 USB Ports, 2 Probe Connectors B, 2B, 4B, M, B/M, THI, B+PW SRT Imaging Trapezoidal Imaging, Extended Imaging, Pulse Wave Doppler (PW), Auto IMT Measurement Broadband Convex Probe C3L60G (2.0-5.0MHz) + Broadband 4D Convex Probe 4DL40G (4.0-7.0MHz) and 4D Lite Software	CTS-8800PLUS BW(Convex + 4D Probe)	R 134 350.97	\$ 10 748.08
SOFTWARE	R 0.00	\$ -	
Color Flow Mapping (CFM)	R 41 338.76	\$ 3 307.10	
Panoramic Imaging	R 12 401.63	\$ 992.13	
Compound Imaging	R 12 401.63	\$ 992.13	
Elastography Imaging	R 41 338.76	\$ 3 307.10	
DICOM 3.0	R 12 401.63	\$ 992.13	
Wifi Module (Ultrasound to iPhone/iPad)	R 6 200.81	\$ 496.07	
TRANSDUCERS	R 0.00	\$ -	
Broadband 4D Convex Probe 4DL40G (4.0-7.0MHz) and 4D Lite Software	R 62 008.14	\$ 4 960.65	
Broadband 4D Convex Probe C3I20G (4.0-9.0MHz) and 4D Lite Software	R 103 346.90	\$ 8 267.75	
Broadband Convex Probe C3L60G (2.0-5.0MHz)	R 25 836.72	\$ 2 066.94	
Broadband Convex Probe C3L40G (2.0-5.0MHz)	R 25 836.72	\$ 2 066.94	
Broadband Linear Probe L7L38G (5.0-12.0MHz)	R 25 836.72	\$ 2 066.94	



Broadband Linear Probe L7L50G (5.0-12.0MHz)	R 25 836.72	\$ 2 066.94
Broadband Microconvex Probe C3I20G (2.0-5.0MHz)	R 25 836.72	\$ 2 066.94
Broadband Microconvex Probe C5I20G (2.0-7.0MHz)	R 25 836.72	\$ 2 066.94
Broadband Microconvex Probe C6I15G (4.5-7.5MHz)	R 25 836.72	\$ 2 066.94
Broadband Vaginal Probe V6L11G (4.0-9.0MHz)	R 33 071.01	\$ 2 645.68
Broadband Bi-plane Probe U5L50G (5.0-12.0MHz)	R 93 012.21	\$ 7 440.98
ACCESSORIES	R 0.00	\$ -
Biopsy guide for convex or linear probe	R 16 535.50	\$ 1 322.84
Biopsy guide for endocavity probe	R 20 669.38	\$ 1 653.55
Travelling case PC026-877C	R 2 066.94	\$ 165.36
Travelling case BXX-02	R 3 100.41	\$ 248.03
Mobile trolley CR-11	R 10 334.69	\$ 826.78
Mobile trolley CR-11L (with 15 inch LCD monitor)	R 24 803.26	\$ 1 984.26
Footswitch JT-2	R 1 033.47	\$ 82.68
Mitsubishi P95DW video B/W printer	R 14 881.95	\$ 1 190.56
Mitsubishi P93W video B/W printer	R 14 468.57	\$ 1 157.49
Mitsubishi CP31W-Z video color printer	R 36 171.41	\$ 2 893.71
Built-in Battery (*must built-in the main unit before factory delivery)	R 6 200.81	\$ 496.07
KP61B-CE for Mitsubishi P93W	R 206.69	\$ 16.54
High Density K91HG-CE for Mitsubishi P93W	R 413.39	\$ 33.07
	R 0.00	\$ -



Main Unit with 12.1-Inch LCD Monitor Hard Disc Imaging Archiving 2 USB Ports, 2 Probe Connectors B, 2B, 4B, M, B/M, THI, B+PW SRT Imaging Trapezoidal Imaging, Extended Imaging, Pulse Wave Doppler (PW), Auto IMT Measurement Broadband Convex Probe C3L60B (2.0-5.0MHz)	CTS-7700PLUS (Convex Probe)	R 53 740.39	\$ 4 299.23
SOFTWARE		R 0.00	\$ -
Panoramic Imaging		R 12 401.63	\$ 992.13
Compound Imaging		R 12 401.63	\$ 992.13
DICOM 3.0		R 10 334.69	\$ 826.78
Wifi Module (Ultrasound to iPhone/iPad)		R 6 200.81	\$ 496.07
TRANSDUCERS		R 0.00	\$ -
Broadband Convex Probe C3L60B (2.0-5.0MHz)		R 25 836.72	\$ 2 066.94
Broadband Convex Probe C3L40B (2.0-5.0MHz)		R 25 836.72	\$ 2 066.94
Broadband Linear Probe L7L50B (5.0-12.0MHz)		R 25 836.72	\$ 2 066.94
Broadband Linear Probe L7L38B (5.0-12.0MHz)		R 25 836.72	\$ 2 066.94
Broadband Microconvex Probe C3I20B (2.0-5.0MHz)		R 25 836.72	\$ 2 066.94
Broadband Microconvex Probe C5I20B (4.0-7.0MHz)		R 25 836.72	\$ 2 066.94
Broadband Microconvex Probe C6I15B (4.5-7.5MHz)		R 25 836.72	\$ 2 066.94
Broadband Vaginal Probe V6L11B (4.0-9.0MHz)		R 33 071.01	\$ 2 645.68
Broadband Bi-plane Probe U5L50B (5.0-12.0MHz)		R 93 012.21	\$ 7 440.98
ACCESSORIES		R 0.00	\$ -
Biopsy guide for convex or linear probe		R 16 535.50	\$ 1 322.84
Biopsy guide for endocavity probe		R 20 669.38	\$ 1 653.55
Travelling case PC026-877C		R 2 066.94	\$ 165.36
Travelling case BXX-02		R 3 100.41	\$ 248.03
Mobile trolley CR-11		R 6 200.81	\$ 496.07
Mobile trolley CR-11L (with 15 inch LCD monitor)		R 20 669.38	\$ 1 653.55

Portable Colour
Doppler with
Basic Application

Optional Parts for CTS-7700PLUS





Footswitch JT-2	R 1 033.47	\$ 82.68
Mitsubishi P95DW video B/W printer	R 14 881.95	\$ 1 190.56
Mitsubishi P93W video B/W printer	R 14 468.57	\$ 1 157.49
Mitsubishi CP31W-Z video color printer	R 36 171.41	\$ 2 893.71
Built-in Battery (*must built-in the main unit before factory delivery)	R 6 200.81	\$ 496.07
KP61B-CE for Mitsubishi P93W	R 206.69	\$ 16.54
High Density K91HG-CE for Mitsubishi P93W	R 413.39	\$ 33.07
	R 0.00	\$ -
















Optional Parts for CTS-5500PLUS







Main unit with 10-inch non-interface monitor Hard Disk Image Archiving 2 Probe Connectors 2 USB Ports B, 2B, 4B, B/M, M, ZOOM B, THI Broadband Convex Probe C3160 (2.0/3.0/3.5/4.2/5.0MHz)	CTS-5500PLUS (LCD B/W) + Convex Probe	R 31 004.07	\$ 2 480.33
TRANSDUCERS		R 0.00	\$ -
Broadband Linear Probe L7138 (5.0/6.2/7.5/8.3/10.0MHz)		R 20 669.38	\$ 1 653.55
Broadband Linear Probe L7150 (5.0/6.2/7.5/8.3/10.0MHz)		R 20 669.38	\$ 1 653.55
Broadband Microconvex Probe C5120 (3.5/4.2/5.0/6.5/7.5MHz)		R 20 669.38	\$ 1 653.55
Broadband Vaginal Probe V5H11 (4.5/5.2/6.0/6.5/7.5MHz)		R 24 803.26	\$ 1 984.26
Broadband Rectal Probe U5I50 (3.5/4.2/5.0/5.8/6.5MHz)		R 24 803.26	\$ 1 984.26
SOFTWARE		R 0.00	\$ -
DICOM 3.0		R 10 334.69	\$ 826.78
ACCESSORIES		R 0.00	\$ -
Biopsy guide for convex or linear probe		R 16 535.50	\$ 1 322.84
Biopsy guide for endocavity probe		R 20 669.38	\$ 1 653.55
Mobile Trolley CR-11		R 6 200.81	\$ 496.07
Travelling case BXX-02		R 3 100.41	\$ 248.03
Footswitch JT-2		R 1 033.47	\$ 82.68
Mitsubishi P93W video B/W printer		R 14 468.57	\$ 1 157.49
KP61B-CE for Mitsubishi P93W		R 206.69	\$ 16.54
High Density K91HG-CE for Mitsubishi P93W		R 413.39	\$ 33.07
		R 0.00	\$ -


Portabile Digital
Black & White
System

ECK/EKG MACHINES

ITEM NAME		MODEL CODE	SELLING PRICE	
			RANDS	DOLLARS
	ECG 1. 3-channel 2. With analysis and auto measure 3. Small screen (192x64/63mm)	ECG-1103B	R 12 398.07	\$ 991.85
	ECG 1. 3-channel 2. With measure and analysis 3. big screen 320x240LCD 4. With color	ECG300G	R 14 877.68	\$ 1 190.21
	ECG 1. 3-channel 2. With analysis and auto measure 3.with memory for 15patient information 4. 80mm wide paper printer 5.Screen: (3.8"/80mm)	ECG-1103GW	R 17 357.29	\$ 1 388.58
	ECG 1. 3-channel 2. With analysis and auto measure 3.with memory for 15patient information 4. 80mm Wide paper printer and Big Screen: 5.7"	ECG-1103LW	R 18 597.10	\$ 1 487.77
	ECG 1. Lead Standard: 12 leads 2. 6-channel 3 & 3+1 channel 3. With measure and analysis 4. With color	ECG-1206	R 22 316.52	\$ 1 785.32
	ECG 1.6-channel 2. With analysis and auto measure 3.with memory for 150patient information 4. Big Screen: 5.7"	ECG-1112L	R 30 995.16	\$ 2 479.61

	ECG 1. Lead Standard: 12 leads 2. Single-channel 3. With auto measure 4. Small screen (20x2/50mm)	ECG-1101B	R 8 678.65	\$ 694.29
	ECG 1. Lead Standard: 12 leads 2. Single-channel 3. With analysis and auto measure 4. Small screen (3.8"/63mm) 5. With memory for 15patient information	ECG-1101G	R 9 670.49	\$ 773.64
	ECG 1. 3-channel 2. With analysis and auto measure 3. With memory for 15patient information 4. 80mm wide paper printer 5. Screen: (3.8"/63mm)	ECG-1103G	R 14 877.68	\$ 1 190.21
	ECG 1. 3-channel 2. With analysis and auto measure 3. With memory for 15patient information 4. 80mm wide paper printer 5. Screen: (5.7"/63mm)	ECG-1103L	R 17 357.29	\$ 1 388.58
	ECG 1. 6-channel 2. With analysis and auto measure 3. With memory for 15patient information 4. 112mm Wide paper printer and Big Screen: 5.7"	ECG-1106L	R 21 076.71	\$ 1 686.14
	ECG 1.12-channel 2.With analysis and auto measure 3.with memory for 150patient information 4. Big Screen: 6/7"/216mm	ECG-1112L	R 29 755.36	\$ 2 380.43
	Single Channel ECG machine with measurement Lead off indicator Built-in RS232 Interface (ECG software optional) DC/AC power with built-in rechargeable Ni-MH battery 20x2 character LCD	ECG-1A (single)	R 8 182.72	\$ 654.62







	<p>Single Channel ECG machine with measurement Real-time ECG waveform 16 cases memory Built-in USB Interface (ECG software optional) DC/AC power with built-in rechargeable Ni-MH battery 320x240 graphic 3.8 inch LCD</p>	<p>ECG-1G (single)</p>	<p>R 9 670.49</p>	<p>\$ 773.64</p>
	<p>Three Channel ECG machine with interpretation Real-time ECG waveform Built-in USB Interface (ECG software optional) DC/AC power with built-in rechargeable Li-ion battery 320x240 graphic 3.8 inch LCD</p>	<p>ECG- 3A (3 channel)</p>	<p>R 11 158.26</p>	<p>\$ 892.66</p>
	<p>Three Channel ECG machine with interpretation Real-time ECG waveform 16 cases memory Built-in USB Interface (ECG software optional) DC/AC power with built-in rechargeable Li-ion battery 320x240 graphic 5.7 inch LCD</p>	<p>ECG- 3G (3 channel)</p>	<p>R 12 893.99</p>	<p>\$ 1 031.52</p>
	<p>6 Channel ECG machine with interpretation Real-time ECG waveform Built-in USB Interface (ECG software optional) DC/AC power with built-in rechargeable Li-ion battery 320x240 graphic 3.8 inch LCD</p>	<p>ECG- 6B (6 channel)</p>	<p>R 14 381.76</p>	<p>\$ 1 150.54</p>
	<p>6 Channel ECG machine with interpretation Real-time ECG waveform 16 cases memory Built-in USB Interface (ECG software optional) DC/AC power with built-in rechargeable Li-ion battery 320x240 graphic 5.7 inch LCD</p>	<p>ECG- 6G (6 channel)</p>	<p>R 16 117.49</p>	<p>\$ 1 289.40</p>
	<p>12 Channel ECG machine with interpretation Real-time ECG waveform 16 cases memory Alphabetic key board Built-in USB Interface (ECG software optional) DC/AC power with built-in rechargeable Li-ion battery 320x240 graphic 5.7 inch LCD</p>	<p>ECG- 12B (12 channel)</p>	<p>R 23 556.32</p>	<p>\$ 1 884.51</p>

	<p>Simultaneous 12-lead ECG from USB Supporting frank and Wilson lead system ECG analysis with auto interpretation Low cost A4 paper printing, multi-format ECG report ECG case management based on PC network</p>	<p>ECG archive software</p>	<p>R 4 959.23</p>	<p>\$ 396.74</p>
---	--	------------------------------------	--------------------------	-------------------------



UNCCS CODES USED AND DEFINITION	
481295	ECG patient simulator
481216	ECG 3 channel

PATIENT MONITORS				
ITEM NAME	MODEL CODE	SELLING PRICE		
		RANDS	DOLLARS	
	Fingertip Oximeter 1.Normal digital display	FG-60	R 1 115.83	\$ 89.27
	Fingertip Oximeter 1 . With color and wave display	FG-50D	R 1 611.75	\$ 128.94
	Fingertip Oximeter 1 . With color and wave display 2. With USB to PC	FG-50E	R 2 603.59	\$ 208.29
	Hand-held Pulse Oximeter	TR6628-60A	R 2 361.54	\$ 188.92
	Hand-held Pulse Oximeter 1 . With color and wave display	TR6628-60C	R 2 851.56	\$ 228.12
	Hand-held Pulse Oximeter 1 . With color and wave display 2. Large SD Card memory for more than 10000 patient cases storage 3. Sync with PC based Software	TR6628-60M	R 4 587.28	\$ 366.98
	Visual Electronic stethoscope 1. Real-time record and display the heart rate and ECG 2. 4.2V Rechargeable Lithium Battery 3. With USB to PC 4. Accommodates infant, pediatric and adult patients	TRDI-VE	R 2 975.54	\$ 238.04
	Multi-function Stethoscope 1.Real-time display of the hear rate, ECG 2. RS232 to PC	TRDI-M	R 2 182.06	\$ 174.56
	Patient Monitor 1. With ECG, NIBP SPO2	TR6628-6000	R 14 877.68	\$ 1 190.21

	Patient Monitor 1. With Pulse Rate and SPO2	TR6628-5000	R 9 918.45	\$	793.48
	Patient Monitor 1. ECG, NIMP, SpO2, Pulse Rate, Temp, Resp. 2. 12.1" display screen	TR6628-E with color	R 27 275.74	\$	2 182.06
	Patient Monitor 1. ECG, NIMP, SpO2, Pulse Rate, Temp, Resp. 2. 12.1" display screen	TR6628-A	R 24 796.13	\$	1 983.69
	CO2 module		R 47 230.73	\$	3 778.46
	1set for with NIMP		R 14 877.68	\$	1 190.21
	2set for with NIMP		R 24 796.13	\$	1 983.69
	Printer		R 4 959.23	\$	396.74
			R 44 633.04	\$	3 570.64
	Fetal Doppler 1. The Probe and main units integrated together 2. Ultrasound Frequency 2MHZ 3. It can connect to PC 4. Battery Life >360 minutes	Baby Sound A	R 944.61	\$	75.57
	Fetal Doppler 1. The Probe and main units integrated together 2. Ultrasound Frequency 2MHZ 3. It can connect to PC 4. Battery Life >360 minutes 5. With screen	Baby Sound B	R 1 338.20	\$	107.06
	Fetal Doppler 1. Accurate FHR detection and LCD display 2. Auto and Manual counting 3. Continuous operation time is above 15hours	SONOTRAX-B	R 2 164.74	\$	173.18
	Fetal Doppler 1. with LCD digital display 2. Built-in rechargeable battery can be worked over 6 hours	TRDF-500	R 2 243.46	\$	179.48
	Vascular Doppler detector	TRBV-520T	R 8 678.65	\$	694.29
	Vascular Doppler detector	TRBV520	R 7 438.84	\$	595.11
	Vascular Doppler detector	TRBV-530			

		ECG STRESS TEST Treadmill speed 0.5-10mph, motor power:2000W, elevation moving surface: 0-22%, patient weight: 170kg	RT-2000	R 161 174.85	\$ 12 893.99
		ECG STRESS TEST without computer and printer	RT-2000	R 119 021.43	\$ 9 521.71
		EEG 1. 24channel Standard part: computer, printer, flash stimulation, mapping, camera	TJ2000	R 99 184.52	\$ 7 934.76
		24 channel without computer and printer, Standard part: mapping, flash stimulation, software, camera	TJ2000	R 61 990.33	\$ 4 959.23
		Electromyography System	EMG6600	R 61 990.33	\$ 4 959.23
		Holter ECG 4 channel	TRCH-4	R 17 357.29	\$ 1 388.58
		Holter ECG 12 channel	TRCH-12	R 23 556.32	\$ 1 884.51
		Ambulatory Blood Pressure Monitoring System	TRBP-06	R 17 357.29	\$ 1 388.58

	<p>FEATURES: ECG, HR, NIBP, SpO2, TEMP, RESP, PR</p> <ul style="list-style-type: none"> • 7" TFT LCD Screen with high resolution, offers a surprisingly clear view of a patient's physiological data; • Built-in rechargeable lithium battery, can work up to 6 hours; • Compact, light and portable design, monitoring patients during transportation; • Real time ST segment analysis, pacemaker detection, arrhythmia analysis; • Maximum 720 hours trend data view, 1000 NIBP data storage, 200 alarm event storage, 12 hours waveform review; • Wired and wireless (optional) networking, guaranteeing the continuity of all data; • Multi-language monitoring, 14 languages can be selected; • Full alarm features include alarm sound, alarm light, alarm message on screen and human voice. 	<p>SHM-3007A</p>	<p>R 14 629.72</p>	<p>\$ 1 170.38</p>
	<p>FEATURES: ECG, HR, NIBP, SpO2, TEMP, RESP, PR</p> <ul style="list-style-type: none"> • 8" high resolution color TFT display; • Elegant designed appearance, lightweight and space-saving; • Suitable for adult, pediatric and neonatal patient; • Full alarm features include alarm sound, alarm light, alarm message on screen and human voice; • Maximum 720 hours trend data view, 1000 NIBP data storage, 200 alarm event storage, 12 hours waveform review; • Real time ST segment analysis, pacemaker detection, arrhythmia analysis; • Wired and wireless (optional) networking, guaranteeing the continuity of all data. 	<p>SHM-3008A</p>	<p>R 14 877.68</p>	<p>\$ 1 190.21</p>








	<p>FEATURES: ECG, HR, NIBP, SpO2, TEMP, RESP, PR</p> <ul style="list-style-type: none"> • 10.1 1024*600 "high resolution color TFT display • Slim style (16cm only) patient monitor and ultra net weight is only 1.5kgs; • Built-in lithium battery can last about 4 hours; • Real time ST segment analysis, pacemaker detection, arrhythmia analysis; • Protected against defibrillation, ESU and myoelectric artifact; • NIBP have dual channels and over pressure protect; • Maximum 720 hour trend data review, 1000 NIBP date storage, 200 alarm event storage, 12 waveform review; • Full alarm features include alarm sound, alarm light, alarm light, alarm message on screen and human voice; 	<p>SHM-3010A</p>	<p>R 12 646.03</p>	<p>\$ 1 011.68</p>
	<p>FEATURES: ECG, HR, NIBP, SpO2, TEMP, RESP, PR</p> <ul style="list-style-type: none"> • 12.1" high resolution color TFT screen(touch screen optional); • Up to 14 waveforms display; • Friendly and configurable user interface; • Real time ST segment analysis, pacemaker detection, arrhythmia analysis; • Maximum 720 hours trend data view, 1000 NIBP data storage, 200 alarm event storage, 12 hours waveform review; • Full alarm features include alarm sound, alarm light, alarm message on screen and human voice. 	<p>SHM-3012A</p>	<p>R 13 141.95</p>	<p>\$ 1 051.36</p>
	<p>FEATURES: ECG, HR, NIBP, SpO2, TEMP, RESP, PR</p> <ul style="list-style-type: none"> • 15" high resolution color TFT display; • Real time ST segment analysis, pacemaker detection, arrhythmia analysis; • Maximum 720 hours trend data view, 1000 NIBP data storage, 200 alarm event storage, 12 hours waveform review; • Anti high-frequency ESU and defibrillation protection meet different working environments; • Support mounting and trolley solution; • Full alarm features include alarm sound, alarm light, alarm message on screen and human voice. 	<p>SHM-3015A</p>	<p>R 13 141.95</p>	<p>\$ 1 051.36</p>
	<p>Patient Monitor</p> <ol style="list-style-type: none"> 1. ECG, NIMP, SpO2, Pulse Rate, Temp, Resp. 2. 14" display screen 3. Printer for option 	<p>TR6628-08</p>	<p>R 29 755.36</p>	<p>\$ 2 380.43</p>




	<p>Patient Monitor</p> <ol style="list-style-type: none"> 1. ECG, NIMP, SpO2, Pulse Rate, Temp, Resp. 2. 6.4" display screen 3. Printer for option 	TR6628-07	R 17 357.29	\$ 1 388.58
	<p>Patient Monitor</p> <ol style="list-style-type: none"> 1. ECG, NIBP, SpO2, Pulse Rate, 2-Temp, Resp. 2. 15" display screen 3. Lithium battery 4. Wlan Modular 433 MHZ Wireless (option) 5. Dual Alarm Light 6. Backlight Buttons 	TR6628-9500	R 34 714.58	\$ 2 777.17
	<p>Patient Monitor</p> <ol style="list-style-type: none"> 1. ECG, NIMP, SpO2, Pulse Rate, Temp, Resp. 2. 12.1" display screen 3. Optional for CO2 NIMP 4. Printer for option 	TR6628-69	R 32 234.97	\$ 2 578.80
	CO2 module		R 39 673.81	\$ 3 173.90
	1set for with NIMP		R 19 836.90	\$ 1 586.95
	2set for with NIMP		R 29 755.36	\$ 2 380.43
	Printer		R 4 959.23	\$ 396.74
	Centre monitor without computer and printer		R 49 592.26	\$ 3 967.38
	<p>Defibrillator with Biphasic technology</p> <p>Non-synchronizer : external defibrillator</p> <p>Sine wave : Biphasic technology</p> <p>Energy : 0, 20, 50, 100, 160, 250, 300, 360 joule (nominal at a resistance of 50)</p> <p>Charging time : at 360) less than 10 sec</p> <p>Paddle options : reusable external adult paddles(pediatric paddles integrated)</p> <p>Power Supply : operates from the mains(AC)and battery</p>	DFB-8000A	R 37 194.20	\$ 2 975.54
	<p>Defibrillator with Biphasic technology</p> <ol style="list-style-type: none"> 1. With monitor base on DFB-8000A 2. Defibrillator and with ECG/RESP,/SPO2,/TEMP,/PR,/NIBP 	DFB-8000C	R 74 388.39	\$ 5 951.07
	<p>Defibrillator with Biphasic technology</p> <ol style="list-style-type: none"> 1. With monitor base on DFB-8000A 2. Defibrillator and with ECG/ RESP 	DFB-8000D	R 65 709.75	\$ 5 256.78

	<p>Defibrillator</p> <ol style="list-style-type: none"> 1. Non-synchronizer 2. Sine wave, monophonic technology 3. Energy: 0, 20, 50, 100, 160, 250, 300, 360 joule 4. Charging time at 360J: less than 10 sec 5. Operates from the mains (AC), and with its internal NIMH battery 	<p>DFB-9000A</p>	<p>R 28 515.55</p>	<p>\$ 2 281.24</p>
	<p>Defibrillator</p> <ol style="list-style-type: none"> 1. With monitor 2. With printer 	<p>DFB-9000B</p>	<p>R 65 709.75</p>	<p>\$ 5 256.78</p>
	<p>Defibrillator</p> <ol style="list-style-type: none"> 1. With monitor base on DFB-9000A 	<p>DFB-9000C</p>	<p>R 60 750.52</p>	<p>\$ 4 860.04</p>
	<p>Defibrillator</p> <ol style="list-style-type: none"> 1. With monitor base on DFB-9000A 	<p>DFB-9000D</p>	<p>R 52 071.88</p>	<p>\$ 4 165.75</p>
	<p>Defibrillator</p> <ol style="list-style-type: none"> 1. Comes with a color liquid-crystal display and provides for synchronized discharge. The staff can monitor ECG through hardwire connection, or ECG and Respiration from telemetry. 	<p>FC-1760</p>	<p>R 123 980.66</p>	<p>\$ 9 918.45</p>








UNCCS CODES USED AND DEFINITION	
481284	Patient temperature control monitors
481244	Blood pressure measuring equipment, digital
481252	EEG, accessories therefor







BABY INCUBATORS






ITEM NAME	MODEL CODE	SELLING PRICE			
		RANDS	DOLLARS		
<p>Infant Incubator four display screen for set temp, box inner temp. . box inner humidity >37C set up, 5 kind warning. set-off memory self-test, wall cupboard and shelf and RS-232 or 485 Connector</p>		<p>Infant Incubator 1. Set temp, 2.Box inner temp. 3. >37°C set up</p>	<p>TRBI-1000</p>	<p>R 23 351.49</p>	<p>\$ 1 868.12</p>
<p>Infant Incubator three display screen for set temp, box inner temp. skin temp.>37C set up, 5 kind warning. set-off memory self-test, wall cupboard and shelf and RS-232 or 485 Connector</p>		<p>Infant Incubator 1. Set temp, 2. Box inner temp. 3. >37°C set up 4. Skin temp.</p>	<p>TRBI-2000</p>	<p>R 31 954.67</p>	<p>\$ 2 556.37</p>
<p>Infant Incubator four display screen for set temp, box inner temp. skin temp. box inner humidity >37C set up, 5 kind warning. set-off memory self-test, wall cupboard and shelf and RS-232 or 485 Connector</p>		<p>Infant Incubator 1. Set temp, 2. Box inner temp. 3. Box inner humidity >37°C set up 4. Skin temp.</p>	<p>TRBI-3000</p>	<p>R 36 870.77</p>	<p>\$ 2 949.66</p>
<p>Infant Radiant Warmer</p>		<p>Infant Radiant Warmer 1. Continuously variable mattress tilt, 2. Radiant head can two-directory rotate in horizon 3. >37°Csetting 4.Pre-heated</p>	<p>TRRW-2000</p>	<p>R 30 042.85</p>	<p>\$ 2 403.43</p>
		<p>Infant Radiant Warmer 1. Continuously variable mattress tilt, 2. Radiant head can two-directory rotate in horizon 3. >37°Csetting 4.Pre-heated 5. with phototherapy light 6. Oxygen Cylinders(2) 7. Intra-low-pressure absorber, neonte, resuscitation</p>	<p>TRRW-2000B</p>	<p>R 0.00</p>	<p>\$ -</p>
<p>Infant Phototherapy Unit</p>		<p>Infant Phototherapy Unit</p>	<p>TRP100</p>	<p>R 3 932.88</p>	<p>\$ 314.63</p>
		<p>Infant Incubator 1. Box inner temp. And Skin temp. 2. Double wall hood, the side door can be opened. 3.Use AC and DC. DC12Vor DC24V on the ambulance 4. Oxygen cylinder (2) and oxygen supply sastem, Observation Lamp, Storge battery and lift stand</p>	<p>TI-2000</p>	<p>R 114 299.38</p>	<p>\$ 9 143.95</p>








<p>Infant Incubator</p> <ol style="list-style-type: none"> 1. Set temp 2. Box inner temp 3. >37°C set up 4. Skin temp 5. with rotating table 			TRBI-100A	R 40 557.85	\$ 3 244.63
<p>Infant Phototherapy Unit with spary paiting</p>			TRP100	R 5 014.42	\$ 401.15
<p>Infant Phototherapy Unit with stainless steel</p>			TRP100	R 8 603.18	\$ 688.25
<p>Infant Radiant Warmer</p> <ol style="list-style-type: none"> 1. Pre-warm mode control 2. Baby mode temperature control range: 34.5-37.5°C 3. Temperature sensor display range: 5°C-65°C 			TRRW-9010	R 46 702.97	\$ 3 736.24
<p>Infant Radiant Warmer</p> <ol style="list-style-type: none"> 1. base on TRRW-9010 2. Added with low-pressure S-1, breath resuscitation bag HF-1, oxygen cylinders and infant head fixing unit TJ-1 			TRRW9018	R 63 909.33	\$ 5 112.75
<p>Infant Incubator</p> <ol style="list-style-type: none"> 1. Box inner temp. And Skin temp 2. Double wall hood, front and back panel can be opened 3. with cassette. 4. Inclination or infant bed is adjustable 5. Oxygen concentration monitor, Humidity control and electric lift stand 6. Baby scale is opeional 			YP2000	R 135 192.82	\$ 10 815.43
<p>Infant Incubator</p> <ol style="list-style-type: none"> 1. Box inner temp. And Skin temp. 2. Double wall hood, the side door can be opened 3. Use AC and DC. DC12Vor DC24V on the ambulance 4. Oxygen cylinder (2) and oxygen supply sastem, Observation Lamp, Storge battery and lift stand 			TI-2000	R 137 159.26	\$ 10 972.74






UNCCS CODES USED AND DEFINITION	
481651	Incubators, infant

O.T TABLE				
ITEM NAME		MODEL CODE	SELLING PRICE	
Electical Table			RANDS	DOLLARS
	Electical operation Table 1. lower position. 2. with Cassette 3 The leg board are separated and dischargeable, the waist board can be lifted	TR-H.1A	R 109 102.98	\$ 8 728.24
	XK21355	TR-H.D	R 82 653.77	\$ 6 612.30
	Universal Operation Table 1. Exchange their position and make insertion between the head and leg plate 2. with Cassette and also suit for C-arm	TR-U.E	R 79 347.62	\$ 6 347.81
Universal Table				
	Operation Table 1.Head Operating Universal Table 2. be furnished wih Mattress	3008	R 18 597.10	\$ 6.00
	Operation Table 1.Head Operating Universal Table 2. be furnished wih Mattress 3. the base,external oil-pump are all made of stainless steel	3008A	R 20 073.06	\$ 1 605.84
	Operation Table 1.Head Operating Universal Table 2. be furnished wih Mattress 3. the base,external oil-pump are all made of stainless steel 4. The leg board are separated, with radiographic	3008D-1	R 23 556.32	\$ 1 884.51
	Operation Table 1.Low position operation 2.back and waist board adopt imported spring 3. The covers of oil pump, base and side board are stainless steel. The surface of bed is phenolic board.	3008H	R 41 409.54	\$ 3 312.76

	<p>Operation Table</p> <ol style="list-style-type: none"> 1. The leg board are separated and dischargeable, 2. with Cassette and also suit for C-arm 3. Material: the covers of base and oil pump are Fiber Reinforced Plastics; the surface is phenolic board; and the accessories are stainless steel. 	<p>TRG-2A</p>	<p>R 64 965.86</p>	<p>\$ 5 197.27</p>
<p>Obstetric Table</p>				
	<p>Obstetric Table</p> <ol style="list-style-type: none"> 1. Electric motive adjustment of trending position, back section connected to the seat at fixed angle (45°) 2. Seat height adjustable 3. Foot supports can be swiveled and locked 4. Foot electric switch is used 	<p>TRCB-M</p>	<p>R 23 556.32</p>	<p>\$ 1 884.51</p>
	<p>Delivery Bed 1.3 Section with foot stool 2. With spray-paint</p>	<p>FS-2</p>	<p>R 11 158.26</p>	<p>\$ 892.66</p>
	<p>Delivery Bed 1. 3 Section 2. With stainless steel</p>	<p>FS-1</p>	<p>R 0.00</p>	<p>\$ -</p>
	<p>Delivery Bed 1. 2 Section 2. With stainless steel</p>	<p>FS-B</p>	<p>R 6 570.97</p>	<p>\$ 525.68</p>
	<p>Examination Couch 1. By portable 2. With Steel Tube</p>	<p>FS-P</p>	<p>R 2 479.61</p>	<p>\$ 198.37</p>
<p>C-Arm O.T table</p>				

	<p>Electical operation Table</p> <ol style="list-style-type: none"> 1. Suit for C-arm and with cassette 2. Table can be moved forward and backward about 400mm 	TR-H.C	R 114 062.20	\$ 9 124.98
	<p>Operation Table</p> <ol style="list-style-type: none"> 1. Table can be moved forward and backward 2. Suit for C-arm and with cassette 3. High intensity polymethyl methacrylate table , stainless steel foundation and oil-pump housing 4. Table control mode : Hydraulic pressure 	TRDT-3003	R 51 575.95	\$ 4 126.08
	Simple O.T. Table		R 21 820.60	\$ 1 745.65
	Orthopedies tractor rack	TRP-98	R 19 093.02	\$ 1 527.44
	<p>Electical operation Table</p> <ol style="list-style-type: none"> 1. Microcompter controller and safety lock key protecting from misoperation 2. The table can be moved longitudinally more than 300mm so that C arm can rotate freely to work. 3. with cassette 	TRDT-12D	R 185 970.98	\$ 14 877.68
	Electric Operating Table	TRDT-12E	R 285 155.51	\$ 22 812.44
	<p>Electical operation Table</p> <ol style="list-style-type: none"> 1. With cassette 2. leg board can out spread 180 folded 90 and dischargeable 3. the table is equipped auto-charge device 4. lateral movement :400mm used for C-arm (option) 	TRDT-12F	R 79 347.62	\$ 6 347.81
	lateral movement on TRDT-12F		R 14 877.68	\$ 1 190.21
	Universal Table			







	<p>Operation Table</p> <ol style="list-style-type: none"> 1. beside Operating Universal Table 2. be furnished wih Mattress 	3001	R 20 828.75	\$ 1 666.30
	<p>Operation Table</p> <ol style="list-style-type: none"> 1. beside Operating Universal Table 2. be furnished wih Mattress 3. the base are all made of stainless steel 	3001B	R 23 556.32	\$ 1 884.51
	<p>Operation Table</p> <ol style="list-style-type: none"> 1. beside Operating Universal Table 2. be furnished with Mattress 3. the base, external oil-pump are all made of stainless steel 4. same part adopt of gas spring 	3001-1	R 40 913.62	\$ 3 273.09
	<p>Operation Table</p> <ol style="list-style-type: none"> 1. Head Operating Universal Table 2. be furnished wih Mattress 3. The base, external oil-pump are all made of stainless steel 4. The leg board are separated, with radiographic 	3008D-1	R 29 755.36	\$ 2 380.43
	<p>Operation Table</p> <ol style="list-style-type: none"> 1. Low position operation 2. back and waist board adopt imported spring 3. The covers of oil pump, base and side board are stainless steel. The surface of bed is phenolic board. 	3008H	R 50 584.11	\$ 4 046.73
	<p>Operation Table</p> <ol style="list-style-type: none"> 1. The leg board are separated and dischargeable 2. with Cassette and also suit for C-arm 3. Material: the covers of base and oil pump are Fiber Reinforced Plastics; the surface is phenolic board; and the accessories are stainless steel 4. lateral movement :400mm used for C-arm (option) 	TRG-2A	R 74 388.39	\$ 5 951.07
	lateral movement on TRG-2A		R 14 877.68	\$ 1 190.21
Simple O.T. Table				
	Orthopedies tractor rack	TRP-98	R 22 316.52	\$ 1 785.32
Obstetric Table				

	<p>Obstetric Table</p> <ol style="list-style-type: none"> 1. The table adopt hydraulic pressure to control elevation 2. The leg board adopt the structure as drawer 3. Stainless steel for the covers of oil pump, base and waste basin. 	TRCB3004	R 25 292.05	\$ 2 023.36
	<p>Obstetric Table (check type)</p> <ol style="list-style-type: none"> 1. The table adopt hydraulic pressure to control elevation 2. Stainless steel for the covers of oil pump, base and waste basin. 	TRCB3004C	R 16 365.45	\$ 1 309.24
	<p>Electric multi-purpose Obstetric table (check type)</p>	TRDS3004C	R 34 714.58	\$ 2 777.17
	<p>Electric multi-purpose Obstetric table</p>	TRDS3004E	R 44 633.04	\$ 3 570.64
	<p>Mutifunctional obstetric table</p> <ol style="list-style-type: none"> 1.It is special chair for delivery and width make for both mother and newborn baby 	TRCC-A	R 69 429.17	\$ 5 554.33
	<p>Delivery Bed</p> <ol style="list-style-type: none"> 1. 3 Section 2. With stainless steel 	FS-2	R 14 877.68	\$ 1 190.21
	<p>Delivery Bed</p> <ol style="list-style-type: none"> 1. 2 Section 2. With stainless steel 	FS-B	R 11 158.26	\$ 892.66
	holder for head on O.T table	I type	R 9 918.45	\$ 793.48
		II type	R 43 393.23	\$ 3 471.46
	assistant stool		R 12 398.07	\$ 991.85







UNCCS CODES USED AND DEFINITION	
---------------------------------	--



481500	Instruments and appliances, medical or surgical n.e.c.
--------	---





SHADOWLESS OPERATING LAMP












ITEM NAME		MODEL CODE	SELLING PRICE	
	O.T. Light: (normal light)		RANDS	DOLLARS
	1. 12REF 2. Illuminance: $\geq 48000 \sim 72000\text{Lx}$ (5 Steps Adjustable)	7412	R 13 382.04	\$ 1 070.56
O.T. Light: (Cold Light)				
	Stainless Steel Reflector Lamp	TR-KS01SS	R 295.19	\$ 23.62
	Examination lamp	TRSL-02	R 2 479.61	\$ 198.37
	1. 1REF 2. Illuminance: $\geq 12000\text{Lx}$	TR-KS01	R 1 859.71	\$ 148.78
	I REF cold light with muti- lens	TR-KS01ID	R 11 158.26	\$ 892.66
With Emergency Power Supply				
	1. with cold lamp 2. Illuminance: $\geq 50,000\text{Lx}$ 3. emergency power : 4 hours	TRLK-4Y	R 11 158.26	\$ 892.66

	with halogen lamp	TRLK-4H	R 11 902.14	\$ 952.17
	1. with cold lamp 2. Illuminance: $\geq 70,000$ Lux 3. Emergency time: ≥ 3 h	TRSL-4E	R 38 434.00	\$ 3 074.72
	1. Illumination: 80000-150000 80000-150000 2. Brightness adjustment: 8-stage	TRSL700/700	R 82 653.77	\$ 6 612.30
	1. Illumination: 80000-150000 40000-100000 2. Brightness adjustment: 8-stage	TRSL700/500	R 86 786.46	\$ 6 942.92
	1. Illumination: 50000-150000 2. Brightness adjustment: free 3. Color temperature: 4300 ± 500 K 4. bulb can reach 1100 hours	TRSL700	R 54 551.49	\$ 4 364.12
	1. Illumination: 50000-120000 2. Brightness adjustment: 8-stage	TRSL600	R 45 872.84	\$ 3 669.83
	1. Illuminance of Main Lamp 70,000Lx	TRSL2001-4	R 34 714.58	\$ 2 777.17
	1. Illuminance of Main Lamp 100,000Lx	TRSL2001-6	R 37 194.20	\$ 2 975.54

	1. 4REF 2. Illuminance: $\geq 24000\text{Lx}$	734	R 4 587.28	\$ 366.98
	1. 5REF 2. Illuminance: $\geq 30000\text{Lx}$	735	R 5 207.19	\$ 416.58
	5REF by stand	735	R 5 455.15	\$ 436.41
	1. 9REF 2. Illuminance: $\geq 54000\text{Lx}$	739	R 10 166.41	\$ 813.31
	1. 12REF 2. Illuminance: $\geq 48000 \sim 72000\text{Lx}$ (5 Steps Adjustable)	7412	R 13 389.91	\$ 1 071.19
	Stainless Steel Reflector Lamp	TR-KS01SS	R 297.55	\$ 23.80
O.T. Light: (Cold Light)				
	1. 1REF 2. Illuminance: $\geq 12000\text{Lx}$	TR-KS01	R 1 661.34	\$ 132.91
		TR-KS01H	R 0.00	\$ -
	1. 4REF 2. Illuminance: $\geq 40000\text{Lx}$	TR-KS04	R 4 959.23	\$ 396.74


	1. 5REF 2. Illuminance: $\geq 50000\text{Lx}$	TR-KS05	R 6 323.01	\$ 505.84
	5REF by stand		R 6 323.01	\$ 505.84
	1. 9REF 2. Illuminance: $\geq 90000\text{Lx}$	TR-KS09	R 11 406.22	\$ 912.50
	1. 12REF 2. Illuminance: $\geq 80000 \sim 120000\text{Lx}$ (5 Steps Adjustable)	TR-KS12	R 14 877.68	\$ 1 190.21
	1. 12+5REF 2. Illuminance: $80000 \sim 120000\text{Lx}$ 50000Lx	TR-KS12+5	R 21 076.71	\$ 1 686.14
	Hologen lamps			
	1. 4REF 2. Illuminance: $\geq 44000\text{Lx}$	TR-KS04H	R 6 199.03	\$ 495.92
	1. 5REF 2. Illuminance: $\geq 55000\text{Lx}$	TR-KS05H	R 8 678.65	\$ 694.29
	1. 9REF 2. Illuminance: $\geq 99000\text{Lx}$	TR-KS09H	R 15 869.52	\$ 1 269.56
	1. 12REF 2. Illuminance: $\geq 88000 \sim 132000\text{Lx}$ (5 Steps Adjustable)	TR-KS12H	R 21 076.71	\$ 1 686.14
	Examination lamp	TRSL-02	R 1 859.71	\$ 148.78
	With Emergency Power Supply			

	<ul style="list-style-type: none"> 1. with cold lamp 2. Illuminance: $\geq 50,000\text{Lx}$ 3. emergency power : 4 hours 	TRLK-4Y	R 11 406.22	\$ 912.50
	with halogen lamp	TRLK-4H	R 11 406.22	\$ 912.50
	<ul style="list-style-type: none"> 1. with Halogen lamp 2. Illuminance: $\geq 70,000\text{Lux}$ 3. Emergency time: $\geq 3\text{h}$ 	TRSL-4E	R 37 690.12	\$ 3 015.21
<p>O.T. Light: Halogen lamp microcomputer controls the adjusting light section, six dimensions joints 360° rotation one lamp with two bulbs enables automatic operation of the standby bulb in 1/2 second when the main bulb malfunctions</p>				
	<ul style="list-style-type: none"> 1. Illumination: 50000-150000 50000-150000 2. Brightness adjustment: free 3. Color temperature: $4300\pm 500\text{K}$ 4. bulb can reach 1100 hours 	TRSL700/700M	R 68 189.36	\$ 5 455.15
	<p>Operating light</p> <ul style="list-style-type: none"> 1. With more reflecting mirrors, make the light soft 2. Brightness adjustment: 8-stage and with brightness memory function 3. bulb can reach 1500 hours 4. Illumination: 80000-160000 80000-160000 5. Color temperature: $4500\pm 500\text{K}$ 	TRSL700/700M	R 83 067.04	\$ 6 645.36
	<ul style="list-style-type: none"> 1. Illumination: 50000-150000 40000-120000 2. Brightness adjustment: free 3. Color temperature: $4300\pm 500\text{K}$ 4. bulb can reach 1100 hours 	TRSL700/500M	R 63 230.13	\$ 5 058.41
		TRSL700/500M	R 78 851.70	\$ 6 308.14
		TRSL700M	R 58 270.91	\$ 4 661.67

	<ol style="list-style-type: none"> 1. Illumination: 40000-120000 2. Brightness adjustment: free 3. Color temperature:4300±500K 4. bulb can reach 1100 hours 	TRSL-500	R 38 434.00	\$ 3 074.72
	<ol style="list-style-type: none"> 1. By mobile 2. Illumination: 40000-120000 3. Brightness adjustment: free 4. Color temperature:4300±500K 5. bulb can reach 1100 hours 	TRSL-500M	R 44 633.04	\$ 3 570.64
	<ol style="list-style-type: none"> 1. Mobile with Emergency 2. Illumination: 40000-120000 3. Brightness adjustment: free 4. Color temperature:4300±500K 5. bulb can reach 1100 hours 	TRSL-500E	R 55 791.29	\$ 4 463.30
	<p>Luminance: ≥50,000Lux Color temperature:4300±500K Spot diameter:150~200(mm) Illumination depth: ≥600(mm) Light-adjusting mode: Eight grade dimmer system</p>	TRSL160D	R 3 967.38	\$ 317.39
	LED lamp (Ceiling Mounted)	TR2010-5+3	R 153 736.01	\$ 12 298.88
	LED lamp (Ceiling Mounted)	TR2010-4+3	R 136 378.72	\$ 10 910.30
	LED lamp (Ceiling Mounted)	TR2010-5	R 86 786.46	\$ 6 942.92
	LED lamp (Ceiling Mounted)	TR2010-4	R 76 868.01	\$ 6 149.44
	LED lamp (Ceiling Mounted)	TR2010-3	R 70 916.93	\$ 5 673.35
	LED lamp (Mobile)	TR2010-160D	R 14 381.76	\$ 1 150.54
	LED lamp (Mobile)	TR2010-3/E	R 65 461.79	\$ 5 236.94
LED Shadowless Operation Lamps				



<p>LED Shadowless Operation Lamps Illumination at 1m(lux) : 80000~160000 80000~160000 Light field diameter at 1m (cm) : 10-28 Diameter of spot D50(mm) : 180±15 100±15 L1+L2 Depth of illumination(cm) : 130 Red color index (R9) : 93 Number of LED bulbs : 111/111 M</p>	<p>TRLED700/700</p>	<p>R 342 186.61</p>	<p>\$ 27 374.93</p>
<p>LED Shadowless Operation Lamps Illumination at 1m(lux) : 80000~160000 60000~120000 Light field diameter at 1m (cm) : 10-28 Diameter of spot D50(mm) : 180±15 100±15 L1+L2 Depth of illumination(cm) : 130 110 Red color index (R9) : 93/- Number of LED bulbs : 1</p>	<p>TRLED700/500</p>	<p>R 322 349.70</p>	<p>\$ 25 787.98</p>
<p>LED Shadowless Operation Lamps Illumination at 1m(lux) : 60000~120000 60000~120000 Light field diameter at 1m (cm) : 10-28 Diameter of spot D50(mm) : 180±15 100±15 L1+L2 Depth of illumination(cm) : 110 Number of LED bulbs : 72/72 Max. power consumption(W) : 24</p>	<p>TRLED500/500</p>	<p>R 300 033.19</p>	<p>\$ 24 002.65</p>

	<p>LED Shadowless Operation Lamps Illumination at 1m(lux) : 80000~160000 Red color index (R9) : 93 Number of LED bulbs : 111 Max. power consumption(W) : 150VA Average bulb life (hours) : 50,000</p>	TRLED700	R 179 771.95	\$ 14 381.76
	<p>LED Shadowless Operation Lamps Illumination at 1m(lux) : 60000~120000 L1+L2 Depth of illumination(cm) : 110 Number of LED bulbs : 72 Max. power consumption(W) : 120VA Average bulb life (hours) : 50,000</p>	TRLED500	R 158 695.24	\$ 12 695.62
Multi-Squama Shadowless Operation Lamps				
	<p>Multi-Squama Shadowless Operation Lamps Illumination Lux : 160000≥Ec≥80000 160000≥Ec≥80000 Color Temperature (K) : 3000≤Tc≤67 00 Diameter of lamp holder (mm) : 700/700 Diameter of Spot : d10 175±35mm Depth of light beam (mm) : ≥700 Brightness level adjustment : CPU</p>	TRSLM700/700	R 61 990.33	\$ 4 959.23

<p>Multi-Squama Shadowless Operation Lamps</p> <p>Illumination Lux : 160000≥Ec≥80000 100000≥Ec≥50000</p> <p>Color Temperature (K) : 3000≤Tc≤6700</p> <p>Diameter of lamp holder (mm) : 700/500</p> <p>Diameter of Spot : d10 175±35mm</p> <p>Depth of light beam (mm) : ≥700</p> <p>Brightness level adjustment : CPU</p>	<p>TRSLM700/500</p>	<p>R 60 750.52</p>	<p>\$ 4 860.04</p>
<p>Multi-Squama Shadowless Operation Lamps</p> <p>Illumination Lux : 120000≥Ec≥60000 120000≥Ec≥60000</p> <p>Color Temperature (K) : 3000≤Tc≤6700</p> <p>Diameter of lamp holder (mm) : 600/600</p> <p>Diameter of Spot : d10 175±35mm</p> <p>Depth of light beam (mm) : ≥700</p> <p>Brightness level adjustment : CPU</p>	<p>TRSLM600/600</p>	<p>R 60 750.52</p>	<p>\$ 4 860.04</p>
<p>Multi-Squama Shadowless Operation Lamps</p> <p>Illumination Lux : 100000≥Ec≥50000 100000≥Ec≥50000</p> <p>Color Temperature (K) : 3000≤Tc≤6700</p> <p>Diameter of lamp holder (mm) : 500/500</p> <p>Diameter of Spot : d10 175±35mm</p> <p>Depth of light beam (mm) : ≥700</p> <p>Brightness level adjustment : CPU</p>	<p>TRSLM500/500</p>	<p>R 58 270.91</p>	<p>\$ 4 661.67</p>



Multi-Squama Shadowless
Operation Lamps
Illumination
Lux : $160000 \geq E_c \geq 80000$
Color
Temperature (K) : $3000 \leq T_c \leq 6700$
Diameter of lamp
holder (mm) : 700
Diameter of Spot : $d_{10} 175 \pm 35 \text{mm}$
Depth of light
beam (mm) : ≥ 700
Brightness level adjustment : CPU
light-dimmer

TRSLM700

R 32 234.97

\$ 2 578.80

Multi-Squama Shadowless
Operation Lamps
Illumination
Lux : $120000 \geq E_c \geq 60000$
Color
Temperature (K) : $3000 \leq T_c \leq 6700$
Diameter of lamp
holder (mm) : 600
Diameter of Spot : $d_{10} 175 \pm 35 \text{mm}$
Depth of light
beam (mm) : ≥ 700
Brightness level adjustment : CPU
light-dimmer

TRSLM600

R 30 995.16

\$ 2 479.61


Illumination
Lux : $100000 \geq E_c \geq 50000$
Color
Temperature (K) : $3000 \leq T_c \leq 6700$
Diameter of lamp
holder (mm) : 500
Diameter of Spot : $d_{10} 175 \pm 35 \text{mm}$
Depth of light
beam (mm) : ≥ 700
Brightness level adjustment : CPU
light-dimmer

TRSLM500


R 29 755.36




\$ 2 380.43




Integrated Shadowless Operation Lamps




<p>Integrated Shadowless Operation Lamps Illumination Lux : 160000≥Ec≥80000 160000≥Ec≥80000 Color Temperature (K) : 3000≤Tc≤6700 Diameter of lamp holder (mm) : 700/700 Diameter of Spot : d10 175±35mm Depth of light beam (mm) : ≥700 Brightness level adjustment : CPU lig</p>	<p>TRSL700/700II</p>	<p>R 55 791.29</p>	<p>\$ 4 463.30</p>
<p>Integrated Shadowless Operation Lamps Illumination Lux : 160000≥Ec≥80000 100000≥Ec≥50000 Color Temperature (K) : 3000≤Tc≤6700 Diameter of lamp holder (mm) : 700/500 Diameter of Spot : d10 175±35mm Depth of light beam (mm) : ≥700 Brightness level adjustment : CPU lig</p>	<p>TRSL700/500II</p>	<p>R 53 439.94</p>	<p>\$ 4 275.20</p>
<p>Integrated Shadowless Operation Lamps Illumination Lux : 120000≥Ec≥60000 120000≥Ec≥60000 Color Temperature (K) : 3000≤Tc≤6700 Diameter of lamp holder (mm) : 600/600 Diameter of Spot : d10 175±35mm Depth of light beam (mm) : ≥700 Brightness level adjustment : CPU</p>	<p>TRSL600/600II</p>	<p>R 52 071.88</p>	<p>\$ 4 165.75</p>


	<p>Integrated Shadowless Operation Lamps Illumination Lux : $100000 \geq E_c \geq 50000$ $100000 \geq E_c \geq 50000$ Color Temperature (K) : $3000 \leq T_c \leq 6700$ Diameter of lamp holder (mm) : 500/500 Diameter of Spot : $d_{10} 175 \pm 35$mm Depth of light beam (mm) : ≥ 700 Brightness level adjustment : CPU lig</p>	TRSL500/500II	R 49 592.26	\$ 3 967.38
	<p>Integrated Shadowless Operation Lamps Illumination Lux : $160000 \geq E_c \geq 80000$ Diameter of lamp holder (mm) : 700 Diameter of Spot : $d_{10} 175 \pm 35$mm Depth of light beam (mm) : ≥ 700 Brightness level adjustment : CPU light-dimmer</p>	TRSL700II	R 29 755.36	\$ 2 380.43
	<p>Integrated Shadowless Operation Lamps Illumination Lux : $120000 \geq E_c \geq 60000$ Diameter of lamp holder (mm) : 600 Diameter of Spot : $d_{10} 175 \pm 35$mm Depth of light beam (mm) : ≥ 700 Brightness level adjustment : CPU light-dimmer</p>	TRSL600II	R 27 895.65	\$ 2 231.65


	<p>Integrated Shadowless Operation Lamps Illumination Lux : $120000 \geq E_c \geq 60000$ Diameter of lamp holder (mm) : 600 Diameter of Spot : $d_{10} 175 \pm 35 \text{mm}$ Depth of light beam (mm) : ≥ 700 Brightness level adjustment : CPU light-dimmer</p>	<p>TRSL600II-W</p>	<p>R 38 434.00</p>	<p>\$ 3 074.72</p>
	<p>Integrated Shadowless Operation Lamps Illumination Lux : $100000 \geq E_c \geq 50000$ Diameter of lamp holder (mm) : 500 Diameter of Spot : $d_{10} 175 \pm 35 \text{mm}$ Depth of light beam (mm) : ≥ 700 Brightness level adjustment : CPU light-dimmer</p>	<p>TRSL500II</p>	<p>R 27 275.74</p>	<p>\$ 2 182.06</p>
	<p>Integrated Shadowless Operation Lamps Illumination Lux : $120000 \geq E_c \geq 60000$ $120000 \geq E_c \geq 60000$ Color Temperature (K) : $3000 \leq T_c \leq 6700$ Diameter of lamp holder (mm) : 600/600 Diameter of Spot : $d_{10} 175 \pm 35 \text{mm}$ Depth of light beam (mm) : ≥ 700 Brightness level adjustment : Step</p>	<p>TRSL600/600I</p>	<p>R 47 112.65</p>	<p>\$ 3 769.01</p>

	<p>Integrated Shadowless Operation Lamps Illumination Lux : 120000≥Ec≥60000 Color Temperature (K) : 3000≤Tc≤6700 Diameter of lamp holder (mm) : 600 Diameter of Spot : d₁₀ 175±35mm Depth of light beam (mm) : ≥700 Brightness level adjustment : Stepless adjustment of light</p>	<p>TRSL600I</p>	<p>R 26 035.94</p>	<p>\$ 2 082.88</p>
<p>Mobile LED Shadowless Operation Lamps</p>				
	<p>Mobile LED Shadowless Operation Lamps Illumination at 1m(lux) : 60000~120000 Light field diameter at 1m (cm) : 10-28 Diameter of spot D50(mm) : 180±15 100±15 L1+L2 Depth of illumination(cm) : 110 Number of LED bulbs : 72 Average bulb life (hours) : 50,000 Power s</p>	<p>TRLED-500M</p>	<p>R 120 261.24</p>	<p>\$ 9 620.90</p>
	<p>Mobile LED Shadowless Operation Lamps Illumination at 1m(lux) : 60000~120000 Light field diameter at 1m (cm) : 10-28 Diameter of spot D50(mm) : 180±15 100±15 L1+L2 Depth of illumination(cm) : 110 Number of LED bulbs : 72 Average bulb life (hours) : 50,000 Power s</p>	<p>TRLED-500E</p>	<p>R 132 659.30</p>	<p>\$ 10 612.74</p>



	<p>Mobile LED Shadowless Operation Lamps Technical Specifications Illumination(lux) : ≥ 50000 Color Temperature : $3000 \leq T_c \leq 6700$ Color rendering index : $100 \geq Ra \geq 85$ The value of the total irradiance (service range for temperature rise $\leq 10^\circ\text{C}$) : $< 6\text{mW}/\text{m}^2\text{lx}$ Total irradiance</p>	<p>TRLED-M1</p>	<p>R 18 101.18</p>	<p>\$ 1 448.09</p>
---	--	------------------------	---------------------------	---------------------------

Mobile Multi-Squama Shadowless Operation Lamps

	<p>Mobile Multi-Squama Shadowless Operation Lamps Illumination Lux : $100000 \geq E_c \geq 50000$ Color Temperature (K) : $3000 \leq T_c \leq 6700$ Color rendering index : $100 \geq Ra \geq 85$ Diameter of Spot : $d_{10} 175 \pm 35\text{mm}$ Depth of light beam (mm) : ≥ 700 Brightness level adjustment : CPU light-dimmer Shi</p>	<p>TRSLM-500M</p>	<p>R 33 474.78</p>	<p>\$ 2 677.98</p>
--	--	--------------------------	---------------------------	---------------------------

	<p>Mobile Multi-Squama Shadowless Operation Lamps Illumination Lux : $100000 \geq E_c \geq 50000$ Color Temperature (K) : $3000 \leq T_c \leq 6700$ Color rendering index : $100 \geq Ra \geq 85$ Diameter of Spot : $d_{10} 175 \pm 35\text{mm}$ Depth of light beam (mm) : ≥ 700 Brightness level adjustment : CPU light-dimmer Shi</p>	<p>TRSLM-500E</p>	<p>R 38 434.00</p>	<p>\$ 3 074.72</p>
---	--	--------------------------	---------------------------	---------------------------

Mobile Integrated Shadowless Operation Lamps

	<p>Mobile Integrated Shadowless Operation Lamps Illumination Lux : 100000≥Ec≥50000 Color Temperature (K) : 3000≤Tc≤6700 Diameter of Spot : d10 175±35mm Depth of light beam (mm) : ≥700 Brightness level adjustment : CPU light-dimmer Shift of major and stand by lamps : Auto</p>	<p>TRSL-500M</p>	<p>R 32 234.97</p>	<p>\$ 2 578.80</p>
	<p>Mobile Integrated Shadowless Operation Lamps Illumination Lux : 100000≥Ec≥50000 Color Temperature (K) : 3000≤Tc≤6700 Diameter of Spot : d10 175±35mm Depth of light beam (mm) : ≥700 Brightness level adjustment : CPU light-dimmer Shift of major and stand by lamps : Auto</p>	<p>TRSL-500E</p>	<p>R 35 954.39</p>	<p>\$ 2 876.35</p>

<p>UNCCS CODES USED AND DEFINITION</p>	
<p>486304</p>	<p>Surgical lighting</p>

STERILIZERS

ITEM NAME		MODEL CODE	SELLING PRICE	
			RANDS	DOLLARS
	Distilling Apparatus5L	TRD11-5	R 2 107.67	\$ 168.61
	Distilling Apparatus10L	TRD11-10	R 2 727.57	\$ 218.21
	Distilling Apparatus20L	TRD11-20	R 3 905.39	\$ 312.43
	STEAM STERILIZER Coal/Electric 18L	TR280B	R 2 458.95	\$ 196.72
	STEAM STERILIZER Electric Heating 18L	TR280C	R 2 727.57	\$ 218.21
	STEAM STERILIZER Automatism Heat Control Time 18L	TR280D	R 3 306.15	\$ 264.49
	Automatic Time Electro-Thermal Boiling Sterilizer	TR420B	R 1 653.08	\$ 132.25
	Table Pressure Steam Sterilizer 1. shell is by Staniless Steel 20L 115-134°C	TR280F1	R 18 597.10	\$ 1 487.77

	<p>Table Pressure Steam Sterilizer</p> <p>1.shell is by Staniless Steel with computer type FULL AUTO 25L 115-134°C</p>	TR280F2	R 30 995.16	\$ 2 479.61
	<p>STERILIZER by Vertical 35L</p> <p>1. With timing, temperature control, water cut</p> <p>2. Working pressure:0.22Mpa</p> <p>3. Working temperature:134°C</p> <p>4. Timer: 0--60min</p>	TRS-35L	R 17 357.29	\$ 1 388.58
	<p>STERILIZER by Vertical 50L</p> <p>1. With timing, temperature control, water cut</p> <p>2. Working pressure:0.22Mpa</p> <p>3. Working temperature:134°C</p> <p>4. Timer: 0--60min</p>	TRS-50L	R 23 556.32	\$ 1 884.51
	<p>STERILIZER by Vertical 75L</p> <p>1. With timing, temperature control, water cut</p> <p>2. Working pressure:0.22Mpa</p> <p>3. Working temperature:134°C</p> <p>4. Timer: 0--60min</p>	TRS-75L	R 24 796.13	\$ 1 983.69
	<p>STERILIZER by Vertical 100L</p> <p>1. With timing, temperature control, water cut</p> <p>2. Working pressure:0.22Mpa</p> <p>3. Working temperature:134°C</p> <p>4. Timer: 0--60min</p>	TRS-100L	R 30 995.16	\$ 2 479.61
	<p>Horizontal Cylindrical Pressure Electric Heating 150L</p>	TRS600	R 66 949.55	\$ 5 355.96
	<p>Main Pulsation Vacuum sterilizing Cabinet (Mechanical Door Series and double door) 250L</p>	TRSM-210-250	R 235 563.25	\$ 18 845.06
	<p>Main Pulsation Vacuum sterilizing Cabinet (Mechanical Door Series and double door) 360L</p>	TRSM-210-360	R 260 359.38	\$ 20 828.75

	Main Pulsation Vacuum sterilizing Cabinet (Mechanical Door Series and double door) 600L	TRSM-210-600	R 295 192.04	\$ 23 615.36
	Distilling Apparatus5L	TRD11-5	R 2 107.67	\$ 168.61
	Distilling Apparatus10L	TRD11-10	R 3 719.42	\$ 297.55
	Distilling Apparatus20L	TRD11-20	R 5 579.13	\$ 446.33
	STEAM STERILIZER Coal/Electric 18L	TR-18HM	R 3 967.38	\$ 317.39
	STEAM STERILIZER with timer and temperature 18L	TR-18HDJ	R 6 199.03	\$ 495.92
	STEAM STERILIZER with timer and temperature 24L	TR-24HDJ	R 6 942.92	\$ 555.43
	Table Pressure Steam Sterilizer shell is by spray-paint 25L 115- 134°C	TR888	R 12 398.07	\$ 991.85
	Table Pressure Steam Sterilizer shell is by spray-paint 20L 115- 134°C	TR280E	R 14 877.68	\$ 1 190.21

	Table Pressure Steam Sterilizer 1. shell is by Stainless Steel 2. computer type full auto 3. 20L 4. 105-134°C 5. with dryer	TR250B-20	R 40 169.73	\$ 3 213.58
	Table Pressure Steam Sterilizer 1. shell is by Staniless Steel 2. computer type full auto 3. 20L 4. 105-134°C 5. with dryer	TR250B-25	R 40 913.62	\$ 3 273.09
	Table Pressure Steam Sterilizer 1. shell is by Staniless Steel 2. computer type full auto 3. 35L 4. 105-134°C 5. with dryer	TR250B35	R 49 096.34	\$ 3 927.71
	Table Pressure Steam Sterilizer 1. shell is by Staniless Steel 2. computer type full auto 3. 50L 4. 105-134°C 5. with dryer	TR250B50	R 60 254.60	\$ 4 820.37
	STERILIZER by Vertical 120L 1. With timing, temperature control, water cut 2. Working pressure:0.22Mpa 3. Working temperature:134°C 4. Timer: 0--60min	TRS-120L	R 46 120.80	\$ 3 689.66
	STERILIZER by Vertical 35L 1. with computer type 2. when the operation is finished, steam is out to room	TRS-35L AUTO	R 19 340.98	\$ 1 547.28
	STERILIZER by Vertical 50L 1. with computer type 2. when the operation is finished, steam is out to room	TRS-50L AUTO	R 25 292.05	\$ 2 023.36
	STERILIZER by Vertical 75L 1. with computer type, 2. when the operation is finished, steam is out to room	TRS-75L AUTO	R 31 243.13	\$ 2 499.45
	STERILIZER by Vertical 100L 1. with computer type 2. when the operation is finished, steam is out to room	TRS-100L AUTO	R 41 657.50	\$ 3 332.60
	Option: with drier for TRS-35/50/75/100L AUTO		R 3 719.42	\$ 297.55
	STERILIZER by Vertical 35L 1. with computer type 2. with dryer 3. when the operation is finished ,steam is inside in this machines	TRS-D35L	R 33 722.74	\$ 2 697.82
	STERILIZER by Vertical 50L 1. with computer type 2. when the operation is finished ,steam is inside in this machines	TRS-D50L	R 45 872.84	\$ 3 669.83

	<p>STERILIZER by Vertical 75L</p> <ol style="list-style-type: none"> 1. with computer type 2. when the operation is finished ,steam is inside in this machines 	TRS-D75L	R 59 510.71	\$ 4 760.86
	<p>Horizontal Cylindrical Pressure Electric Heating 150L</p> <ol style="list-style-type: none"> 1. working pressure:0.22 Mpa 2. working temperature:134°C 3. Power:9KW/380V 50Hz 4. With dryer 	TRS-150YDA	R 81 827.23	\$ 6 546.18
	<p>Horizontal Cylindrical Pressure Electric Heating 280L</p> <ol style="list-style-type: none"> 1. working pressure:0.22 Mpa 2. working temperature:134°C 3. Power:9KW/380V 50Hz 4. With dryer 	TRS-280YDA	R 94 225.30	\$ 7 538.02
	<p>Horizontal Cylindrical Pressure Electric Heating 150L</p> <ol style="list-style-type: none"> 1. with computer type 2. working pressure:0.22 Mpa 3. working temperature:134°C 4. Power:9KW/380V 50Hz 5. With dryer 	TRS-150YDB	R 94 225.30	\$ 7 538.02
	<p>Horizontal Cylindrical Pressure Electric Heating 280L</p> <ol style="list-style-type: none"> 1. with computer type 2. working pressure:0.22 Mpa 3. working temperature:134°C 4. Power:9KW/380V 50Hz 5. With dryer 	TRS-280YDB	R 123 980.66	\$ 9 918.45
	<p>Main Pulsation Vacuum sterilizing Cabinet with steam resource</p> <ol style="list-style-type: none"> 1. 250L With vacuum dryer 2. Mechanical Door Series and double door 3. With computer-control or PLC + touching screen system 4. Working Pressure:0.245MPa 5. Working Temperature:139°C 	TRSM-210-250	R 285 155.51	\$ 22 812.44




UNCCS CODES USED AND DEFINITION

481400	Sterilisers, medical, surgical or laboratory
481420	Sterilisers, steam pressure, automatic
481437	Sterilisers, steam, non-pressure
481442	Sterilisers, boiling, electric

DENTAL UNITS

ITEM NAME	MODEL CODE	SELLING PRICE	
		RANDS	DOLLARS
 <p>Assistant Stool 1. Equiped with TR1020N</p>	YS5202	R 3 719.42	\$ 297.55
 <p>Assistant Stool 1. Equiped with TR1005/TR1010SN</p>	YS5201	R 2 975.54	\$ 238.04
 <p>Ultrasonic Scaler</p>	TR-32	R 2 727.57	\$ 218.21
 <p>Ultrasonic Scaler</p>	TRDP Ultrasonic scaler built-in	R 4 959.23	\$ 396.74
 <p>Dental X-ray Unit 1. 8mA 60kvp 2. By stand</p>	JYF-10D	R 19 340.98	\$ 1 547.28

	<p>Dental X-ray Unit 1. High frequency 2. By stand</p>	<p>JYF-10</p>	<p>R 33 474.78</p>	<p>\$ 2 677.98</p>
	<p>Portable dental x-ray Dental unit by hand Tube Voltage) : 60kV Tube Current: 1mA Exposure Time: 0.02~2S Tube Focus: 0.3*0.3mm Frequency: 30kHz Battery: DC14.8V 6400mA Rated Power: 60VA Charger Input: AC100V-240V±10% Charger Output : DC16.8V Weight:2.2k</p>	<p>TRDM-6</p>	<p>R 19 241.80</p>	<p>\$ 1 539.34</p>
	<p>Intraoral digital x-ray imaging system</p>	<p>HN-09</p>	<p>R 104 143.75</p>	<p>\$ 8 331.50</p>
<p>Dental Units</p>				
	<p>Standard Specification Cold light Intra-Oral light Operating light arm Low-voltage X-ray viewer High-volume suction Saliva ejector Round foot-controller Hanging-on-hose instrument tray Comfortable patient stool Dentist stool 3-way syringe Automatic water supply, constant temperature rinse system Water, gas, electricity centralized supply system AdditionalOptions: IHigh Speed Handpiece IIow Speed Handpiece IIIltrasonic scaler IVuring light VIntra-Oral Endoscopy</p>	<p>TR1010R</p>	<p>R 54 551.49</p>	<p>\$ 4 364.12</p>

 <p>TR1005</p>	<p>Chair Mounted Dental Unit</p> <ol style="list-style-type: none"> 1. Simple type 2. Electric Chair with 24V motor driven <p>Injection-Plastics Outer Case Self-check when start, emergency stopped by pressing any key Stepless adjustment for water volume of rinsing Ten time setting Choices of washing cuspidor</p>	<p>TR1005</p>	<p>R 40 913.62</p>	<p>\$ 3 273.09</p>
 <p>TR1010SN</p>	<p>Chair Mounted Dental Unit</p> <ol style="list-style-type: none"> 1. Economy type 2. Electric Chair with 24V moto 3. preset positions, <p>Operating light & X-ray film viewer controlled on dentist tray Injection-Plastics Outer Case Self-check when start, emergency stopped by pressing any key Mesh filter for water inlet and suction system, freely shift to external water supply Stepless adjustment for water volume of rinsing Step adjustment for the time of washing cuspidor Flowing rate adjustment of high/low volume suction Saliva ejector with built-in filter</p>	<p>TR1010SN</p>	<p>R 54 551.49</p>	<p>\$ 4 364.12</p>
 <p>TR1020N</p>	<p>Chair Mounted Dental Unit</p> <ol style="list-style-type: none"> 1.Suit for options 2.3-preset position .Assistant Control Panel . <p>Operating Light &X-ray film viewer controlled on Dentist Tray Big unit Box movable, easy to install air & water separator Electric Chair with 24V motor driven Injection-Plastics Outer Case Self-check when start, emergency stopped by pressing any key Mesh filter for water inlet and suction system, freely shift to external water supply Stepless adjustment for water volume of rinsing Step adjustment for the time of washing cuspidor Flowing rate adjustment of high/low volume suction Saliva ejector with built-in filter Patient Chair with lower position and 2 separate foot controllers</p>	<p>TR1020N</p>	<p>R 94 225.30</p>	<p>\$ 7 538.02</p>
<p>Option for Dental Unit</p>				

	Air compressor	YJ-60	R 10 414.38	\$ 833.15
	Ultrasonic scaler built-in)	TRDP	R 3 595.44	\$ 287.64
	Curing light built-in	TRDP	R 3 595.44	\$ 287.64
	Push button 4hole 2pcs of High Speed handpiece and 1pc of low Speed Handpiece	PA-S+EX203C	R 14 877.68	\$ 1 190.21
	Intra-Oral camera 1. USB+VGA, PIXEL:1300000	TR-C1	R 12 398.07	\$ 991.85
	17" LG Brand LCD monitor	TRDP	R 7 934.76	\$ 634.78
	ARM	TRDP	R 2 479.61	\$ 198.37
	Ultrasonic Scaler TR-B5, TR-B6 Technical Parameters: Power supply: 220V, 50Hz Power consumption: ≤20W Vibration frequency: 28-34Khz Fuse: 0.5A/250V Water pressure: ≤0.3MPa Overall dimensions: 195mm x 145mm x 77m Continuous operation	TR-B5-H (plug-in type)	R 3 099.52	\$ 247.96
	Curing Light 1. Computer aided, fine adjustment and performance reliable. 2. Lamp lights period setting: 20S/40S/60S easy to change. 3. Lamp watts: 35w; lamp voltage: 14V; round feet or flat feet are all available.	TR-200	R 2 107.67	\$ 168.61
	Amalgamator 1., controlled by a microprocessor, ensures a precise, controlled, consistent mix. 2. With the width of the oscillating range, the mixing frequency, and your selected time (1-99S). 3. It's revolve according to "8" model 4. Mixing frequency 4350 tr / mn (cpm) 5. Amplitude 25 mm 6. Functioning intermittent 7. Programmable mixing time 1-99 sec	SYG-200	R 2 479.61	\$ 198.37

	<p>Handpiece Lubrication System</p> <ol style="list-style-type: none"> 1.This machine can clean and oil the parallel shank or bending handpiece accurately and easily at any time. 2. It have the character of high security, easily operating, easily commandeering, and any person can operate it. 3.Three dental handpieces can be oiled and cleaned at the same time. 	<p>TRTY700</p>	<p>R 9 918.45</p>	<p>\$ 793.48</p>
	<p>Nebulizer instrument washer</p> <ol style="list-style-type: none"> 1. 5L 2. Ultrasonic Power: 120W 	<p>TRNW-100A</p>	<p>R 2 727.57</p>	<p>\$ 218.21</p>
	<p>Sealing Machine</p> <ol style="list-style-type: none"> 1. When the voltage is changing, it can change the temperature to the best sealing temperature. its outlet is made by the stainless steel, which can prevent from eroding and easy to be cleaned, it built-in double blade and have level up incision. 	<p>TRFJ500</p>	<p>R 4 959.23</p>	<p>\$ 396.74</p>
	<p>Dental Autoclave</p> <ol style="list-style-type: none"> 1. 17L 2. 3-timers or 1-times pre-vaxcuum 3. l Built-in temperature sensing printing, and equipped with pc interface 4. Sterilization Temperature:121°C/134°C (Customer Definition 105°C~134°C) 5. full automatic electronic lock 6. Setup warm-up key, in order to keep room of sterilization temperature around 70°C. 7. Built-in cleaning and sewage equipment 	<p>TR3017E</p>	<p>R 39 673.81</p>	<p>\$ 3 173.90</p>
	<p>Dental Autoclave</p> <ol style="list-style-type: none"> 1. 18L 2.3-timers pre-vaxcuum preceding vacuum drying, open door by hand 	<p>TR3018H</p>	<p>R 47 112.65</p>	<p>\$ 3 769.01</p>
<p>Dental X-ray unit</p>				

	Dental X-ray film Processor 1. Semi-Auto 2. Multiple films of 2x3, 3x4 , 2.7x5.4cm	FPD-05	R 7 438.84	\$ 595.11
	Dental X-ray film Processor 1. By hand 2. Multiple films of 2x3, 3x4 , 2.7x5.4cm	FPD-06	R 2 479.61	\$ 198.37
	Dental Film position	DFP	R 309.95	\$ 24.80
	Dental Film holding	DFH	R 114.44	\$ 9.16
	Dental Film hanger	DFG	R 15.26	\$ 1.22
	Dental Film viewer	DFV	R 26.70	\$ 2.14








UNCCS CODES USED AND DEFINITION



481350	Dental instruments, other
481310	Dental instruments and appliances
481173	Dental X-ray units, stationary
481170	Dental X-ray units

ELECTRO-APPARATUS




ITEM NAME	MODEL CODE	SELLING PRICE	
		RANDS	DOLLARS
 High Frequency Cautery Set	GC	R 4 587.28	\$ 366.98
 Muti-Function Electrosurgical Unit	H900	R 23 556.32	\$ 1 884.51
 Ultrasonic Therapeutic Instrument	CSL-1	R 4 605.00	\$ 368.40
 Ultrashort Wave Diathermy Apparatus	CDB-1	R 9 050.59	\$ 724.05
 Electro-Pulse Stimulator Directions	DL-2	R 1 239.81	\$ 99.18
 Electric Cautery Set	DC	R 2 109.64	\$ 168.77

	Infra red unit YSHD-1	YSHD-1	R 1 611.75	\$ 128.94
	Ultrashort Wave Diathermy Apparatus	CDL-2	R 14 133.79	\$ 1 130.70
			R 0.00	\$ -
SUCTION EQUIPMENTS				
	Name	Model	SELLING PRICE	
	Suction machines 1. Max negative pressure: ≥0.09MPa 2.Pumping rate: ≥20L/min 3. Capacity: 2500mL/pc, 2pieces	TR7A-23D	R 2 479.61	\$ 198.37
	Suction machines 1. Max negative pressure: ≥0.09MPa 2. Pumping rate: ≥20L/min 3. Capacity: 2500mL/pc, 2pieces	TR7A-23B	R 3 471.46	\$ 277.72
	Suction machines 1. Max negative pressure: ≥0.09Mpa 2. Pumping rate: ≥15L/min 3. Capacity: 2500mL/pc, 2pieces	TR7C	R 4 463.30	\$ 357.06
	Suction machines 1. Max negative pressure value: ≥0.075MPa 2. Pumping rate: 18L/min 3.Volume: 1000mL, 1piece	TR7E-A	R 2 355.63	\$ 188.45

	<p>Suction machines</p> <ol style="list-style-type: none"> 1. Max negative pressure value: $\geq 0.075\text{MPa}$ 2. Pumping rate: 15L/min 3. Volume: 1000mL, 1piece 	TR7E-B	R 2 355.63	\$ 188.45
	<p>Suction machines</p> <ol style="list-style-type: none"> 1. Max negative pressure value: $\geq 0.075\text{MPa}$ 2. Pumping rate: $\geq 15\text{L/min}$ 3. Volume: 1000mL 	TR7E-D	R 2 975.54	\$ 238.04
	<p>Suction machines</p> <ol style="list-style-type: none"> 1. Max negative pressure value: $\geq 0.08\text{MPa}$ 2. Negative pressure back-reduction while being closed: $\leq 0.005\text{MPa}/10\text{min}$ 3. Capacity: 1000mL 4. Pedal pressure: $\geq 245\text{N}$ 	TR7B	R 1 115.83	\$ 89.27
	<p>Suction machines</p> <ol style="list-style-type: none"> 1. Negative pressure: $\geq 0.09\text{Mpa}$ 2. Air pumping efficiency: $\geq 35\text{L/min}$ 3. Liquid vessel: 2500ml$\times 2$ <p>Adjustment range of negative pressure: 0.013~0.09Mpa</p>	TR-23DI	R 3 471.46	\$ 277.72
	<p>Suction machines</p> <ol style="list-style-type: none"> 1. Air pumping efficiency: $\geq 20\text{L/min}$ 2. Negative pressure: $\geq 0.09\text{Mpa}$ 3. Adjustment range of negative pressure: 0.013~0.09Mpa 4. Liquid vessel: 2500ml$\times 2$ 	TR-23CI	R 3 967.38	\$ 317.39
	<p>Suction machines</p> <ol style="list-style-type: none"> 1. Air pumping efficiency: $\geq 15\text{L/min}$ 2. Limit of negative pressure: $\geq 0.08\text{Mpa}$ 3. Adjustment range of negative pressure: 0.013~0.08Mpa 4. Liquid vessel: 1000ml 	TR-23AI	R 2 355.63	\$ 188.45
	<p>Suction machines</p> <ol style="list-style-type: none"> 1. Max. vacuum: $\geq 0.04\text{Mpa}$ 2. Max. Flow: $\geq 20\text{L/min}$ 3. Suction bottoe storage capacity: 200ml 	TR7B-1 MOQ: 10 sets	R 545.51	\$ 43.64

 <p>Option for Suction by wall</p>	<p>Suction machines</p> <p>1、 Max. vacuum:≥0.08MPa (600mmHg)</p> <p>2、 Vacuum range:0.02MPa (150mmHg) ~ Max.vacuum</p> <p>3、 Flow rate:≥20 L/min</p> <p>4、 Noise:≤65dB (A)</p> <p>5、 Storage bottles:1000mL (PC)</p> <p>6、 Operating voltage: DC 12V or AC 100V~240V,50/60Hz</p> <p>7、 Power input :110VA</p> <p>8、 Battery duration on</p>	<p>JX820D</p>	<p>R 4 835.25</p>	<p>\$ 386.82</p>
	<p>The terminal suction apparatus for wall resource</p>	<p>ZDXYQ</p>	<p>R 3 223.50</p>	<p>\$ 257.88</p>
<p>Option for Suction by wall</p>		<p>JX820D</p>	<p>R 1 239.81</p>	<p>\$ 99.18</p>

UNCCS CODES USED AND DEFINITION	
481220	other
481361	Suction units and parts, surgery





LAB INSTRUMENTS					
ITEM NAME		MODEL CODE	SELLING PRICE		
	Volume pipette	Number reading variable volume pipette (H,G be unable to bear the high temp.,P be able to bear the high temp.)		RANDS	DOLLARS
	Volume pipette	H2(0.2-2µl), H10(1-10µl)	TRH	R 635.00	\$ 50.80
	Volume pipette	H20(2-20µl),H100 (10-100µl),H200 (20-200µl)		R 491.61	\$ 39.33
	Volume pipette	H1000 (100-1000µl),H5000 (1000-5000µl)		R 635.00	\$ 50.80
	Fixed pipette	G5,G15,G20,G25,G50, G100,G200,G500	TRG	R 258.10	\$ 20.65
	Fixed pipette	G2000		R 368.71	\$ 29.50
	Fixed pipette	G5000		R 368.71	\$ 29.50
	Volume pipette	P2(0.2-2µl),P10(1-10µl),P20(2-20µl),P100(10-100µl),P200 (20-200µl),P1000 (100-1000µl)	TRP	R 790.67	\$ 63.25
	Volume pipette	P5000 (1000-5000µl)		R 790.67	\$ 63.25
	PIPETTES	MUTI-CHANNEL PIPETTES		R 0.00	\$ -
	PIPETTES	P8X20 (2-20µl)		R 2 662.89	\$ 213.03
	PIPETTES	P8X200 (20-200µl)		R 2 662.89	\$ 213.03
	PIPETTES	P12X20 (2-20µl)		R 3 187.27	\$ 254.98
	PIPETTES	P12X200 (20-200µl)		R 3 187.27	\$ 254.98







UNCCS CODES USED AND DEFINITION	
481560	Instruments, medical and surgical, other

FIVE SENSE ORGANS

ITEM NAME	MODEL CODE	SELLING PRICE		
		RANDS	DOLLARS	
	Ophthalmic Trail 1. 103pcs	103	R 2 686.25	\$ 214.90
	Ophthalmic Trail 1. 158pcs	158	R 3 512.79	\$ 281.02
	Ophthalmic Trail 1. 266Pcs+C24	266	R 5 579.13	\$ 446.33
	Forehead stripe reflector	ENTFS	R 123.98	\$ 9.92
	Diagnostic set for eye, ear, nose & Larynx 1. Normal type	WG-I	R 814.14	\$ 65.13
	Diagnostic set for eye, ear, nose & Larynx 1. DC/AC	WG-IIB	R 1 446.44	\$ 115.72
		WG-B	R 247.96	\$ 19.84
	Diagnostic set for eye, ear, nose & Larynx 1. With light fiber	WG-XP	R 3 818.60	\$ 305.49
	2. Clear Image	WG-XPB	R 9 422.53	\$ 753.80
	Ophthalmoscope 1. Normal type	JY-A-I	R 537.25	\$ 42.98





	<p>Ophthalmoscope 1. Big head and suit for clinic</p>	<p>JY-A-XR</p>	<p>R 1 227.41</p>	<p>\$ 98.19</p>
	<p>Ophthalmoscope 1. Small head and suit for Patient Room</p>	<p>JY-A-CB</p>	<p>R 1 115.83</p>	<p>\$ 89.27</p>
	<p>Eye-examination instrument 1. Normal type</p>	<p>WG-J-I</p>	<p>R 826.54</p>	<p>\$ 66.12</p>
	<p>Eye-examination instrument 1. DC/AC</p>	<p>WG-J-IIB</p>	<p>R 1 239.81</p>	<p>\$ 99.18</p>
	<p>Otoscope 1. Normal type</p>	<p>EJ-I</p>	<p>R 578.58</p>	<p>\$ 46.29</p>
	<p>Otoscope 1. Big head and suit for clinic</p>	<p>EJ-XP</p>	<p>R 1 227.41</p>	<p>\$ 98.19</p>
	<p>Otoscope 1. Small head and suit for Patient Room</p>	<p>EJ-CB</p>	<p>R 1 115.83</p>	<p>\$ 89.27</p>

	E.N.T. Treatment Unit	TRENT3201	R 45 459.57	\$ 3 636.77
	TRENT3201 option:			
	Endoscope system		R 0.00	\$ -
	Cold light		R 14 464.41	\$ 1 157.15
	CCD camera WT221S		R 20 663.44	\$ 1 653.08
	Panasonic 822		R 61 990.33	\$ 4 959.23
	Connector between endoscope and CCD		R 8 265.38	\$ 661.23
	Otoscope 0° 30° 70° 45° 90°		R 7 438.84	\$ 595.11
	Nasoscope 0° 30° 70° 45° 90°		R 7 438.84	\$ 595.11
	Laryngoscope 0° 30° 70° 45° 90°		R 8 678.65	\$ 694.29
	constant temperature water bath		R 0.00	\$ -
	computer system without computer and printer (including video collection card, pedal, software)		R 6 199.03	\$ 495.92
	ENT Chair back by electric 1.	A3-II	R 19 836.90	\$ 1 586.95
	ENT Chair back by mechanism 1.		R 14 877.68	\$ 1 190.21
	Ophthalmic Instrument		R 0.00	\$ -
	Ophthalmic Combined Table	TR102a	R 53 724.95	\$ 4 298.00
	Auto Refractometer	FA6500	R 59 923.98	\$ 4 793.92
	ENT Microscope		R 0.00	\$ -
	Check used Microscope		R 0.00	\$ -
	Slit lamp		R 0.00	\$ -

	Slit lamp 1 Mag.: 10× 16× 25.6×	TRCX5F	R 36 367.66	\$ 2 909.41
	Slit lamp 1 Mag.: 6× 10x 16× 25x 40×	TRCX5F1	R 49 592.26	\$ 3 967.38
		TRCXP	R 8 265.38	\$ 661.23
		TRCXP	R 6 199.03	\$ 495.92
		TRCXP	R 6 199.03	\$ 495.92
	Ophthalmic Instrument		R 0.00	\$ -
	Project	SB10	R 27 482.38	\$ 2 198.59
	Applanation Tonometer	YZ30R	R 4 959.23	\$ 396.74
	Keratometer	YZ38	R 44 633.04	\$ 3 570.64
	Ophthalmoscope	YZ6F	R 2 810.23	\$ 224.82
	Streak Retinoscope	YZ24	R 1 570.42	\$ 125.63
	Tonometer	YZ7A	R 2 252.32	\$ 180.19
	Rechargeable ophthalmoscope	YZ11D	R 2 810.23	\$ 224.82
	Motorized Instrument Table	TR1A	R 3 967.38	\$ 317.39
		ADM9083	R 61 990.33	\$ 4 959.23




UNCCS CODES USED AND DEFINITION

481010	Ophthalmic equipment
481320	Ophthalmology equipment

Picture	Name	Model	SELLING PRICE		
			RANDS	DOLLARS	
ENT TREATMENT UNIT	DESCRIPTION				
	Standard equipment Completed with :	TRENT-3	R 40 006.91	\$ 3 200.55	
	Spray gun (unbent 2 & bent 1)				3 sets
	Suction gun				1 set
	Facula-gathering illuminating light				1 set
	Preheater				1 set
	Salve pot (Cotton cup)				2 sets
	Medical bottle				6 sets
	Instrument tray				1 set
	Doctor stool				1 set
	compressor				1set
	vaccum pump				1 set
	blow-off equipment system				1 set
					Standard equipment Completed with :
Facula-gathering illuminating light		1 set			
Spray gun(unbent2 & bent 1)		3 sets			
Suction gun		1 set			
Blowing gun		1 set			
built-in Halogen cold light source		1 set			
preheater		1 set			
Medical bottle		6 sets			
cotton cup		2 set			
Instrument tray		2 set			
Doctor stool		1 set			
Luxury thin film viewer		1 set			
compressor		1 set			
vaccum pump		1 set			
built-in waste tank		1set			
contaminated equipment placed tank	1set				
blow-off equipment system	1set				
	Standard equipment Completed with :	TRENT-6	R 89 427.20	\$ 7 154.18	
	High-grade white marble glass table surface				1set
	Spray gun (unbent 2 & bent 1)				3 sets
	Blowing gun				1 set
	Suction gun				1 set
	built-in Halogen cold light source				1 set
	Instrument tray				2sets
	Medical bottle				4sets
	preheater				1 set
	Facula-gathering illuminating light				1 set
	Built in waste tank				1set
	contaminated equipment placed tank				1set
	Luxury thin film viewer				1 set
	cutton cup				2 sets
	blow-off equipment system				1set
	intelligence screen control system				1 set
	Doctor stool				1set
	vaccum pump				1 set
compressor	1 set				
	Standard equipment Completed with :	TRENT-8	R 110 607.33	\$ 8 848.59	
	High-grade white marble glass table surface				1 set
	Facula-gathering illuminating light				2 sets
	Spray gun				6set
	Blowing gun				2sets
	Suction gun				2 sets
	Laryngoscope pre-heater				2 sets
	Instrument tray				2 sets
	cotton cup				2 sets
Waste tray	2 sets				

	<table border="1"> <tr><td>Medical bottle</td><td>6 sets</td></tr> <tr><td>Built-in halogen cold light source</td><td>2 sets</td></tr> <tr><td>Built-in waste tank</td><td>2sets</td></tr> <tr><td>contaminated equipment placed tank</td><td>2sets</td></tr> <tr><td>compressor</td><td>1set</td></tr> <tr><td>vaccum pump</td><td>1set</td></tr> <tr><td>blow-off equipment system</td><td>2sets</td></tr> <tr><td>Doctor stool</td><td>2sets</td></tr> <tr><td>Luxury thin film viewer</td><td>1set</td></tr> </table>	Medical bottle	6 sets	Built-in halogen cold light source	2 sets	Built-in waste tank	2sets	contaminated equipment placed tank	2sets	compressor	1set	vaccum pump	1set	blow-off equipment system	2sets	Doctor stool	2sets	Luxury thin film viewer	1set																							
Medical bottle	6 sets																																									
Built-in halogen cold light source	2 sets																																									
Built-in waste tank	2sets																																									
contaminated equipment placed tank	2sets																																									
compressor	1set																																									
vaccum pump	1set																																									
blow-off equipment system	2sets																																									
Doctor stool	2sets																																									
Luxury thin film viewer	1set																																									
	<table border="1"> <tr><td>Standard equipment Completed with :</td><td></td></tr> <tr><td>Facula-gathering illuminating light</td><td>1set</td></tr> <tr><td>Spray gun(unbent 3 & bent 1)</td><td>4sets</td></tr> <tr><td>Blowing gun</td><td>1set</td></tr> <tr><td>Suction gun</td><td>1 set</td></tr> <tr><td>Laryngoscope pre-heater</td><td>1 set</td></tr> <tr><td>Instrument tray</td><td>2sets</td></tr> <tr><td>cotton cup</td><td>6sets</td></tr> <tr><td>Waste tray</td><td>1set</td></tr> <tr><td>Medical bottle</td><td>6sets</td></tr> <tr><td>Medical vessel</td><td>2sets</td></tr> <tr><td>Halogen cold light source</td><td>1set</td></tr> <tr><td>Built-in waste tank</td><td>2sets</td></tr> <tr><td>LCD intelligent control system</td><td>1set</td></tr> <tr><td>compressor</td><td>1set</td></tr> <tr><td>vaccum pump</td><td>1set</td></tr> <tr><td>blow-off equipment system</td><td>1set</td></tr> <tr><td>Luxury thin film viewer</td><td>1set</td></tr> <tr><td>Luxury doctor stool</td><td>1set</td></tr> </table>	Standard equipment Completed with :		Facula-gathering illuminating light	1set	Spray gun(unbent 3 & bent 1)	4sets	Blowing gun	1set	Suction gun	1 set	Laryngoscope pre-heater	1 set	Instrument tray	2sets	cotton cup	6sets	Waste tray	1set	Medical bottle	6sets	Medical vessel	2sets	Halogen cold light source	1set	Built-in waste tank	2sets	LCD intelligent control system	1set	compressor	1set	vaccum pump	1set	blow-off equipment system	1set	Luxury thin film viewer	1set	Luxury doctor stool	1set	TRENT-9	R 134 140.80	\$ 10 731.26
Standard equipment Completed with :																																										
Facula-gathering illuminating light	1set																																									
Spray gun(unbent 3 & bent 1)	4sets																																									
Blowing gun	1set																																									
Suction gun	1 set																																									
Laryngoscope pre-heater	1 set																																									
Instrument tray	2sets																																									
cotton cup	6sets																																									
Waste tray	1set																																									
Medical bottle	6sets																																									
Medical vessel	2sets																																									
Halogen cold light source	1set																																									
Built-in waste tank	2sets																																									
LCD intelligent control system	1set																																									
compressor	1set																																									
vaccum pump	1set																																									
blow-off equipment system	1set																																									
Luxury thin film viewer	1set																																									
Luxury doctor stool	1set																																									
	<table border="1"> <tr><td>Standard equipment Completed with :</td><td></td></tr> <tr><td>Facula-gathering illuminating light</td><td>1 set</td></tr> <tr><td>Spray gun (unbent 2& bent 1)</td><td>3 sets</td></tr> <tr><td>Suction gun</td><td>1 set</td></tr> <tr><td>Air cleaner</td><td>1 set</td></tr> <tr><td>Preheater</td><td>1 set</td></tr> <tr><td>Big instrument tray</td><td>6 sets</td></tr> <tr><td>waste tank</td><td>1 set</td></tr> <tr><td>Instument placed box</td><td>1 set</td></tr> <tr><td>constant temperature ear rinsing system</td><td>1 set</td></tr> <tr><td>LCD screen control system</td><td>1 set</td></tr> <tr><td>cotton jar(cotton cup)</td><td>1 set</td></tr> <tr><td>Medical vessel</td><td>3 sets</td></tr> <tr><td>Luxury doctor stool</td><td>1 set</td></tr> <tr><td>vaccum pump</td><td>1 set</td></tr> <tr><td>compressor</td><td>1 set</td></tr> <tr><td>Standard patient chair</td><td>1 set</td></tr> </table>	Standard equipment Completed with :		Facula-gathering illuminating light	1 set	Spray gun (unbent 2& bent 1)	3 sets	Suction gun	1 set	Air cleaner	1 set	Preheater	1 set	Big instrument tray	6 sets	waste tank	1 set	Instument placed box	1 set	constant temperature ear rinsing system	1 set	LCD screen control system	1 set	cotton jar(cotton cup)	1 set	Medical vessel	3 sets	Luxury doctor stool	1 set	vaccum pump	1 set	compressor	1 set	Standard patient chair	1 set	TRENT-10	R 174 147.71	\$ 13 931.82				
Standard equipment Completed with :																																										
Facula-gathering illuminating light	1 set																																									
Spray gun (unbent 2& bent 1)	3 sets																																									
Suction gun	1 set																																									
Air cleaner	1 set																																									
Preheater	1 set																																									
Big instrument tray	6 sets																																									
waste tank	1 set																																									
Instument placed box	1 set																																									
constant temperature ear rinsing system	1 set																																									
LCD screen control system	1 set																																									
cotton jar(cotton cup)	1 set																																									
Medical vessel	3 sets																																									
Luxury doctor stool	1 set																																									
vaccum pump	1 set																																									
compressor	1 set																																									
Standard patient chair	1 set																																									
	<table border="1"> <tr><td>Foot switch : 1</td><td></td></tr> <tr><td>The backrest can adjust</td><td></td></tr> <tr><td>180 degree to horizontal position</td><td></td></tr> <tr><td>foot cushion can lay up</td><td></td></tr> <tr><td>up and down</td><td></td></tr> <tr><td>The cushion can turn 360 degree</td><td></td></tr> <tr><td>Three colors :</td><td></td></tr> <tr><td>Ivory</td><td></td></tr> <tr><td>Dark green</td><td></td></tr> <tr><td>Light blue</td><td></td></tr> </table>	Foot switch : 1		The backrest can adjust		180 degree to horizontal position		foot cushion can lay up		up and down		The cushion can turn 360 degree		Three colors :		Ivory		Dark green		Light blue		TRENT-CL	R 32 110.99	\$ 2 568.88																		
Foot switch : 1																																										
The backrest can adjust																																										
180 degree to horizontal position																																										
foot cushion can lay up																																										
up and down																																										
The cushion can turn 360 degree																																										
Three colors :																																										
Ivory																																										
Dark green																																										
Light blue																																										
	<table border="1"> <tr><td>Foot switch : 1</td><td></td></tr> <tr><td>The foot cushion fixed</td><td></td></tr> <tr><td>Backward 45 degree ,up and down</td><td></td></tr> <tr><td>Cushion can turn 180 degree round</td><td></td></tr> <tr><td>Three colors :</td><td></td></tr> <tr><td>Ivory,</td><td></td></tr> <tr><td>Dark green</td><td></td></tr> <tr><td>Light blue</td><td></td></tr> </table>	Foot switch : 1		The foot cushion fixed		Backward 45 degree ,up and down		Cushion can turn 180 degree round		Three colors :		Ivory,		Dark green		Light blue		TRENT-CS	R 27 771.67	\$ 2 221.73																						
Foot switch : 1																																										
The foot cushion fixed																																										
Backward 45 degree ,up and down																																										
Cushion can turn 180 degree round																																										
Three colors :																																										
Ivory,																																										
Dark green																																										
Light blue																																										

	<p>Simple patient chair just up and down</p>		<p>TRENT-C</p>	<p>R 16 365.45 \$ 1 309.24</p>
<p>OPTIONS' PRICE</p>			<p>TRENTP</p>	
<p>Rinsing system</p>	<p>Description:</p>			
 <p>恒温冲洗系统(选配件) Constant Temperature Rinsing System (Option)</p>	<p>available on TRENT-6 and TRENT-9</p> <p>completed with:</p> <p>Bowl of water (just match model TRENT-9. TRENT-6 without bowi)</p> <p>spray guns(one button for air .one for water)</p>		<p>R 7 934.76</p>	<p>\$ 634.78</p>
<p>Luxury thin film viewer</p>		<p>Description:</p>		
 <p>豪华超薄阅片灯(选配件) Luxury thin film viewer (Option)</p>	<p>available on TRENT-3</p>		<p>R 7 934.76</p>	<p>\$ 634.78</p>
<p>Endoscope holder</p>		<p>Description:</p>		
 <p>内镜放置挂架(选配件) Endoscope Holder (Option)</p>	<p>Available on model TRENT-6 , TRENT-9,TRENT-10</p>		<p>R 5 455.15</p>	<p>\$ 436.41</p>
<p>LCD screen control system</p>		<p>Description:</p>		
 <p>液晶智能控制面板 Intelligence LCD Control System</p>	<p>Available on model TRENT-6</p>		<p>R 8 182.72</p>	<p>\$ 654.62</p>
<p>Headlight Model ST-H02</p>		<p>Description:</p>		
	<p>it have to charge 2 hours ,</p>		<p>R 9 422.52</p>	<p>\$ 753.80</p>

	and use 4 hour all the time			R 2 727.57	\$ 991.85
Headlight Model ST-H03	Description:				
	it have to charge 2 hours and use 7 hours			R 12 398.07	\$ 991.85
monitor holder				R 1 859.71	\$ 148.78
Camera holder				R 1 859.71	\$ 148.78
printer holder				R 1 859.71	\$ 148.78
Fiber cable				R 2 727.57	\$ 218.21
Writing working station	Description:			R 18 597.10	\$ 1 487.77
	Avaliable on model TRENT-6				
Imaging system	completed with:				
	1.15" LCD monitor(include the holder)				
	2. Panasonic KS-822 Camera (include the holder)				
	3.Hp printer(include the holder)				
	4.built-out cold light source				
	5. 17" LCD computer display				
	6. host computer				
	7.English software for diagnostic				
				R 131 419.49	\$ 10 513.56
Sinuscope	0degree Ø4mm			R 9 174.57	\$ 733.97
	0 degree Ø2.7mm			R 11 406.22	\$ 912.50
	30 degree Ø4mm			R 9 918.45	\$ 793.48
	0 degree Ø2.7mm			R 12 398.07	\$ 991.85
Otoscope	0 degree Ø4mm			R 9 422.53	\$ 753.80
	0 degree Ø2.7mm			R 11 406.22	\$ 912.50
Laryngoscope	70 degree Ø8mm			R 12 398.07	\$ 991.85
	90 degree Ø8mm			R 13 637.87	\$ 1 091.03
	Multiple:4 Visual field (mm): Ø70 Depth of field (mm): 40 Working distance (mm): 340370/420/460/500/550 for choose.	放大鏡 binocular loupe	C1-03	R 3 099.52	\$ 247.96



Specification:

1. LED bulb power: 3w/white
2. Colour temperature: 6000k
3. The white facular can adjust at the 250mm, ranging from 6mm to 65mm
4. The brightness at the 250mm:9500lux
5. Weight of the light head: 68g
6. Rechargeable battery: 5200mAh, the power not lest than 80% when charged for 500 times
7. After full charged, it can last for: 10 hours
8. The life of the bulb: 20,000 hours
9. The headband is comfortable for wearing, more dapper, it can adjust the size easiest
10. Packing size: 26X16.5X15.5cm
11. Packing weight: 0.65kg

放大镜
binocular loupe




TD100-02










R 4 959.23




\$ 396.74





LAB PRODUCTS				
ITEM NAME		MODEL CODE	SELLING PRICE	
Centrifuges			RANDS	DOLLARS
	Low speed centrifuge 1. Max speed: 4000rpm 2.capacity: 6x10ml	800D	R 867.86	\$ 69.43
	Low speed centrifuge 1. Max speed: 4000rpm 2.capacity: 6x20ml	80-1	R 1 033.17	\$ 82.65
	Low speed centrifuge 1. Max speed: 4000rpm 2.capacity: 12x20ml	80-2	R 1 256.34	\$ 100.51
	Low speed centrifuge 1. Max speed: 4000rpm 2.capacity: 12x20ml	80-2B	R 1 983.69	\$ 158.70
	hematocrit centrifuge 1. Max speed: 12000rpm 2.capacity: 24	TGL-12B	R 9 422.53	\$ 753.80
	Low speed centrifuge 1. Max speed: 5500rpm 2.capacity: 8x50ml	L-550	R 22 027.23	\$ 1 762.18
	Low speed centrifuge 1. Max speed: 4200rpm	L-420	R 12 398.07	\$ 991.85
	Low speed centrifuge 1. Max speed: 5000rpm	L-500	R 15 373.60	\$ 1 229.89
	Low speed centrifuge 1. Max speed: 6000rpm 2.capacity: 12x15ml	L-600	R 16 117.49	\$ 1 289.40
	High speed centrifuge 1. Max speed: 16500rpm 2.capacity: 12x1.5ml	H1650R	R 111 582.59	\$ 8 926.61

	Low speed centrifuge 1. Max speed: 5000rpm	TDL-5M	R 116 541.82	\$ 9 323.35
	Heating Agitator with magnetic	79-1	R 867.86	\$ 69.43
	Multipurpose Timing Oscillator	HY-4	R 1 859.71	\$ 148.78
	Multipurpose Timing Oscillator with double deck bottle shaker	HY-6	R 10 951.62	\$ 876.13
	Quick Blending Machine	SK-1	R 805.87	\$ 64.47
	Micro volume Oscillator	MM-2	R 867.86	\$ 69.43
	Oscillator (Powder Dissolving Meter)	TR-202	R 867.86	\$ 69.43
	Stainless Thermosatic Electric 1. Range of Temp.: RT--300°C	DB-IIA	R 1 694.40	\$ 135.55
	Orbital Shaker 1. Speed Range is 0--80rpm	TY-80R	R 2 479.61	\$ 198.37



	Vortex Mixer	TRXH-C	R 950.52	\$ 76.04
	Paucity Oscillator	TRKJ-201A	R 743.88	\$ 59.51
	Oscillator	TRKJ-201BD	R 1 529.09	\$ 122.33
	Blood Mixer	TRMR-II	R 3 016.86	\$ 241.35
	Blood Mixer	TRMR-IV	R 2 479.61	\$ 198.37
	Water Bath 1.Constant Temperature 2.Digital display 3.Two-row 6 Role	HH-6	R 2 517.76	\$ 201.42
	Water Bath 1.Constant Temperature 2.Digital display 3.Two-row 4 Role	HH-4	R 1 968.43	\$ 157.47
	Water Bath 1.Constant Temperature 2.Digital display 3.Single-row 2 Role	2Hole	R 1 281.77	\$ 102.54
	Water Bath 1.Constant Temperature 2.Digital display 3.Single-row 1 Role	1Hole	R 1 144.44	\$ 91.55
	Spiro-meter 1.suit for student examine	TRES-1B	R 3 926.05	\$ 314.08

	Spiro-meter 1. by portable 2. suit for Hospital examine	TRES-IIB	R 10 538.36	\$ 843.07
	Spiro-meter 1. by portable 2. suit for Hospital examine 3. With print	TRES-IIP	R 16 737.39	\$ 1 338.99
Lab Instruments				
	Blood Corpuscle Sorted Arithmometer	DBC-QA	R 991.85	\$ 79.35
	Quartzcrystal Watch	TRQW-I	R 702.56	\$ 56.20
	Hemoglobin Meter	TRHM-1	R 1 942.36	\$ 155.39
	Colony count Meter TRCM-2	TRCM-2	R 1 446.44	\$ 115.72
	Photoelectric Colorimeter 1. With Meter display	AE-11M	R 3 719.42	\$ 297.55
	Photoelectric Colorimeter 1. With digital display	AE-11D	R 3 802.07	\$ 304.17
Spectrophotometers			R 0.00	\$ -
	Spectrophotometer 1. With Meter display simple type 2. Wavelength range: 360-800nm	721	R 6 199.03	\$ 495.92


	Spectrophotometer 1.With digital display 2.Wavelength range: 330nm-1000nm	TRSP-722	R 11 654.18	\$ 932.33
	Visible Spectrophotometer 1.Wavelength range: 330nm-800nm	TRVS-723	R 22 812.44	\$ 1 825.00
	UL-VI Spectrophotometer 1.Wavelength range: 200nm-800nm	TRUV754	R 41 326.89	\$ 3 306.15
	Flame Photometer 1.Measurement of K, Na for clinical biochemical examination	TRFP-6400A	R 19 836.90	\$ 1 586.95
Auto Biochemical Analyzers				
	Semi-Auto Biochemical Analyzer	TRSA-224	R 30 995.16	\$ 2 479.61
	Automatic Biochemical Analyzer	TRAU-2280	R 260 359.38	\$ 20 828.75
	Auto microplate Reader	TRMR3000	R 55 791.29	\$ 4 463.30
	Automatic plate Washer	TREW-3000	R 33 061.51	\$ 2 644.92
	Semi-Auto Blood Coagulation Analyzer 2 Channel	TRBC-2000	R 41 326.89	\$ 3 306.15
	Auto hematology Analyzer	TRGF-3000	R 111 582.59	\$ 8 926.61


	Urine Chemistry Analyzer	TRCU-60	R 12 398.07	\$ 991.85
	Electrolyte Analyzer	TL1000B	R 41 326.89	\$ 3 306.15
	Blood Analyzer	TL2000	R 185 970.98	\$ 14 877.68
	Automated Analyzer for Clinical Chemistry (Arkray Spotchem EZ)	SP-4430	R 226 512.66	\$ 18 121.01


Vacuum Pumps


	Air Blast Dry Box 1. 30L 2.Temp. Range: +10°C--300°C	TRAI-9023A	R 6 199.03	\$ 495.92
	Air Blast Dry Box 1. 50L 2.Temp. Range: +10°C--300°C	TRAI-9053A	R 7 438.84	\$ 595.11
	Air Blast Dry Box 1. 136L 2.Temp. Range: +10°C--300°C	TRAI-9123A	R 10 910.30	\$ 872.82
	Vacuum Drying Oven 1. 25L 2.Temp. Range: +10°C--200°C 3.Option: Vacuum pump	TRVI-6020	R 9 918.45	\$ 793.48
	Vacuum Drying Oven 1. 30L 2.Temp. Range: +10°C--200°C 3.Option: Vacuum pump	TRVI-6030	R 13 637.87	\$ 1 091.03
	Vacuum Drying Oven 1. 50L 2.Temp. Range: +10°C--200°C 3.Option: Vacuum pump	TRVI-6050	R 13 885.83	\$ 1 110.87
	Vacuum Drying Oven 1. 90L 2.Temp. Range: +10°C--200°C 3.Option: Vacuum pump	TRVI-6090	R 43 393.23	\$ 3 471.46

Water-Jackets


	Water-jacket Constant Temperature Incubator 1. 50L 2.Heating Method: Water temp. 3..Temp. Range: +5°C--65°C 4. Ambient Temp.:+5°C--35°C	TRWI-9050	R 10 414.38	\$ 833.15
---	--	-----------	-------------	-----------


	Water-jacket Constant Temperature Incubator 1. 80L 2.Heating Method: Water temp. 3..Temp. Range: +5°C--65°C 4. Ambient Temp.:+5°C--35°C	TRWI-9080	R 11 654.18	\$ 932.33
	Water-jacket Constant Temperature Incubator 1.160L 2.Heating Method: Water temp. 3..Temp. Range: +5°C--65°C 4. Ambient Temp.:+5°C--35°C	TRWI-9160	R 16 365.45	\$ 1 309.24

	Electric Heat Constant Temperature Incubator 1. 50L 2..Temp. Range: +5°C--65°C 3. Ambient Temp.:+5°C--35°C	TREI-9052	R 7 438.84	\$ 595.11
	Electric Heat Constant Temperature Incubator 1. 80L 2.Temp. Range: +5°C--65°C 3. Ambient Temp.:+5°C--35°C	TREI-9082	R 9 422.53	\$ 753.80
	Electric Heat Constant Temperature Incubator 1. 160L 2.Temp. Range: +5°C--65°C 3. Ambient Temp.:+5°C--35°C	TREI-9162	R 12 398.07	\$ 991.85

	Hot Air Sterilizing Cabinet 1. 30L 2.Temp. Range: +10°C--200°C 3. Ambient Temp.:+5°C--40°C	TRHC-9023A	R 7 438.84	\$ 595.11
	Hot Air Sterilizing Cabinet 1. 50L 2.Temp. Range: +10°C--200°C 3. Ambient Temp.:+5°C--40°C	TRHC-9053A	R 10 414.38	\$ 833.15
	Hot Air Sterilizing Cabinet 1. 70L 2.Temp. Range: +10°C--200°C 3. Ambient Temp.:+5°C--40°C	TRHC-9073A	R 11 902.14	\$ 952.17





Incubators





	CO2 Incubator 1. 160L 2.Heating Method: Water temp. 3..Temp. Range: +5°C--50°C 4.Co2 Range: 0--20% air-adjusting 5. Co2 Recovery: ≤Calibrationx1.2min	TRCA-160W	R 57 031.10	\$ 4 562.49
	CO2 Incubator 1. 80L 2.Heating Method: Water temp. 3..Temp. Range: +5°C--50°C 4.Co2 Range: 0--20% air-adjusting 5. Co2 Recovery: ≤Calibrationx1.2min	TRCA-80W	R 42 153.42	\$ 3 372.27




	Biochemical Incubator 1. Low temperature 70L 2..Temp. Range: +0 --60 °C 3.Ambient Temp.:+5°C--35°C	TRLE-70F	R 18 597.10	\$ 1 487.77
	Biochemical Incubator 1. Low temperature 150L 2..Temp. Range: +0 --60 °C 3.Ambient Temp.:+5°C--35°C	TRLE-150F	R 19 836.90	\$ 1 586.95
	Biochemical Incubator 1. Low temperature 250L 2..Temp. Range: +0 --60 °C 3.Ambient Temp.:+5°C--35°C	TRLE-250F	R 23 556.32	\$ 1 884.51

UNCCS CODES USED AND DEFINITION	
481650	Incubators, medical
481907	Blood coagulation analyser
481911	Analysers, blood
480000	MEDICAL APPLIANCES, PRECISION AND OPTICAL INSTRUMENTS, WATCHES AND CLOCKS

MICROSCOPES				
ITEM NAME		MODEL CODE	SELLING PRICE	
			RANDS	DOLLARS
	Biology Microscope	XSZ-N107	R 3 595.44	\$ 287.64
	Biology Microscope	XSZ107BN	R 3 891.09	\$ 311.29
	Biology Microscope	XSP21-01B	R 3 814.79	\$ 305.18
	Biology Microscope	XSZ21-05B	R 3 891.09	\$ 311.29
	Digital Biology Microscope	XSZ21-05DN	R 12 398.07	\$ 991.85
	Biology Microscope	XSP-121B	R 3 814.79	\$ 305.18
	Stereo Microscope	PXS-B	R 2 670.35	\$ 213.63





	COLPOSCOPE	YDJ II	R 37 194.20	\$ 2 975.54
	COLPOSCOPE	YDJ2100	R 44 633.04	\$ 3 570.64
	<p>Operation microscope</p> <p>1.6X straight binocular observation</p> <p>2.3-step magnification change:0.6X,1X,1.6X</p> <p>3.4 pcs of objectives:F=200,250,300,400mm</p> <p>4.Total magnification 2.3X-12X</p> <p>5.Built-in green and yellow filters, micro adjustment focusing range10mm.</p> <p>6.Long arm and 110cm 2-part column,Suit for Ear nose-throat.</p>	TRSX101	R 34 714.58	\$ 2 777.17
	<p>Operation microscope</p> <p>1.6X 45°Tilted binocular observation</p> <p>2.3-step magnification change:0.6X,1X,1.6X</p> <p>3.4 pcs of objectives:F=200,250,300,400mm</p> <p>4.Total magnification 2.3X-12X</p> <p>5.Built-in green and yellow filters, micro adjustment focusing range10mm.</p> <p>6.Long arm and 110cm 2-part column,Suit for tooth and ophthalmology inspect.</p>	TRSX102	R 29 011.47	\$ 2 320.92
	<p>Operation microscope</p> <p>1.Based on TRSX101</p> <p>2.By table</p>	TRSX103	R 26 035.94	\$ 2 082.88

	<p>Operation microscope 1. Based on TRSX102 3. By table</p>	<p>TRSX104</p>	<p>R 26 779.82</p>	<p>\$ 2 142.39</p>
	<p>Operation microscope 1. 6X straight binocular observation 2. 3-step magnification change: 0.6X, 1X, 1.6X 3. 4 pcs of objectives: F=200, 250, 300, 400mm 4. Total magnification 2.3X-12X 5. Built-in green and yellow filters, micro adjustment focusing range 10mm. 6. With beamsplitter and connect TV adapter, Demonstrator optional. 7. Long arm and 110cm 2-part column, Suit for ear-nose-throat.</p>	<p>TRSX120</p>	<p>R 41 657.50</p>	<p>\$ 3 332.60</p>
	<p>Operation microscope 1. 6X 45° Tilted binocular observation by Stion. 2. 3-step magnification change: 0.6X, 1X, 1.6X 3. 4 pcs of objectives: F=200, 250, 300, 400mm 4. Total magnification 2.3X-12X 5. Built-in green and yellow filters, micro adjustment focusing range 10mm. 6. With beamsplitter and connect TV adapter, Demonstrator optional. 7. Long arm and 110cm 2-part column, Suit for tooth and ophthalmology inspect.</p>	<p>TRSX130</p>	<p>R 42 153.42</p>	<p>\$ 3 372.27</p>
	<p>Colposcope 1. 45° Tilted binocular observation 2. 5-step magnification change: 0.4X, 0.6X, 1X, 1.6X, 2.5X 3. objectives: F=230, 280mm 4. Total magnification 2.9X-21.7X 5. Built-in green and yellow filters, micro adjustment focusing range 20mm. 6. With beamsplitter and connect TV adapter, Demonstrator optional. 7. Short column</p>	<p>YDJ II</p>	<p>R 38 434.00</p>	<p>\$ 3 074.72</p>

	<p>Option for TRSX120 & TRSX130 YDJII 1.1/3 inch CCD CMOS chip 2.200 million pixels output:USD2.0 3.With USD 2.0 data line drive process and the image processor software 4.Externality Dimension:41×50×66mm</p>	MDCC200	R 7 438.84	\$ 595.11
	<p>Option for TRSX120 & TRSX130 1.1/3 inch colour coms chip,distinguish frequency:400TVL/470TVL(intensify), video output,with video line and 12power supply,externality dimension:51×51×66mm</p>	MTV-73X II	R 3 967.38	\$ 317.39
	<p>Operation microscope 1. Short arm and floor type 2. f=400mm for ENT& f=250mm ophthalmic,Camera and demonstrator attachable</p>	TRSX-107II	R 37 194.20	\$ 2 975.54
	<p>Operation microscope 1.Double people use 2. Change times for main unit by 5 step and assistant by 3 step 3 Mag (f200): 4X, 6X, 10X, 16X, 25X(main unit) 5X, 8X, 12.5X(Assistant unit) 4. Suit for Ophthalmic opetion</p>	TRYX20T9	R 257 879.76	\$ 20 630.38
	<p>Operation microscope 1.Double people use 2. Change times for main unit zoom mag. and assistant by 3 step 3 Mag : 4X,-- 25X 4. Suit for all Ophthalmic opetion 5. Digital multi-channel electronic control system</p>	TRYX2000D	R 384 340.03	\$ 30 747.20


UNCCS CODES USED AND DEFINITION	
480000	MEDICAL APPLIANCES, PRECISION AND OPTICAL INSTRUMENTS, WATCHES AND CLOCKS



ANAESTHESIA MACHINES							
ITEM NAME		MODEL CODE	SELLING PRICE				
			RANDS	DOLLARS			
	Anaesthesia machine 1.with out ventilator and with O2,N2O, AIR 2. Two holder for ventilator, with socket for steel cylinder Gas supply: O2: 2.7-5.5mPa; N2O: 2.7-5.5mPa; Air: 2.7-5.5mPa 3. Flow control range: O2: 0.1-10L/min; N2O: 0.1-10L/min; Air: 0.1-10L/min 4.Oxygen deficiency alarm: as oxygen pressure is ≤ 0.2 Mpa, alarm occurs and lasts 7 seconds at least 5. N2O cut-off: N2O is cut-off	MHJ-IIIBIII	R 52 071.88	\$ 4 165.75			
	Option:						
	Ventilator					R 48 352.46	\$ 3 868.20
	Respiratory monitor					R 23 556.32	\$ 1 884.51
	Evaporator					R 17 357.29	\$ 1 388.58
	Enflurane Halothane Isoflurane Sevoflurane						
	Versatile Ventilator 1. with compressor and 2 channel waves display NBP 2. Power supply : AC 220V, 50 HZ Battery 12 volts 3. Ventilation modes: IPPV (PC), IPPV (VC), ASSIST, SIMV, PSV, CPAP, BIPAP, NIV 4. Ventilation Frequency: 2 – 99 breath/min 5. Oxygen concentration: 21% -- 100% 6. PEEP: 0 – 2 KPa 7.Inspiration 0-- 4KPa above the PEEP pressure 8.Trigger flow: 1 – 15 L/min 9.Tidal Volume: 30-2000 ml 10.Monitoring: Tidal Volume, Minute Volume, Airway Pressure, Ventilation Frequency, O2% 11.Curve display: Paw, Flow, Volume-Pressure loop	SC-300	R 208 287.50	\$ 16 663.00			
		SC-800	R 0.00	\$ -			



	<p>Infant Ventilator</p> <p>1. Gas supply: O₂ 0.15 – 0.6 Mpa Air 0.15 – 0.6 Mpa</p> <p>2. Flow: 3-20 L/min</p> <p>3. O₂ concentration: 21% -- 100%</p> <p>4. Ventilation modes: CMV, IMV, CPAP, Manual ventilation</p> <p>5. Ventilation Frequency: 1 – 120 breath/min</p> <p>6. PEEP: 0 – 2 KPa</p> <p>7. Inspiration pressure: 1-- 9KPa</p> <p>8. Inspiration time: 0.2 – 3</p>	<p>SC-Y200</p>	<p>R 57 031.10</p>	<p>\$ 4 562.49</p>
	<p>Electrical Ventilator with storage battery</p> <p>Main Specifications:</p> <p>n Ventilation modes: (IPPV/Assist) IPPV, (SIMV) (Standby) IPPV/Assist, SIMV, IPPV, Standby</p> <p>n Ventilation frequency 8-40/min</p> <p>n SIMV frequency 2-10/min</p> <p>n Tidal Volume 200-1500ml</p> <p>n Inspiratory time 0.5-3s</p> <p>n Trigger sensitivity -0.1 ~ +1.0kPa</p> <p>n High Pressure alarm 1.5-6kPa</p> <p>n Low Pressure alarm 0.4-3.4kPa</p> <p>n Power supply AC 220V 50Hz and Internal battery 12V</p> <p>n Power consumption 100W</p> <p>n Dimensions 36.5×32×25.5CM(H×W×L)</p> <p>n Weight 18kg</p>	<p>SC-5</p>	<p>R 111 582.59</p>	<p>\$ 8 926.61</p>
	<p>Emergency Ventilator</p>	<p>TRJ-IIID</p>	<p>R 27 275.74</p>	<p>\$ 2 182.06</p>
	<p>Emergency Ventilator</p>	<p>TRJ-IIIE</p>	<p>R 39 673.81</p>	<p>\$ 3 173.90</p>

	Breath Resuscitation Bag 1. for Infant	HF-I	R 743.88	\$ 59.51
	Breath Resuscitation Bag 1. for Children	HF-II	R 1 363.79	\$ 109.10
	Breath Resuscitation Bag 1. for Adult	HF-III	R 1 611.75	\$ 128.94
	Oxygen regulator 1. 15L	TR-W3	R 312.81	\$ 25.03
	Oxygen concentrator 1. 3L(single bottle) 2. Oxygen Concentration: 93%+/-3% 3. With timer	TY3L	R 8 678.65	\$ 694.29
	Oxygen concentrator 1. 5L (double bottle) 2. Oxygen Concentration: 93%+/-3% 3. With timer 4. With nebulizing	TY5L	R 11 158.26	\$ 892.66
	Oxygen concentrator 1. 5L (double bottle) 2. Oxygen Concentration: 93%+/-3% 3. With timer 4. With Oxygen Concentration	TY5E	R 13 637.87	\$ 1 091.03

	Oxygen cylinder 1. 2L 2.with valve 3. With steel 4. Empty-inside packing and double-way open	XY-98BI 2L	R 1 487.77	\$ 119.02
	Oxygen cylinder 1. 3.2L 2.with valve 3. With steel 4. Empty-inside packing and double-way open	XY-98BI 3.2L	R 1 525.92	\$ 122.07
	Oxygen cylinder 1. 4L 2.with valve 3. With steel 4. Empty-inside packing and double-way open	XY-98BI 4L	R 1 583.14	\$ 126.65
	Oxygen cylinder 1. 6.3L 2. Aluminum trolley 3. With cylinder basket and straps 4. With valve	XY-98BI 6.3L	R 1 812.02	\$ 144.96
	Oxygen cylinder 1. 8L 2. Aluminum trolley 3. With cylinder basket and straps 4. With valve	XY-98BI 8L	R 1 869.25	\$ 149.54
	Oxygen cylinder 1. 10L 2. Aluminum trolley 3. With cylinder basket and straps 4. With valve	XY-98BI 10L	R 2 243.10	\$ 179.45
	Anesthesia Machine Main unit,15 inch TFT Touch Screen; proportional flow valve, tidal volume 20-1500mL, pipeline Supply of O2 ,N2o,Air, Ventilatoin Modes: VCV、PCV、SIMV (V) +PS, SIMV (P) +PS,Manual; Loops; Electronic Flowmeter;Auxiliary Oxygen Flowmeter,Adult Bellows; Two-Vaporizers Station but without Vaporizer;Absorber with heating system ; One Set of Reusable Audlt Patient Circuit, E-Peep ,Lithium Battery (90 M)	TRanaes-7	R 359 543.90	\$ 28 763.51
	Option:			







	Yoke system(1x O2 ;1x N2O; without cylinders)		R 19 836.90	\$ 1 586.95
	AGSS active system		R 15 373.60	\$ 1 229.89
	Plugged in SpO2 module		R 9 174.57	\$ 733.97
	Plugged in Mainstream CO2 module. PHASEIN.		R 66 949.55	\$ 5 355.96
	Plugged in Sidestream CO2 module. PHASEIN.		R 63 970.30	\$ 5 117.62
	Plugged in Mainstream gas module, for five kinds of anesthetic agent,CO2 and N2O. PHASE IN		R 152 496.21	\$ 12 199.70
	Plugged in Sidestream gas module, for five kinds of anesthetic agent,CO2 and N2O. PHASE IN.		R 152 496.21	\$ 12 199.70
	plugged in Sidestream gas module, for five kinds of anesthetic agent,CO2, N2O and O2(paramagnetic). PHASE IN.		R 228 124.41	\$ 18 249.95
	LCD arm with monitor bracket		R 10 661.72	\$ 852.94
	Vaporizer (selectatec, pour fill)		R 21 323.43	\$ 1 705.87
	Name			
	Anesthesia Machine Main unit,15 inch TFT Touch Screen;proportional flow valve, tidal volume 20-1500mL, pipeline Supply of O2 ,N2o,Air,Ventilatoin Modes: Ventilatoin Modes: VCV, PCV, SIMV (V) +PS, SIMV (P) +PS,Manual; Loops; 6 Tubes Mechanical Flowmeter with back light function;Auxiliary Oxygen Flowmeter, Adult Bellows; Two-Vaporizers Station but without Vaporizer; Absorber with heating system : One Set of Reusable	TRanaes-6	R 317 390.48	\$ 25 391.24
	Option:			
	Yoke system(1x O2 ;1x N2O; without cylinders)		R 19 836.90	\$ 1 586.95
	AGSS active system		R 15 373.60	\$ 1 229.89
	SpO2 module.		R 9 174.57	\$ 733.97
	Mainstream CO2 module. PHASE IN.		R 60 998.48	\$ 4 879.88
	mainstream gas module, for five kinds of anesthetic agent,CO2 and N2O.PHASE IN		R 152 496.21	\$ 12 199.70
	LCD arm with monitor bracket		R 10 661.72	\$ 852.94
	Vaporizer (selectatec, pour fill)		R 21 323.43	\$ 1 705.87
	Name			

	<p>Anesthesia Machine Main unit, 10.1 inch TFT Non-touch Screen;proportional flow valve, tidal volume 20-1500mL, pipeline Supply of O2 ,N2o,Air,Ventilatoin Modes:Ventilatoin Modes: VCV、PCV、SIMV (V) +PS, SIMV (P) +PS,Manual; Loops (V-P.F-V,F P),Electronic Flowmeter;Adult Bellows; Two-Vaporizers Station but without Vaporizer; Absorber</p>	TRanaes-7D	R 260 359.38	\$ 20 828.75
	Option:			
	Yoke system(1x O2 ;1x N2O; without cylinders)		R 19 836.90	\$ 1 586.95
	Touch screen		R 6 199.03	\$ 495.92
	Auxiliary Oxygen Flowmeter,		R 5 703.11	\$ 456.25
	AGSS active system		R 15 373.60	\$ 1 229.89
	SpO2 module.		R 9 174.57	\$ 733.97
	Mainstream CO2 module. PHASE IN.		R 66 949.55	\$ 5 355.96
	Mainstream gas module, for five kinds of anesthetic agent,CO2 and N2O PHASE IN N2O. PHASE IN		R 153 736.01	\$ 12 298.88
	Vaporizer (selectatec, pour fill)		R 21 323.43	\$ 1 705.87
	Lithium Battery (90 M)		R 7 686.80	\$ 614.94
	Heater of Absorber		R 10 661.72	\$ 852.94
	<p>Anesthesia machine 8.0 inch LCD Non-touch screen ,proportional flow valve, tidal volume 40-1500mL. pipeline Supply of O2 ,N2o,Air, Ventilatoin Modes: VCV、PCV、SIMV (V) +PS, SIMV (P) +PS,Manual ; 5 tubes mechanical flow-meter with back light function, bellows assembly,,two-vaporizers station but without vapoizer,Absorber without heating system. One</p>	TRanaes-6D	R 173 572.92	\$ 13 885.83
	Option:			
	Auxiliary Oxygen FlowmeterAuxiliary Oxygen Flowmeter		R 5 703.11	\$ 456.25
	Vaporizer (selectatec, pour fill)		R 21 323.43	\$ 1 705.87
	AGSS		R 15 373.60	\$ 1 229.89
	Mainstream CO2 module. PHASE IN.		R 66 949.55	\$ 5 355.96
	Mainstream gas module, for five kinds of anesthetic agent,CO2 and N2O. PHASE IN		R 152 496.21	\$ 12 199.70
	SpO2 module.		R 9 174.57	\$ 733.97
	Lithium Battery (90 M)		R 7 686.80	\$ 614.94
	Heater of Absorber		R 10 661.72	\$ 852.94
	Yoke system(1x O2 ;1x N2O; without cylinders)		R 19 836.90	\$ 1 586.95

Ventilator				
Name				
	Ventilator Boaray 10.1 inch LCD Non-Touch screen, English menu, tidal volume 20-2000mL, ventilation modes of VCV, PCV, SIMV+VCV+PSV, SIMV+PCV+PSV SPONT(CPAP) Loops(V P F V F P)One Set of Resusable Adult Patient Circuit, humidifier,mechanical arm,trolley	TRventi-3D	R 190 930.21	\$ 15 274.42
	Options			
	DualPAP(BIPAP)		R 6 092.41	\$ 487.39
	PRVC		R 6 092.41	\$ 487.39
	NPPV(NIV)		R 6 092.41	\$ 487.39
	Touch screen		R 7 615.51	\$ 609.24
	Air compressor		R 54 831.68	\$ 4 386.53
	Battery (60M)		R 7 615.51	\$ 609.24
	Nebulizer		R 7 615.51	\$ 609.24
	ventilator Boaray Main Unit, 15 inch TFT Touch Screen; tidal volume 20-2000mL, Ventilation Modes: VCV, PCV, SIMV(V)+PS, SIMV(P)+PS, DualPAP(BIPAP),PRVC,NPPV (NIV) ,SPONT(CPAP); Loops of v-p, fv and f-p; One Reserve Battery; One Set of Resusable Adult Patient Circuit; humidifier,mechanical	TRventi-5D	R 228 124.41	\$ 18 249.95
	Options			
	Air compressor		R 55 791.29	\$ 4 463.30
	SpO2 module		R 9 174.57	\$ 733.97
	CAPNOSTAT 5 CO2 module from Respironics		R 61 990.33	\$ 4 959.23
	Oxygen regulator 1. 15L	TR-W3	R 322.35	\$ 25.79
	TR-W3 Oxygen 150kg/cm2 0.2~0.3Mpa 1~15L/min 4 Class G5/8" -RH (F)\ RH(M) CGA540 9/16"-18 RH(M)			
	Oxygen regulator 1. 15L	YR-88	R 380.21	\$ 30.42
	YR-88 Oxygen 200kg/cm2 0.2~0.3Mpa 1~10L/min 4 Class G5/8" -RH (M) M10×1 - RH(M)			

	<p>Oxygen regulator 1. 15L</p>	<p>TR-W10</p>	<p>R 392.61</p>	<p>\$ 31.41</p>
	<p>Oxygen concentrator</p> <p>Power supply : AC220±22V, 50±1 Hz Input power : ≤350VA Oxygen concentration : ≥90±3% Oxygen flow : 1~3L/min Output pressure : 0.04MPa~0.05M</p>	<p>7F-3</p>	<p>R 6 942.92</p>	<p>\$ 555.43</p>
	<p>Oxygen concentrator (with nebulizing installation)</p> <p>Power supply : AC220±22V, 50±1 Hz Input power : ≤350VA Oxygen concentration : ≥90±3% Oxygen flow : 1~3L/min Output</p>	<p>7F-3</p>	<p>R 7 232.20</p>	<p>\$ 578.58</p>
	<p>Oxygen concentrator (with cord controller)</p> <p>Power supply : AC220±22V, 50±1 Hz Input power : ≤350VA Oxygen concentration : ≥90±3% Oxygen flow : 1~3L/min Output pressure : 0.04MPa~0.05M</p>	<p>7F-3</p>	<p>R 8 885.28</p>	<p>\$ 710.82</p>
	<p>Oxygen concentration : ≥90% Oxygen flow : 1~5L/min Output pressure : 30~70kPa Overrunning pressure alarm Noise : ≤60dB (A) Power supply : AC220±22V, 50±1 Hz</p>	<p>7F-5</p>	<p>R 10 125.09</p>	<p>\$ 810.01</p>
	<p>Oxygen concentrator (with nebulizing installation)</p> <p>Oxygen concentration : ≥90% Oxygen flow : 1~5L/min Output pressure : 30~70kPa Overrunning pressure alarm Noise : ≤60dB (A) Power supply : AC220±22V, 50±1</p>	<p>7F-5</p>	<p>R 10 538.36</p>	<p>\$ 843.07</p>

	<p>Oxygen concentrator (double flux)</p> <p>Oxygen concentration : ≥90% Oxygen flow : 1~5L/min Output pressure : 30~70kPa Overrunning pressure alarm Noise : ≤60dB (A) Power supply : AC220±22V, 50±1</p>	7F-5双流量	R 11 034.28	\$ 882.74
	<p>Oxygen concentrator (MINI)</p> <p>Oxygen concentration : ≥90% Oxygen flow : 1~5L/min Output pressure : 30~70kPa Overrunning pressure alarm Noise : ≤60dB (A) Power supply : AC220±22V, 50±1</p>	7F-5MINI	R 10 125.09	\$ 810.01
	<p>Oxygen concentrator</p> <ol style="list-style-type: none"> 1. 3L(single bottle) 2. Oxygen Concentration: 93%+/-3% 3. With timer 	TY3L	R 9 505.18	\$ 760.41
	<p>Oxygen concentrator</p> <ol style="list-style-type: none"> 1. 5L (double bottle) 2. Oxygen Concentration: 93%+/-3% 3. With timer 4. With nebulizing 	TY5L	R 10 538.36	\$ 843.07
	<p>Oxygen concentrator</p> <ol style="list-style-type: none"> 1. 5L (double bottle) 2. Oxygen Concentration: 93%+/-3% 3. With timer 4. With Oxygen Concentration 	TY5E	R 13 017.97	\$ 1 041.44
	<p>Oxygen cylinder</p> <ol style="list-style-type: none"> 1. 4L 2.with valve 3. With steel 4. Empty-inside packing and double-way open 	XY-98BI 4L	R 1 363.79	\$ 109.10
	<p>Oxygen cylinder</p> <ol style="list-style-type: none"> 1. 10L 2. Aluminum trolley 3. With cylinder basket and straps 4. With valve 	XY-98BI 10L	R 2 025.02	\$ 162.00







	<p>Syringe Pump</p> <ul style="list-style-type: none"> Compatible: Automatic syringe calibration, suitable for all brands Convenient: "Openable slider hook", convenient to clamp syringe plunger Powerful: Battery capable to support more than 6 hours for one channel continuous working Accuracy of flow rate(Normal value): Accuracy including syringe within 	TW-50C6T	R 9 505.18	\$ 760.41
	<p>Infusion Pump</p> <ul style="list-style-type: none"> Unique door-free structure and big LCD screen, making it easier and more convenient to operate and in the meanwhile avoiding problems of pump stuck and fluid leakage. When detecting air in line or occlusion, an audio and visual alarm signal shall be given instantly while at the same time the machine stops operation automatically, thus reducing the danger of air embolism to patients. The infrared sensor shall give alarm signal when 	TR5860	R 11 158.26	\$ 892.66
	<p>Infusion Pump</p> <ul style="list-style-type: none"> The pump can be used for continuous feeding. Rate: 1-400ml/h. All kinds of alarm functions. IV set: Universal. All brands of national standard are compatible. Rate: 100ml/h 	TR5870	R 11 158.26	\$ 892.66
	Silicone Resuscitator bag		R 0.00	\$ -
	adult with accessories:mask, oxygen tubing, reservior bag	TR6111	R 991.85	\$ 79.35
	paediatric with accessories:mask, oxygen tubing, reservior bag	TR6121	R 942.25	\$ 75.38
	infant with accessories:mask, oxygen tubing, reservior bag	TR6131	R 942.25	\$ 75.38



UNCS CODES USED AND DEFINITION

481640	Anaesthesia equipment and instruments









OPTIC ENDOSCOPES









ITEM NAME		MODEL CODE	SELLING PRICE		
			RANDS	DOLLARS	
	Gastrointestinal Fiberscope 1. Waterproof Upper 2. View of Angle: 95 3. Depth of Field: 3-100mm 4. Distal Diameter: 9.8mm 5. Insection Diameter: 9.8mm 6. Tip Deflection: Up180 down90 Left100 right100 7. Diameter of Working Channel: 2.8mm 8. Working Length: 1010mm 9. Total Length: 1350mm	Waterproof Upper Gastrointestinal Fiberscope	GIS-30	R 78 657.64	\$ 6 292.61
	Colonfiberscope 1. Waterproof Upper 2. View of Angle: 100 3. Depth of Field: 3-100mm 4. Distal Diameter: 13.5mm 5. Insection Diameter: 13.0mm 6. Tip Deflection: Up180 down180 Left160 right160 7. Diameter of Working Channel: 3.2mm 8. Working Length: 1300mm 9. Total Length: 1650mm	Colonfiberscope	CS-1300	R 83 573.74	\$ 6 685.90
	Bronchoriberscope 1. Waterproof Upper 2. View of Angle: 85 3. Depth of Field: 3-50mm 4. Distal Diameter: 5.8mm 5. Insection Diameter: 6.0mm 6. Tip Deflection: Up130 down90 7. Diameter of Working Channel: 2.0mm 8. Working Length: 530mm 9. Total Length: 830mm	Bronchofiberscope	BS-6	R 56 535.18	\$ 4 522.81
	Laryngofiberscope 1. Waterproof Upper 2. View of Angle: 85 3. Depth of Field: 3-50mm 4. Distal Diameter: 5.8mm 5. Insection Diameter: 6.0mm 6. Tip Deflection: Up130 down90 7. Diameter of Working Channel: 2.0mm 8. Working Length: 450mm 9. Total Length: 710mm	Laryngofiberscope	LF-6	R 56 535.18	\$ 4 522.81
	Endoscope Cold Light Source 1. Power: 220V ±10%, 50Hz±2% 2. Illuminance ≥10000Lx after passing a 2.5 meter long fiber-optic bundle. 3. Performance of electromagnetic pump: Air pressure > 0.3Kg/cm ² , flow > 300L/H 4. power consumption of the whole instrument: ≤220VA 5. Volume: 25×14×26cm ³	Endoscope Cold Light Source	LG-150	R 4 916.10	\$ 393.29
	Cold Light for Fixed Tube	Endoscope Cold Light Source	LG150-6	R 4 916.10	\$ 393.29

	<p>Electronic Gastrofiberscope 1.including camera , cold light, recorder 2.View of Angle:120 3.Depth of Field:3-100mm 4.Distal Diameter:9.8mm 5.Insection Diameter:9.8mm 6.Tip Deflection:Up210 down90Left100 right100 7.Resolution:440k pixels 8.Diameter of Working Channel:2.8mm 9.Working Length:1035mm 10. Total Length:1350mm</p>	<p>Electronic Gastrofiberscope (including camera , cold light, recorder, don't including TV and stand.)</p>	<p>EG-30</p>	<p>R 245 805.13</p>	<p>\$ 19 664.41</p>
	<p>Electronic Colonofiberscope 1.including camera , cold light, recorder 2.View of Angle:120 3.Depth of Field:3-100mm 4.Distal Diameter:13.4mm 5.Insection Diameter:13.0mm 6.Tip Deflection:Up180 down180Left160 right160 7.Resolution:440k pixels 8.Diameter of Working Channel:3.2mm 9.Working Length:1330mm 10. Total Length:1650mm</p>	<p>Electronic Colonofiberscope (including camera , cold light, recorder, don't including TV and stand.)</p>	<p>EC-1300</p>	<p>R 245 805.13</p>	<p>\$ 19 664.41</p>
	<p>Endoscope Computer system</p>	<p>Endoscope Computer system</p>	<p>ETV-3</p>	<p>R 159 773.33</p>	<p>\$ 12 781.87</p>
	<p>Endoscope TV system</p>	<p>Endoscope TV system</p>	<p>ETV-2</p>	<p>R 110 612.31</p>	<p>\$ 8 848.98</p>
	<p>Manual Endoscope Disinfector 4 container</p>	<p>Manual Endoscope Disinfector 4 container</p>	<p>R 11 061.23</p>	<p>\$ 884.90</p>	
	<p>Laparoscope Direction of View: Forward 45° Angle of Visual Field: 4.5mm Working Length of Telescope: 220mm Working Length of Operating Instruments: 400mm</p>	<p>Direction of View: Forward 45° Angle of Visual Field: 4.5mm Working Length of Telescope: 220mm Working Length of Operating Instruments: 400mm</p>	<p>FS-2</p>	<p>R 49 161.03</p>	<p>\$ 3 932.88</p>

 <p>YS504 電凝切內鏡鏡 (vaporization resectoscope)</p>	<table border="1"> <thead> <tr> <th>ITEM No.</th> <th>Name</th> <th>specification</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>YS50412</td> <td>12"Endoscope</td> <td>Φ4</td> <td>1pc</td> </tr> <tr> <td>504.001</td> <td>Inner sheath&obturator</td> <td>25Fv</td> <td>1pc</td> </tr> <tr> <td>504.004</td> <td>Outer sheath</td> <td>27Fv</td> <td>1pc</td> </tr> <tr> <td>504.003</td> <td>Obturator for outer sheath</td> <td>Active</td> <td>1pc</td> </tr> <tr> <td>504.005</td> <td>Working element</td> <td>Active&passive</td> <td>1pc</td> </tr> <tr> <td>504.009</td> <td>Cutting loops</td> <td></td> <td>2pcs</td> </tr> <tr> <td>504.006</td> <td>Dental type cutting loops</td> <td></td> <td>2pcs</td> </tr> <tr> <td>504.007</td> <td>Trench type cutting loops</td> <td></td> <td>2pcs</td> </tr> <tr> <td>504.008</td> <td>Rafter type Cutting tumor loops</td> <td></td> <td>5pc</td> </tr> <tr> <td>504.011</td> <td>Adaptor with tube</td> <td></td> <td></td> </tr> <tr> <td>504.012</td> <td>Suction device</td> <td>Allik</td> <td>1set</td> </tr> <tr> <td>111.009</td> <td>Light cable</td> <td>Φ4</td> <td>1pc</td> </tr> <tr> <td>504.013</td> <td>HF cord</td> <td></td> <td>1pc</td> </tr> <tr> <td>504.014</td> <td>Cleaning rod</td> <td></td> <td>1 个</td> </tr> <tr> <td colspan="3"></td> <td>Total:</td> </tr> </tbody> </table> <p>YS504 RESECTOSCOPE SET</p>	ITEM No.	Name	specification	Quantity	YS50412	12"Endoscope	Φ4	1pc	504.001	Inner sheath&obturator	25Fv	1pc	504.004	Outer sheath	27Fv	1pc	504.003	Obturator for outer sheath	Active	1pc	504.005	Working element	Active&passive	1pc	504.009	Cutting loops		2pcs	504.006	Dental type cutting loops		2pcs	504.007	Trench type cutting loops		2pcs	504.008	Rafter type Cutting tumor loops		5pc	504.011	Adaptor with tube			504.012	Suction device	Allik	1set	111.009	Light cable	Φ4	1pc	504.013	HF cord		1pc	504.014	Cleaning rod		1 个				Total:	Resectoscopy STORZ compatibility	YS504	R 67 596.41	\$ 5 407.71
ITEM No.	Name	specification	Quantity																																																																		
YS50412	12"Endoscope	Φ4	1pc																																																																		
504.001	Inner sheath&obturator	25Fv	1pc																																																																		
504.004	Outer sheath	27Fv	1pc																																																																		
504.003	Obturator for outer sheath	Active	1pc																																																																		
504.005	Working element	Active&passive	1pc																																																																		
504.009	Cutting loops		2pcs																																																																		
504.006	Dental type cutting loops		2pcs																																																																		
504.007	Trench type cutting loops		2pcs																																																																		
504.008	Rafter type Cutting tumor loops		5pc																																																																		
504.011	Adaptor with tube																																																																				
504.012	Suction device	Allik	1set																																																																		
111.009	Light cable	Φ4	1pc																																																																		
504.013	HF cord		1pc																																																																		
504.014	Cleaning rod		1 个																																																																		
			Total:																																																																		
 <p>YS203 宫腔鏡 (鏡) (Hysteroscopy set (inspection))</p>	<table border="1"> <thead> <tr> <th>No.</th> <th>Name</th> <th>Specification(mm)</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>YS2013</td> <td>30"Endoscope</td> <td>Φ4*302</td> <td>1pc</td> </tr> <tr> <td>203.002</td> <td>Inner sheath with obturator</td> <td>12fr</td> <td>1</td> </tr> <tr> <td>203.001</td> <td>Outer sheath</td> <td>15fr</td> <td>1</td> </tr> <tr> <td>202.011</td> <td>Connector for valve</td> <td></td> <td>1</td> </tr> <tr> <td>202.012</td> <td>Sealing cap</td> <td>Free</td> <td>2</td> </tr> <tr> <td>111.009</td> <td>Light guide cable</td> <td>Φ4*1800</td> <td>1</td> </tr> <tr> <td colspan="3"></td> <td>Total:</td> </tr> </tbody> </table> <p>YS203 HYSTEROSCOPY SET</p>	No.	Name	Specification(mm)	Quantity	YS2013	30"Endoscope	Φ4*302	1pc	203.002	Inner sheath with obturator	12fr	1	203.001	Outer sheath	15fr	1	202.011	Connector for valve		1	202.012	Sealing cap	Free	2	111.009	Light guide cable	Φ4*1800	1				Total:	Hysteroscopy STORZ compatibility	YS203	R 43 138.80	\$ 3 451.10																																
No.	Name	Specification(mm)	Quantity																																																																		
YS2013	30"Endoscope	Φ4*302	1pc																																																																		
203.002	Inner sheath with obturator	12fr	1																																																																		
203.001	Outer sheath	15fr	1																																																																		
202.011	Connector for valve		1																																																																		
202.012	Sealing cap	Free	2																																																																		
111.009	Light guide cable	Φ4*1800	1																																																																		
			Total:																																																																		
	including the cold light source Olympys cold light source compatibility	Colonoscopy STORZ not compatibility	XC-1300	R 95 126.58	\$ 7 610.13																																																																

UNCCS CODES USED AND DEFINITION	
481581	Endoscopy equipment
481515	Laparoscopic equipment

BEDS, CARTS, TROLLEYS				
Picture	Name	MODEL CODE	SELLING PRICE	
			RANDS	DOLLARS
	Examining Bed	TRZB19	R 1 595.22	\$ 127.62
	Luxurious Electric Bed (Eight Function) 1. Bed Frame: cold-rolled steel welded, the second phosphating, electrostatic spraying, anti-aging and quality to meet international standards. 2. Bed Surface Board: 888(width)*1925(full length),soft connection between the the Bed Surface as curved transition. 3. Headboard and Rear-end Board of bed: advanced ABS engineering plastics, beautiful appearance and smooth handling, solid and	TRA5-8	R 65 709.75	\$ 5 256.78
	Luxurious Electric ICU Bed (Five Function) 1. ABS Side Rails, can be up and down movement. With imported electric device (LINAK), it is safe, reliable and convenient handling. Body of bed is steel with spray plastic. 2. Centrally silent castor, good stability. 3. Omnidirectional adjusted hand control switch.	TRA5	R 22 316.52	\$ 1 785.32
	Luxurious Electric Bed (Five Function) : Soft Connection; PE Headboard and Rear-end Board; Centrally silent casters 1. Bed Frame: cold-rolled steel welded, the second phosphating, electrostatic powder coating, anti-aging and quality to meet international standards. Soft connection between the the Bed Surface as curved transition.	TRA5-L	R 21 076.71	\$ 1 686.14
	Luxurious Electric Bed (Five Function): No Soft Connection; PE Headboard and Rear-end Board; silent casters,but no Centrally ; 1. Bed Frame: cold-rolled steel welded, the second phosphating, electrostatic powder coating, anti-aging and quality to meet international standards. 2. Bed Surface board: 888(width)*1925(full length), four folded, accord with ergonomic medical principle.	TRA5-B	R 18 597.10	\$ 1 487.77
	Mattress for Patient Bed Size: 888(W)* 1940(L)*80(thick), 20 thick mat, 60 high density foam, Blue waterproof cloth	TR-H3	R 1 611.75	\$ 128.94
	ABS Dinner Board Size: 480*80, Length adjustment: 900-1100, load bearing 30KG; can be hung on the Headboard	TR-E10	R 1 115.83	\$ 89.27
	ABS Headboard and Rear-end Board Headboard and Rear-end Board adopts advanced ABS engineering plastics, beautiful appearance, insert type structure is smooth handling, solid and durable.	TR-K3	R 2 479.61	\$ 198.37

	<p>Electric Bed (Three Function)</p> <ol style="list-style-type: none"> 1. 5" wheel, 4 castors with brake, Pedal locking castors, no soft connection 2. Bed base: Metal net panel, powder coating mild steel frame. Detachable ABS Headboard and Rear-end Board. Four corners of the crash shield configuration, aluminum alloy Side Rails 3. Motor is "MOTTECK" from Taiwan 	<p>TRA3-01</p>	<p>R 13 637.87</p>	<p>\$ 1 091.03</p>
	<p>Electric Bed without Dinner Table (Three Function)</p> <ol style="list-style-type: none"> 1. 5" wheel, centrally control braking system, no soft connection 2. Bed base: Metal net panel, powder coating mild steel frame, Detachable ABS Headboard and Rear-end Board. Four corners of the crash shield configuration, aluminum alloy Side Rails, ABS Headboard, Soft Connection, Centrally silent casters; 	<p>TRA3-02</p>	<p>R 16 117.49</p>	<p>\$ 1 289.40</p>
	<p>Hospital Bed (Three Revolving Levers):</p> <ol style="list-style-type: none"> 1. ABS Head Board and Rear-end Board, detachable and easy to clean 2. Collapsible 4pcs ABS Side Rails, beautiful appearance 3. Centrally control braking system, dia of castor: 15cm 4. Punching Bed Surface, powder coating 	<p>TRA3L-03</p>	<p>R 14 877.68</p>	<p>\$ 1 190.21</p>
	<p>Hospital Bed (Three Revolving Levers):</p> <ol style="list-style-type: none"> 1. ABS Headboard and Rear-end Board, detachable and easy to clean 2. Collapsible aluminum alloy Side Rails, beautiful appearance 3. 4 double face castors with 2 brake, dia of castor: 12cm 	<p>TR3-04</p>	<p>R 8 678.65</p>	<p>\$ 694.29</p>
	<p>Rise and Fall Hospital Bed (Three Revolving Levers)</p> <ol style="list-style-type: none"> 1. 5" luxurious universal wheels, high antiwear, no noise, with brake, good stability 2. Bed Frame and Bed Surface: cold-rolling, green antibacterial powder coating. Headboard and Rear-end Board: ABS 	<p>TR3-05</p>	<p>R 6 942.92</p>	<p>\$ 555.43</p>
	<p>Hospital Bed (Double Revolving Levers):</p> <ol style="list-style-type: none"> 1. Detachable ABS Headboard and Rear-end Board, easy to assemble. 2. Punching Bed Surface, powder coating carbon steel Bed Frame and Bed Surface, anti-rust and easy to clean 3. 4 double face castors with two brakes, 	<p>TR2-01</p>	<p>R 4 350.20</p>	<p>\$ 348.02</p>
	<p>Hospital Bed (Double Revolving Levers):</p> <ol style="list-style-type: none"> 1. Detachable ABS Headboard and Rear-end Board, easy to assemble. 2. Punching Bed Surface, powder coating carbon steel frame and bed top, anti-rust and easy to clean 	<p>TR2-02</p>	<p>R 6 199.03</p>	<p>\$ 495.92</p>
	<p>Hospital Bed (Double Revolving Levers)</p> <ol style="list-style-type: none"> 1. Total safe load: 200kg, double revolving levers, adjustment range: Back gradient 85±5°, adjustment of load cap: ≥300kg 2. Bed Frame: high quality steel welded, the surface after pickling, phosphating and electrostatic powder coating, solid and durable, beautiful appearance. 	<p>TR2-03</p>	<p>R 5 703.11</p>	<p>\$ 456.25</p>

	<p>ABS Luxurious Hospital Bed</p> <p>1. 5" luxurious universal wheel, high antiwear, no noise, with the brake system, good stability 2. Bed Frame and Bed Surface: Cold-rolled steel, green antibacterial powder coating. Headboard and Rear-end Board: ABS reinforced plastic.</p>	TR1-01	R 5 207.19	\$ 416.58
	<p>Common Flat Bed</p> <p>Material: Stainless steel, Size: 2060x900x530(mm)</p>	TRBC131	R 2 975.54	\$ 238.04
	<p>Common Flat Bed with one crank base on TRBC131</p> <p>Material: Stainless steel, Size: 2060x900x530(mm)</p>	TRBC231	R 3 967.38	\$ 317.39
	<p>Common Flat Bed</p> <p>Material: All Bed Frame and Bed Surface Board are electrostatic powder coating Size: 2060x900x530(mm)</p>	TRBC111	R 1 909.30	\$ 152.74
	<p>Common Flat Bed</p> <p>Material: Bed Frame of head and end: stainless steel; Bed Surface Board: electrostatic powder coating Size: 2060x900x530(mm)</p>	TRBC121	R 2 107.67	\$ 168.61
	<p>Common Flat Bed with one crank base on TRBC121</p> <p>Material: Bed Frame of head and end: stainless steel; Bed Surface Board: electrostatic powder coating Size: 2060x900x530(mm)</p>	TRBC221	R 3 223.50	\$ 257.88
	<p>Child Bed (One revolving lever)</p> <p>1. Steel punching Bed Surface. 2. Bed Frame, Side Rails: Powder coating steel. 3. Back section panel can be folded 0-80° 4. Size:1600*650*1100mm</p>	TRZA51	R 3 719.42	\$ 297.55
	<p>Three-Folded Hospital Bed (Double revolving levers)</p> <p>Material: stainless steel Size: 2060x900x530(mm)</p> <p>1. Double stainless steel revolving levers, foldaway design, easy operation, flexible adjustment of patient's back in different position with limited position safeguard, antiwear and durable. 2. Adjustable range: Back section tilting 85 ± 5 ° 3. Adjustment of load bearing: ≥ 300kg 4. A pair of Side Rails length: 850mm; can be</p>	TRPB3-01	R 4 587.28	\$ 366.98






	<p>Detaching legs Orthopedics Traction Bed (Three Revolving Levers) Without Wheels</p> <p>Material: stainless steel Size: 2060x900x530 (2000) (mm)</p> <ol style="list-style-type: none"> Three stainless steel revolving levers, foldaway design, easy operation, flexible adjustment of patient's back in different position with limited position safeguard, antiwear and durable. Adjustable range: back section tilting $85 \pm 5^\circ$ Loading capacity: $\geq 300\text{kg}$ 	TRPB3-02	R 13 885.83	\$ 1 110.87
	<p>Orthopedics Traction Bed</p> <ol style="list-style-type: none"> Flat aluminum alloy tube plus protecting board for bed head/end, detachable and easy-clean. Powder coating Bed Frame. Painted wooden board without moth. Aluminum alloy stand. 5" silent caster. $\Phi 125\text{mm}$ Aluminum alloy hand-squeezed prevention Side Rail, can be hidden to the Bed Surface. With eight legs 	TRPB-03	R 14 133.79	\$ 1 130.70
	<p>Orthopedics Traction Bed</p> <ol style="list-style-type: none"> Size: 2100*900*540mm Stainless steel bed head/end. Powder coated Bed Frame. Plastic Bed Surface. Stainless steel stand. Back section can be folded $0-80^\circ$, feet section can be folded $0-40^\circ$ Legs apart. 	TRPB-04	R 9 918.45	\$ 793.48
	<p>Hospital Bed (Five Function, Three Revolving Levers)</p> <ol style="list-style-type: none"> Bed Frame: cold-rolled steel and SUS304 stainless steel welded, the second phosphating, electrostatic power coating, anti-aging, and quality to meet international standards. Soft load: 175KG, the total load bearing: 240KG. Shake the handle rotation flexibility and 	TRA5-C	R 6 446.99	\$ 515.76
	<ol style="list-style-type: none"> Five Function Electric By Electric Used for ICU room It is without flexible connection With Handrail 	TRAS5	R 20 663.44	\$ 1 653.08
	<ol style="list-style-type: none"> Tow-crank by manual Body of bed is steel with spray plastic 	TRZA12	R 6 942.92	\$ 555.43
	<ol style="list-style-type: none"> Three-crank by manual The head and back of bed is by Aluminum Alloy Body of bed is steel with spray plastic 	TRZA14	R 9 918.45	\$ 793.48
	<ol style="list-style-type: none"> One-crank By manual Body of bed is steel with spray plastic Aluminum alloy handrail 	TRZA30	R 5 785.76	\$ 462.86
	<ol style="list-style-type: none"> One-crank Head-back board is by spray-paint 	TRBC211	R 2 314.31	\$ 185.14







	1. One-crank 2. Head-back board is by stainless	TRBC221	R 2 727.57	\$	218.21
	Baby bed 1.Full stainless and fine transparent organic glass	TRZBE17-C	R 2 686.25	\$	214.90
	Bedside Cabinet Material:Stainless steel Size: 450x420x800(mm)	TRBD-001	R 1 413.38	\$	113.07
	Bedside Cabinet Material: Stainless steel Size: 450x420x800(mm)	TRBD-002	R 1 338.99	\$	107.12
	Bedside cabinet Material: Stainless steel Size: 450x420+170x800(mm)	TRBD-003	R 1 611.75	\$	128.94
	Bedside Cabinet Material: Stainless steel Size: 450x420+170x800(mm)	TRBD-004	R 1 611.75	\$	128.94
	Bedside Cabinet Material: Stainless steel Size: 450x420x800+100(mm)	TRBD-005	R 1 611.75	\$	128.94
	Bedside Cabinet Material: ABS plastic Size: 480x480x790(mm)	TRBD	R 1 165.42	\$	93.23



	<p>Luxurious Hydraulic Rise-and-Fall Emergency Cart</p> <p>Two separate small carts can be raised and lowered for adjustment. Only when the two small carts are adjusted to the same level, the bed rest can be slid smoothly. As the bed slides to any separate cart, it can be automatically locked and equipped with safety device. An advanced centrally controlled brake system is used for both separate small carts in order to make them smoother and more stable when linking up and running. The hand-overcart reaches international advanced level in the performance and design and can prevent cross infection so as to satisfy the needs of</p>	<p>AMT-OR</p>	<p>R 30 995.16</p>	<p>\$ 2 479.61</p>
	<p>The stretcher is made of high-strength aluminum alloy and oxford leather materials. Used for carrying patients and wounded person.</p> <p>1. Unfolded Size: 185*52*23cm</p>	<p>AFS-1A1</p>	<p>R 1 190.21</p>	<p>\$ 95.22</p>
	<p>The stretcher is made of high-strength aluminum alloy and oxford leather materials. Used for carrying patients and wounded person.</p>	<p>AFS-1A4</p>	<p>R 743.88</p>	<p>\$ 59.51</p>
	<p>This stretcher without wheels and outrigger, it can be folded. It is made of high-strength aluminum alloy. It characterised by its being small-sized, easy-carried, use-safely and easy for sterilization. It's mainly used for hospitals, sports and ambulance carrying patients and wounded person.</p>	<p>AFS-1A4H</p>	<p>R 1 363.79</p>	<p>\$ 109.10</p>
	<p>The stretcher with outrigger, it can be folded contracted by transverse and longitudinal, and with handbag. It is made of high-strength aluminum alloy and oxford leather materials. Used for carrying patients and wounded person.</p> <p>1. Unfolded Size: 215*54*15cm 2. Folded Size: 108*17*9cm</p>	<p>AFS-1A7</p>	<p>R 1 115.83</p>	<p>\$ 89.27</p>
	<p>The stretcher is made of high-strength aluminum alloy and nylon mesh materials. Used for carrying patients and wounded person.</p> <p>1. Unfolded Size: 221*53*15cm 2. Folded Size: 110*18*11cm</p>	<p>AFS-1A9</p>	<p>R 2 033.28</p>	<p>\$ 162.66</p>
	<p>The stretcher is made of high-strength aluminum alloy and nylon mesh materials. Used for carrying patients and wounded person.</p> <p>1. Unfolded Size: 210*53*12cm 2. Folded Size: 61*30*12cm 3. Load Capacity: 160kg</p>	<p>AFS-1A10</p>	<p>R 1 239.81</p>	<p>\$ 99.18</p>
	<p>Simple foldaway stretcher</p> <p>Material: Aluminous and nylon mesh materials. Unfolded Size: 200*50*20cm</p>	<p>AFS-11</p>	<p>R 545.51</p>	<p>\$ 43.64</p>

	<p>Stretcher For Ambulance Car</p> <p>1. Unfolded Size:191*55*44cm 2. Maximum Angle of the Back:65° 3. Distance between Front and rear wheel: 120cm 4. Load Bearing:181kg</p>	ASC-2A	R 4 959.23	\$ 396.74
	<p>Stretcher For Ambulance Car</p> <p>1. Unfolded Size:190*53*44cm 2. Maximum Angle of the Back:65° 3. Distance between Front and rear wheel:120cm 4. Load Bearing:227kg</p>	ASC-2B	R 5 455.15	\$ 436.41
	<p>Stretcher For Ambulance Car</p> <p>Technical features: ·This stretcher has three-step and two wheels of big and small according to any height of ambulance carriage bottom board.When loading the stretcher up to the ambulance,the lowest height is 64cm. ·The bed surface of the stretcher is made of</p>	ASC-3A	R 9 422.53	\$ 753.80
	<p>Stretcher For Ambulance Car (standard)</p> <p>Technical features: ·This stretcher designed three-step according to the height of ambulance carriage bottom board,When loading the stretcher up to the ambulance,the lowest height is 64cm. ·The bed surface of the stretcher is made of foamed cushion,the material is waterproof,the backrest is adjustable which makes the wounded feel comfortable. ·The stretcher with safety lock,it must be locked up when transport the patients,and opened out when got on the ambulance</p>	ASC-3B	R 7 934.76	\$ 634.78
	<p>Scoop Stretcher</p> <p>Technical features: ·It's a seperatable-type emergency stretcher for ambulance to transfer fractured & serious patients.</p>	AFS-4A	R 2 033.28	\$ 162.66
	<p>Scoop Stretcher</p> <p>Technical features: ·It's a seperatable-type emergency stretcher for ambulance to transfer fractured & serious patients. ·Equipped with a clutch hinge in the middle</p>	AFS-4B	R 2 355.63	\$ 188.45
	<p>Vacuum Mattress Stretcher</p> <p>Technical features: ·Manufactured on high quality and high resistant TPU material. ·It adjusts perfectly to the shape of the body,molding the mattress. ·It allows radiological X-ray.First-aid personnel can rapidly and safely adjust the mattress to be soft or hard by using the pump.It is easy and quick for operating.</p>	AFS-6A1	R 6 694.96	\$ 535.60
	<p>PE Stretcher</p> <p>Spine Board</p> <p>Technical features: ·The stretcher is made of PE material with no discharge contaminator,and firmness to wear,it is allowed X-ray. ·The stretcher with safety belts. ·It can be used with head immobilize at the</p>	AFS-7A1	R 1 066.23	\$ 85.30

	<p>PE Stretcher</p> <p>Spine Board</p> <p>Technical features:</p> <ul style="list-style-type: none"> ·The stretcher is made of PE material with no discharge contaminator,and firmness to wear,it is allowed X-ray. ·The stretcher with safety belts. ·It can be used with head immobilize at the 	AFS-7A3	R 1 066.23	\$ 85.30
	<p>PE Stretcher</p> <p>Spine Board</p> <p>Technical features:</p> <ul style="list-style-type: none"> ·The stretcher is made of PE material with no discharge contaminator,and firmness to wear,it is allowed X-ray. ·The stretcher with safety belts. ·It can be used with head immobilize at the 	AFS-7A4	R 1 016.64	\$ 81.33
	<p>PE Stretcher</p> <p>Spine Board</p> <p>Technical features:</p> <ul style="list-style-type: none"> ·The stretcher adopt PE material with no discharge contaminator and durable,it allows X-ray. ·The stretcher with safety belts. <ol style="list-style-type: none"> 1. Unfolded Size:184*46*5cm 2. Load Bearing:160kg 	AFS-7B1	R 1 314.19	\$ 105.14
	<p>PE Stretcher</p> <p>Spine Board</p> <p>Technical features:</p> <ul style="list-style-type: none"> ·The stretcher adopt PE material with no discharge contaminator and durable,it allows X-ray. ·The stretcher with safety belts. <ol style="list-style-type: none"> 1. Unfolded Size:184*45*5cm 2. Load Bearing:160kg 	AFS-7B2	R 1 066.23	\$ 85.30
	<p>CPR Board</p> <p>Technical features:</p> <ul style="list-style-type: none"> ·The CPR Board provides a firm surface. ·Help to fix the position of patient and ensure the patient open airway. ·The head cup maintains proper alignment with the patient's head. ·The board adopts PE material with no discharge contaminator 	CB-01	R 570.31	\$ 45.62
	<p>Head Immobilized Frame</p> <ul style="list-style-type: none"> ·It is made of high-density plastic materials,large ear holes for monitoring the patient's ear canal. ·It can be used with scoop stretcher and spine board at the same time; ·Waterproof plastic coating makes it easy to 	HD-01	R 867.86	\$ 69.43
	<p>Cervical Collar</p> <ul style="list-style-type: none"> ·With lock system,make sure the set position won't be changed after adjustment. ·Designed with hole on throat position,it is convenient for the treatment of throat and trachea. ·The height designed with 4 different levels. ·Shane fits for human neck. 	CC-01	R 123.98	\$ 9.92
	<p>Cervical Collar</p> <p>Length is adjustable according to actual.</p>	CC-02	R 49.59	\$ 3.97

	<p>Emergency bed</p> <ul style="list-style-type: none"> ·Used in hospitals, stadium, ambulance, battlefield and transport the sick and wounded person. ·The surface can be separated from the bed, and it can be used as a stretcher. ·It is made of high-strength aluminium alloy thick-wall pipe. ·It is made of PVC material, easy for clean and sterilization. 	AMT-2L	R 5 455.15	\$ 436.41
	<p>Emergency bed</p> <ul style="list-style-type: none"> ·The emergency bed is mainly made of powder-coated steel material. ·The height of the emergency bed is operated by oil-hydraulic foot pump, the backrest can be adjusted by pneumatic spring. ·The central-lock system and swivel castor can help the users easy to control and stop. ·It's characterized by its being 	AMT-3M	R 24 796.13	\$ 1 983.69
	<p>Emergency Bed (allow X-ray)</p> <ul style="list-style-type: none"> ·The emergency bed is mainly made of powder-coated steel material. ·The height of the emergency bed is operated by oil-hydraulic foot pump, the backrest can be adjusted by pneumatic spring. ·The central-lock system and swivel castor can help the users easy to control and stop. ·It's characterized by its being durable, antiseptic and easy for sterilization. ·This bed can suit for X-ray, so no need to remove the patients again. <ol style="list-style-type: none"> 1. High position: 192*61*83cm 2. Low position: 192*63*54cm 3. Size of the castors: φ150mm 4. Max Angle of the back: 65° 5. Load Bearing: 227kg <p>Optional accessories: X-ray cassette.</p>	AMT-3M (with X-ray)	R 32 234.97	\$ 2 578.80
 	<p>Mobile 4G patient trolley 4-section. The mobile 4G patient trolley is fitted with a 4-section mattress deck for profiling of patient. The mattress deck is 700mm wide adding to the comfort of the patient. This trolley can also be used as a day patient bed.</p> <p>Due to its sophisticated design it adapts to the wide ranging requirements of complex hospital procedures.</p> <p>The mobile is designed with a backrest which can be used for taking x-rays and a holder for x-ray cassettes (head to pelvis), thus dispensing with the need for time-consuming and stressful repositioning of the patient. Knee break capability through gas assisted mechanism to 45°.</p> <p>4 point central braking.</p> <p>Trendelenburg & Reverse trendelenburg angle of 12°.</p> <p>Backrest angle of 70°.</p> <p>SWL: 200kg</p> <p>INCLUDES:</p> <ul style="list-style-type: none"> Cold Foam Mattress Mattress dimensions: 700*2000*100mm Mattress density: 40Kg/m³ Biaxial bumper wheels on each corner Safety sides X-ray cassette holder Reanimation support for extra sturdiness during CPR Food Tray 1 IV pole with seivelling hooks 		R 34 714.58	\$ 2 777.17

	<p>Examination Table</p> <p>Made of 20*20*1.5mm stainless steel square tube,5cm sponge surface with antibacterial PVC wrapped.</p> <p>1. High position:182*62*71cm 2. Load Bearing:140kg</p>	<p>FS-P</p>	<p>R 1 983.69</p>	<p>\$ 158.70</p>
	<p>Rise-and-Fall Emergency Bed with Revolving Lever</p> <p>Material: Stainless steel Specification: 1900x570(mm)</p>	<p>AMT-4</p>	<p>R 5 455.15</p>	<p>\$ 436.41</p>
	<p>Stretcher Cart with Two Wheels and Two Castors</p> <p>Material:Stainless steel Size: 2000x700x800(mm)</p>	<p>AMT-5</p>	<p>R 5 951.07</p>	<p>\$ 476.09</p>
	<p>Stretcher Cart with Four Castors</p> <p>Material:Stainless steel Size: 2000x680x800(mm)</p>	<p>AMT-6</p>	<p>R 5 455.15</p>	<p>\$ 436.41</p>
	<p>Connecting Stretcher Cart</p> <p>Material:Stainless steel Size: 3600x570x550/780(mm)</p>	<p>AMT-7</p>	<p>R 19 836.90</p>	<p>\$ 1 586.95</p>
	<p>Horizontal Stretcher Cart</p> <p>Material:Stainless steel Size: 2040x660x550/800(mm)</p>	<p>AMT-8</p>	<p>R 7 438.84</p>	<p>\$ 595.11</p>

	<p>Luxurious Rise-and-Fall Stretcher Cart</p> <p>Special Allocation and Technical Features:</p> <ul style="list-style-type: none"> ·Full Length:193cm, Full Width:64cm ·Bed base height range: Maximum Height:84cm, Minimum Height:54cm ·Back section panel:0~75° ·Maximum safe load:250KG ·Diameter of Centrally Silent Castor:15cm ·I.V.Pole 	<p>AMT-2R</p>	<p>R 12 398.07</p>	<p>\$ 991.85</p>
	<p>Luxurious Hydraulic Rise-and-Fall Stretcher Cart</p> <p>Special Allocation and Technical Features</p> <ul style="list-style-type: none"> ·Full Length:193cm, Full Width:70cm ·Bed base height range: Maximum Height:93cm, Minimum Height:63cm ·Back section panel:0~75°, Bed forward tilting: 0~15°, Bed backward tilting: 0~15° ·Maximum safe load:250KG ·Diameter of Centrally Control Silent and Dufproof Castor:20cm ·Two Seperate Hydraulic Pump ·Hydraulic Control Panel ·I.V.Pole ·Rise-and-Fall Guide Wheel ·PP Side rail, PP Bed base ·CPR ·Top Coat: Electrostatic Powder coating, Bed frame: Cold-rolled steel tube Size: 1930*700*630/930mm Material: The cart is made of imported PP material. The imported hydraulic rise-and fall 	<p>AMT-A</p>	<p>R 32 234.97</p>	<p>\$ 2 578.80</p>
	<p>Luxurious Hydraulic Rise-and-Fall Stretcher Cart</p> <p>Special Allocation and Technical Features</p> <ul style="list-style-type: none"> ·Full Length:210cm, Full Width:85cm ·Bed base height range: Maximum Height:95cm, Minimum Height:63cm ·Back section panel:0~75°, Leg section panel:0~45°, Bed forward tilting: 0~15°, Bed backward tilting:0~15° ·Maximum safe load:250KG ·Diameter of Centrally Control Silent and Dufproof Castor:20cm ·Two Seperate Hydraulic Pump ·Hydraulic Control Panel ·I.V.Pole ·Rise-and-Fall Guide Wheel ·Stainless steel and aluminum alloy side rails ·Back Rest may X-ray ·CPR ·Top Coat: Electrostatic Powder coating, Bed frame: Cold-rolled steel tube Size: 2120*800*610/930mm, Material: The bed is made of galvarized steel tube and surface coated by electrostatic spray, the back board is made of American electrolyped board with X-ray cassette, it is equipped with the imported double hydraulic rise-and-fall system. Instruction: The international advanced centrally controlled brake system is applied to the cart and 200 dustproof castors make the cart move steadily, reliably and lightly. 	<p>AMT-B</p>	<p>R 30 262.25</p>	<p>\$ 2 420.98</p>










	<p>Luxurious electric rise-and-fall stretcher Cart</p> <p>Special Allocation and Technical Features</p> <ul style="list-style-type: none"> ·Full Length:193cm, Full Width:64cm ·Bed base height range: Maximum Height:84cm, Minimum Height:54cm ·Back section panel:0~75° ·Maximum safe load:250KG ·Diameter of Centrally Silent Castor:15cm ·Linak Electrical motor ·Electronic Control Panel ·I.V.Pole ·Rise-and-Fall Guide Wheel ·PP Side rail, PP Bed base ·CPR ·Top Coat: Electrostatic Powder coating <p>Size: 1930*640*500/900mm</p> <p>Material: The cart frame is made of quality aluminum alloy, cart surface and side rails and shapped by once injection molding of PP engineering plastics.</p> <p>Introduction: The international advanced centrally controlled brake system is applied to the cart and therefore stable and reliable.The cart surface is of separate structure with the back rest section supported by the imported pneumatic spring.Rise and down can be controlled by the electric controlled treadle lying on two sides of the bed (motor with battery), or done by the crank which generally kept at the</p>	AMT-D	R 24 796.13	\$ 1 983.69
	<p>Baby Crib without Mattress</p> <p>Material: Stainless steel</p> <p>Size: 820x500x850(mm)</p>	TRZBE17-C	R 2 479.61	\$ 198.37
	<p>Baby Crib with Mattress</p> <p>Material:Stainless steel</p> <p>Size: 800x480x870(mm)</p>	TRZBE18	R 2 479.61	\$ 198.37
	<p>Baby Crib without Mattress</p> <p>Material:Stainless steel</p> <p>Size: 800x480x900(mm)</p>	TRZBE19	R 2 479.61	\$ 198.37
	<p>Baby Crib without Mattress</p> <p>Material:Stainless steel</p> <p>Size: 820x500x850(mm)</p>	TRZBE20	R 2 479.61	\$ 198.37
	<p>Baby Crib without Mattress</p> <p>Material:Stainless steel, ABS Transparent bowl</p> <p>Size: 828x500x900(mm)</p>	TRZBE21	R 2 479.61	\$ 198.37










	Baby Crib with Mattress Material:Stainless steel Size: 800x500x800(mm)	TRZA-45	R 1 735.73	\$ 138.86
	Baby Crib without Mattress Material:Stainless steel Size: 800x450x850(mm)	TRZA-17	R 1 735.73	\$ 138.86
	Baby Crib with Mattress Material:Stainless steel Size: 760x456x1140 (mm)	TRZA-18	R 1 735.73	\$ 138.86
	Comprehensive Gynecology Table Material:Stainless steel Size: 1300+600x650x800 (mm)	FS-001	R 7 438.84	\$ 595.11
	Comprehensive Gynecology Table Material:Stainless steel Size: 1300+600x650x800 (mm)	FS-002	R 6 818.94	\$ 545.51
	Comprehensive Gynecology Table Material:Stainless steel Size: 1300+600x650x800 (mm)	FS-003	R 6 818.94	\$ 545.51
	Light Gynecology Table Material:Stainless steel Size: 1900x550x800 (mm)	FS-004	R 4 140.95	\$ 331.28
	Light Gynecology Table Material:Steel and plastic Size: 1900x550x800 (mm)	FS-005	R 2 851.56	\$ 228.12
	Examination Table Material:Stainless steel, Leather bed mat Size: 1900x500x650(mm)	TRZB7	R 1 611.75	\$ 128.94
	Examination Table with backrest Material:Stainless steel, Leather bed mat Size: 1900x600x650 (mm)	TRZB9	R 1 735.73	\$ 138.86
	Luxurious Anesthesia Cart Material: Fine colored steel plate and superior plastics Size: 600*400*950mm 4 castors with 2 brakes	TR105ZY	R 16 365.45	\$ 1 309.24
	Luxurious Anesthesia Cart Material: Fine colored steel plate and superior plastics Size: 600*400*950mm 4 castors with 2 brakes	TR106ZY	R 17 357.29	\$ 1 388.58
	Luxurious Anesthesia Cart Material: Fine colored steel plate and superior plastics Size: 1000*400*1450mm 4 castors with 2 brakes	TR107ZY	R 19 836.90	\$ 1 586.95















	Luxurious Medicine Dispensing Cart (Double sides) Material: Fine Colored steel Plate and Superior Plastics Size: 570*550*940 mm(with shelves on both sides) 4 castors with 2 brakes	TR108ZY	R 18 597.10	\$ 1 487.77
	Luxurious Medicine Dispensing Cart (One side) Material: Fine Colored steel Plate and Superior Plastics Size: 570*380*940mm(with shelf on each side) 4 castors with 2 brakes	TR108ZY	R 16 117.49	\$ 1 289.40
	Waiting Chair Size: 700/Seat (mm)	TRHZ-E003	R 942.25	\$ 75.38
	Waiting Chair Size: 500/Seat (mm)	TRHZ-E001	R 347.15	\$ 27.77
	Doctor Chair / Nurse Chair	E002	R 867.86	\$ 69.43
	Operation Stool Material: Stainless Steel Specification: Three-legged, four-legged, five-legged	E016	R 595.11	\$ 47.61
	Anaesthesia Cart Material: Stainless Steel Size: 600x400x980 (mm)	TRZY-001	R 6 199.03	\$ 495.92
	Anaesthesia Cart Material: Stainless Steel Size: 600x400x800 (mm)	TRZY-002	R 3 719.42	\$ 297.55
	Anaesthesia Cart Material: Stainless Steel Size: 655x420x830 (mm)	TRZY-003	R 3 223.50	\$ 257.88
	Anaesthesia Cart Material: Stainless Steel Size: 550x480x860、460x400x860 (mm)	TRZY-004	R 2 479.61	\$ 198.37
	Anaesthesia Cart Material: Stainless Steel Size: 550x480x860 (mm)	TRZY-005	R 3 471.46	\$ 277.72
	Anaesthesia Cart Material: Stainless Steel Size: 500x400x860 (mm)	TRZY-006	R 2 479.61	\$ 198.37
	Emergency Treatment Cart Material: Stainless Steel Size: 650x420x870 (mm)	TRZY-007	R 4 959.23	\$ 396.74
	Emergency Treatment Cart Material: Stainless Steel Size: 650x420x870 (mm)	TRZY-008	R 3 967.38	\$ 317.39

	Anaesthesia Cart (two doors and two drawers) Material: Stainless Steel Size: 650x420x850 (mm)	TRZY-009	R 2 975.54	\$ 238.04
	Emergency Treatment Cart Material: Stainless Steel Size: 650x420x870 (mm)	TRZY-010	R 3 967.38	\$ 317.39
	Emergency Treatment Cart Material: Stainless Steel Size: 650x420x870 (mm)	TRZY-011	R 4 339.32	\$ 347.15
	Treatment Trolley Material: Stainless Steel Size: 650x420x870 (mm)	TRZY-012	R 2 727.57	\$ 218.21
	Treatment Trolley Material: Stainless Steel Size: 650x420x870 (mm)	TRZY-013	R 2 479.61	\$ 198.37
	Medicine Delivery Trolley Material: Stainless Steel Size: 650x400x835 570x400x835 (mm)	TRZY-014	R 3 719.42	\$ 297.55
	Medicine Delivery Trolley Material: Stainless Steel Size: 650x400x835 570x400x835 (mm)	TRZY-015	R 3 967.38	\$ 317.39
	Medicine Delivery Trolley Material: Stainless Steel Size: 650x400x835 (mm)	TRZY-016	R 3 967.38	\$ 317.39
	Treatment Trolley Material: Stainless Steel Size: 660x440x860 600x400x860 (mm)	TRZY-018	R 2 975.54	\$ 238.04
	Treatment Trolley Material: Stainless Steel Size: 800x480x860, 660x440x860, 600x400x860 (mm)	TRZY-019	R 2 231.65	\$ 178.53
	Treatment Trolley with Two Drawers Material: Stainless Steel Size: 660x440x860, 600x400x860, 500x400x860 (mm)	TRZY-020	R 2 653.19	\$ 212.25
	Treatment Trolley with Big Drawer Material: Stainless Steel Size: 750x500x860, 660x440x860, 600x400x860, 500x400x860 (mm)	TRZY-021	R 2 405.22	\$ 192.42
	Treatment Trolley Material: Stainless Steel Size: 800x480x860, 660x440x860, 600x400x860 (mm)	TRZY-022	R 2 231.65	\$ 178.53
	Treatment Trolley Material: Stainless Steel Size: 800x480x860, 660x440x860, 600x400x860 (mm)	TRZY-023	R 2 157.26	\$ 172.58
	Treatment Trolley Material: Stainless Steel Size: 800x480x860, 660x440x860, 600x400x860 (mm)	TRZY-024	R 2 157.26	\$ 172.58


	Treatment Trolley Material: Stainless Steel Size: 800x480x860、700x480x860、660x440x860、600x400x860 (mm)	TRZY-025	R 2 182.06	\$ 174.56
	Fan-Shaped Operation Apparatus Table Material: Stainless Steel Size: 1500x460x930、1400x460x900、1200x460x900 (mm)	TRZY-026	R 3 967.38	\$ 317.39
	Trolley for Medical Instrument Material: Stainless Steel Size: 550x410x860 (mm)	TRZY-027	R 2 975.54	\$ 238.04
	Trolley for Medical Instrument Material: Stainless Steel Size: 600x550x1600 (mm)	TRZY-028	R 4 463.30	\$ 357.06
	Trolley for Medical Instrument Material: Stainless Steel Size: 540x430x800、600x430x800 (mm)	TRZY-029	R 2 975.54	\$ 238.04
	Electrotome Trolley Material: Stainless Steel Size: 450x650x850 (mm)	TRZY-030	R 2 231.65	\$ 178.53
	Transfusion Trolley Material: Stainless Steel Size: 750x450x820 (mm)	TRZY-031	R 3 223.50	\$ 257.88
	Transfusion Trolley Material: Stainless Steel Size: 750x500x820 (mm)	TRZY-032	R 3 223.50	\$ 257.88
	Transfusion Trolley Material: Stainless Steel Size: 750x450x850/870 (mm)	TRZY-033	R 3 471.46	\$ 277.72
	Transfusion Trolley Material: Stainless Steel Size: 800x450x800 (mm)	TRZY-034	R 3 719.42	\$ 297.55
	Transfusion Trolley Material: Stainless Steel Size: 1100x550x800 (mm)	TRZY-035	R 7 438.84	\$ 595.11
	Trolley for Making Up Bed and Nursing Material: Stainless Steel Size: 1000x540x940 (mm)	TRZY-036	R 3 719.42	\$ 297.55
	Trolley for Making Up Bed and Nursing Material: Stainless Steel Size: 450x650x850 (mm)	TRZY-037	R 3 719.42	\$ 297.55
	Trolley for Making Up Bed and Nursing Material: Stainless Steel Size: 900x500x850 (mm)	TRZY-038	R 3 719.42	\$ 297.55
	Trolley for Making Up Bed and Nursing Material: Stainless Steel Size: 900x500x850 (mm)	TRZY-039	R 3 967.38	\$ 317.39
	Trolley for Dirty Clothes Material: Stainless Steel Size: 550x550x850、Φ550x800 (mm)	TRZY-040	R 1 884.51	\$ 150.76
	Trolley for Dirty Clothes Material: Stainless Steel Size: 990x590x880 (mm)	TRZY-041	R 2 975.54	\$ 238.04
	Delivery Cart Material: Stainless Steel Size: 1200x820x900 (mm)	TRZY-042	R 6 694.96	\$ 535.60




	Delivery Cart Material: Stainless Steel Size: 1200x820x900 (mm)	TRZY-043	R 6 199.03	\$ 495.92
	Delivery Cart Material: Stainless Steel Size: 1200x820x900 (mm)	TRZY-044	R 6 199.03	\$ 495.92
	Aseptic Trolley Material: Stainless Steel Size: 1125x610x890 (mm)	TRZY-045	R 7 438.84	\$ 595.11
	Aseptic Trolley Material: Stainless Steel Size: 1000x550x990 (mm)	TRZY-046	R 7 438.84	\$ 595.11
	Trolley for Medical Record Holders Material: Stainless Steel Specification: 40 books/50 books/60 books/25 books/30 books	TRZY-047	R 3 843.40	\$ 307.47
	Thermos Cart Material: Stainless Steel Specification: 30 bottles : 800x540x880 (mm) 24 bottles : 600x360x970 (mm)	TRZY-048	R 2 975.54	\$ 238.04
	Emergency Treatment Cart Material: Stainless Steel Size: 670x440x900 (mm)	TRZY-049	R 3 595.44	\$ 287.64
	Treatment Trolley Material: Stainless Steel Size: 700x430x840 (mm)	TRZY-050	R 3 595.44	\$ 287.64
	Debridement Cart Material: Stainless Steel Size: 650x420x850 (mm)	TRZY-051	R 3 719.42	\$ 297.55
	Debridement Cart Material: Stainless Steel Size: 600x600x900 (mm)	TRZY-052	R 3 719.42	\$ 297.55
	Oxygen Bottle Trolley Material: Stainless Steel Size: 1200x345x920 (mm) 、 Holds 5 liters Small 1200x345x920 (mm) (Deluxe)	TRZY-053	R 1 735.73	\$ 138.86
	Oxygen Bottle Trolley Material: Carbon Steel Size: 1200x345x920 (mm)	TRZY-054	R 1 487.77	\$ 119.02
	Square Tray Satnd Material: Stainless Steel Size: 400x300x88、 450x350x88、 500x400x88、 600x400x88 (mm)	TRZY-055	R 1 487.77	\$ 119.02
	Square Tray Satnd Material: Stainless Steel Size: 600x400x95、 650x400x95 (mm)	TRZY-056	R 1 487.77	\$ 119.02
	Dinner Satnd for Patient Material: Stainless Steel Size: 600x400x95、 650x400x95 (mm)	TRZY-057	R 1 735.73	\$ 138.86
	Gloves Shelf Material: Stainless Steel Size: 500x360x1420(64poles) (mm)	TRZY-058	R 2 231.65	\$ 178.53

	<p>Transfusion Stand (I.V stand)</p> <p>Material: Stainless Steel Specification: Without wheels, pulley (extensible)</p>	TRZY-060	R 446.33	\$ 35.71
	<p>Reflector Lamp</p> <p>Material: Stainless Steel Specification: Without wheels, pulleys (can be curving and extensible)</p>	TRZY-061	R 421.53	\$ 33.72
	<p>Storage Tank Lid Shelf</p> <p>Material: Stainless Steel Size: Dual-slot 650x400x900/1400 (mm) Single slot 400x400x900/1400 (mm)</p>	TRZY-062	R 1 735.73	\$ 138.86
	<p>Medicine Changing Stand</p> <p>Material: Stainless Steel Size: 1125x610x890 (mm)</p>	TRZY-063	R 1 239.81	\$ 99.18
	<p>Stands for hand Soaking Drum</p> <p>Material: Stainless Steel Size: Single barrel, double barrel</p>	TRZY-064	R 1 983.69	\$ 158.70
	<p>Floor Cabinet</p> <p>Material: Stainless Steel Size: 1500x500x900 (Three doors and three drawers) (mm) 1900x500x900 (Four doors and four drawers) (mm)</p>	TRZY-065	R 16 117.49	\$ 1 289.40
	<p>Cabinet for Agent Deployment</p> <p>Material: Stainless Steel Size: 900x300/600x1800 (mm) 1200x300/600x1800 (mm) 1500x300/600x1800 (mm)</p>	TRZY-066	R 16 613.41	\$ 1 329.07
	<p>Cabinet for Agent Deployment</p> <p>Material: Stainless Steel Size: 900x300/600x1800 (mm) 1200x300/600x1800 (mm) 1500x300/600x1800 (mm)</p>	TRZY-067	R 14 877.68	\$ 1 190.21
	<p>Instrument Cabinet</p> <p>Material: Stainless Steel Size: 950x400x1800 (mm)</p>	TRZY-068	R 11 158.26	\$ 892.66
	<p>Instrument Cabinet</p> <p>Material: Stainless Steel Size: 950x400x1800 (mm)</p>	TRZY-069	R 9 918.45	\$ 793.48


	<p>Instrument Cabinet</p> <p>Material: Stainless Steel Size: 900x275/500x1800 (mm) (Two doors and two drawers) 1200x275/600x1800 (mm) (Three doors and three drawers) 1500x275/600x1800 (mm) (Four doors and four drawers) 1900x275/600x1800 (mm) (Five doors and five drawers)</p>	TRZY-070	R 18 225.16	\$ 1 458.01
	<p>Treatment Cabinets</p> <p>Material: Stainless Steel Size: 1800x350/750x1600 (mm)</p>	TRZY-071	R 14 877.68	\$ 1 190.21
	<p>Test Table</p> <p>Material: Stainless Steel Size: 3000x250/1200x1800 (mm)</p>	TRZY-072	R 19 836.90	\$ 1 586.95
	<p>Work table</p> <p>Material: Stainless Steel Size: 3000x600x900 (mm)</p>	TRZY-073	R 17 357.29	\$ 1 388.58
	<p>Sterile Equipment Cabinet</p> <p>Material: Stainless Steel Size: 980x500x1800 (mm)</p>	TRZY-074	R 9 918.45	\$ 793.48
	<p>PC Worktable for Medicine Dispensing</p> <p>Material: Stainless Steel Size: 1200x600x800、1400x600x800 (mm)</p>	TRZY-075	R 8 678.65	\$ 694.29
	<p>Adjustable Double-doo Drug Shelves</p> <p>Material: Stainless Steel Size: 980x500x1800 (mm)</p>	TRZY-076	R 13 389.91	\$ 1 071.19
	<p>Medicine Cabinet without Door</p> <p>Size: 980x400x1800 (mm)</p>	TRZY-077	R 7 438.84	\$ 595.11
	<p>Instrument Cabinet</p> <p>Material: Stainless Steel Size: 950x400x1800 (mm)</p>	TRZY-078	R 9 918.45	\$ 793.48
	<p>Sterile Equipment Cabinet</p> <p>Material: Stainless Steel Size: 980x500x1800 (mm)</p>	TRZY-079	R 18 597.10	\$ 1 487.77
	<p>Chinese Traditional Medicine Cabinet (40 drawer)</p> <p>Material: Stainless Steel Size: 980x400x1800 (mm)</p>	TRZY-080	R 16 861.37	\$ 1 348.91
	<p>Double-sided Cabinet for Western Medicine Transfers</p> <p>Material: Stainless Steel Size: 1980x700/1100x1800 (mm)</p>	TRZY-081	R 53 311.68	\$ 4 264.93
	<p>Double-sided Cabinet for Chinese Traditional Medicine Transfers</p> <p>Material: Stainless Steel Size: 1980x500/1200x1800 (mm)</p>	TRZY-082	R 66 949.55	\$ 5 355.96
	<p>Inpatient List</p> <p>Specification: 40people、60people</p>	TRZY-083	R 1 115.83	\$ 89.27

	Footrest (Double Step) Material: Stainless Steel	TRZY-084	R 570.31	\$ 45.62
	Article Delivery Cart with Flat Plate Material: Stainless Steel Size: 800x500x200+600 (mm)	TRZY-085	R 1 983.69	\$ 158.70
	Medical Record Holder Material: ABS	TRZY-086	R 111.58	\$ 8.93
	Medical Record Holder Material: Stainless Steel	TRZY-087	R 111.58	\$ 8.93
	Western-style Bedpan Material: Stainless Steel	TRZY-088	R 421.53	\$ 33.72
	Urinal Material: Stainless Steel	TRZY-089	R 245.88	\$ 19.67
	Collecting Tank (tension type) Material: Stainless Steel Specification: (mm) Φ 170、 Φ 200、 Φ 230、 Φ 260、 Φ 300	TRZY-090	R 322.35	\$ 25.79
	Medicine Jar Material: Stainless Steel Specification: (mm) Φ 80、 Φ 90、 Φ 100	TRZY-091	R 123.98	\$ 9.92
	Conic-Shape Forceps Holder Material: Stainless Steel Specification: (mm) Large Φ 80x198 Medium Φ 64x158 Small Φ 45x113	TRZY-092	R 99.18	\$ 7.93
	Sterilized Bottles Material: Stainless Steel Specification: (mm) Φ 50x103、 Φ 50x93、 Φ 50x83、 Φ 50x53	TRZY-093	R 198.37	\$ 15.87
	Sterilized Tray (side with hole) Material: Stainless Steel Specification: (mm) 12 inch: 290x190x50、 9 inch: 230x150x50、8 inch: 200x110x48	TRZY-094	R 173.57	\$ 13.89
	Sterilized Tray (no hole) Material: Stainless Steel Specification: (mm) 12 inch: 290x190x50、 9 inch: 230x150x50、8 inch: 200x110x48	TRZY-095	R 173.57	\$ 13.89
	Sterilized tray (Open and close automatically with lid) Material: Stainless Steel Specification: (mm) Φ 160x154、 Φ 140x130	TRZY-096	R 272.76	\$ 21.82
	Aluminum Needle Tube Sterilizer (with holes) Material: Aluminum Specification: (mm) Large 9 inch: 223x133x66 Medium 8 inch: 220x122x65 Small 6 inch: 173x104x61	TRZY-097	R 123.98	\$ 9.92

	Aluminum Needle Tube Sterilizer (without holes) Material: Aluminum Specification: (mm) Large 9 inch: 223x133x66 Medium 8 inch: 220x122x65 Small 6 inch: 173x104x61	TRZY-098	R 148.78	\$ 11.90
	Kidney-shape Plate (Shallow type) Material: Stainless Steel Size: Large : 204x130x25 (mm) Medium : 190x116x25 (mm) Small : 178x104x25 (mm)	TRZY-099	R 99.18	\$ 7.93
	Kidney-shape Plate (Deep type) Material: Stainless Steel Size: Large : 243x125x50 (mm) Medium : 203x102x44 (mm) Small : 165x80x38 (mm)	TRZY-100	R 148.78	\$ 11.90
	Medical Waste Bowl Material: Stainless Steel Specification: (mm) Φ 160x52、Φ 140x50、Φ120x47	TRZY-101	R 74.39	\$ 5.95
	Wash Basin Material: Stainless Steel Specification: (mm) Φ 400x160、Φ 360x140、Φ320x130、Φ260x120、Φ240x110、Φ220x100	TRZY-102	R 247.96	\$ 19.84
	Filling Barrel Material: Stainless Steel Specification: (mm) Φ100x165(1000ml) Φ123x195(2000ml)	TRZY-103	R 247.96	\$ 19.84
	Measuring Cup Material: Stainless Steel Specification: (mm) Φ85x110(500ml) Φ100x150(500ml) Φ123x190(500ml)	TRZY-104	R 247.96	\$ 19.84
	Hand Soaking Drum Material: Stainless Steel Specification: (mm) Φ 230x370	TRZY-105	R 446.33	\$ 35.71
	Dirt Bucket Material: Steel Specification: 8L、10L、12L、20L、25L	TRZY-106	R 297.55	\$ 23.80
	Colposcope Material: Stainless Steel Specification: Medium for Surgery 85x100 (mm) Medium for Examination	TRZY-107	R 99.18	\$ 7.93
	Gauze Jar Material: Stainless Steel Specification: Φ160x154、Φ140x130、Φ120x120 (mm)	TRZY-108	R 148.78	\$ 11.90
	Treatment Plate (without bottles) Material: Stainless Steel Specification: 400x300x33(A)、310x240x31(B)、300x198x50(C,D) (mm)	TRZY-109	R 247.96	\$ 19.84
	Treatment Plate (with bottles) Material: Stainless Steel Specification: 400x300x33(A)、300x198x50(B,C) (mm)	TRZY-110	R 297.55	\$ 23.80







	Attendant Chair	TRZT	R 1 740.24	\$ 139.22
	Double Basin Trestle Material: Stainless Steel	TR41-AZY	R 1 487.77	\$ 119.02
	Treatment Trolley	TR01-DZY	R 2 677.98	\$ 214.24









SCALES				
ITEM NAME		MODEL CODE	SELLING PRICE	
			RANDS	DOLLARS
	Scale 1. Double ruler 2. Weighting scale 3. 140,160,200kg	TRWS-200	R 1 570.42	\$ 125.63
	Scale 1. Weighting scale 3. 120-160kg	TRWS-120	R 847.20	\$ 67.78
	Baby Scale 1. With Ruler 2. With Digital	EBSC-20	R 950.52	\$ 76.04
	Baby Scale 1. With Meter	YRBB-20	R 305.82	\$ 24.47
	Scale 1. Baby weighting 2. Suit for south-east Asia market	BR9311	R 194.24	\$ 15.54
	Scale 1. Baby weighting 2. Suit for Europe Market	BR2010B	R 231.43	\$ 18.51


	<p>Scale</p> <ol style="list-style-type: none"> 1. Body weighting 2. Test the percent on body for fattiness, water, muscle 	<p>BF08</p>	<p>R 495.92</p>	<p>\$ 39.67</p>
---	--	--------------------	------------------------	------------------------

<p>UNCCS CODES USED AND DEFINITION</p>	
<p>481351</p>	<p>Scales, dental</p>




STRETCHERS

ITEM NAME		MODEL CODE	SELLING PRICE	
			RANDS	DOLLARS
	Stretcher	AFS-1A1	R 1 281.13	\$ 102.49
	Stretcher	AFS-1A3	R 1 983.69	\$ 158.70
	Stretcher	AFS-1A4	R 785.21	\$ 62.82
	Stretcher	AFS-1A4H	R 1 446.44	\$ 115.72
	Stretcher	AFS-1A5	R 1 983.69	\$ 158.70
	Stretcher	AFS-1A6	R 1 239.81	\$ 99.18
	Stretcher	AFS-1A7	R 1 322.46	\$ 105.80

	Stretcher	AFS-1A8	R 2 231.65	\$ 178.53
	Stretcher	AFS-1A9	R 950.52	\$ 76.04
	Stretcher	AFS-1A10	R 1 074.50	\$ 85.96
	Stretcher	AFS-1F1	R 1 735.73	\$ 138.86
	Stretcher	AFS-1F2	R 1 859.71	\$ 148.78
	Stretcher	AFS-1F3	R 2 686.25	\$ 214.90
	Scoop Stretcher	AFS-4A	R 2 975.54	\$ 238.04
	Scoop Stretcher	AFS-4B	R 3 140.84	\$ 251.27

		AFS-7A1	R 1 384.45	\$ 110.76
		AFS-7A3	R 0.00	\$ -
		AFS-7A4	R 1 198.48	\$ 95.88
		AFS-7B1	R 1 508.43	\$ 120.67
		AFS-7B2	R 0.00	\$ -
	Stair Stretcher	AFS-5L	R 3 099.52	\$ 247.96
	Stair Stretcher	AFS-5G	R 3 306.15	\$ 264.49
	Stretcher for Ambulance Car	ASC-2A	R 5 331.17	\$ 426.49


	Stretcher for Ambulance Car	ASC-3B	R 8 182.72	\$ 654.62
	Stretcher for Ambulance Car	ASC-3D	R 23 969.59	\$ 1 917.57
	Stretcher for Ambulance Car	AMT-2L	R 5 785.76	\$ 462.86
	Stretcher for Ambulance Car	AMT-2R	R 17 357.29	\$ 1 388.58
	Massage	LF09A-06	R 640.57	\$ 51.25
	Massage	LF06B-09	R 495.92	\$ 39.67
	Massage	LF01A-23	R 309.95	\$ 24.80
	Massage	LF01B-02	R 0.00	\$ -


	1900*630*800mm	1.Made of stainless steel. 2.Mounted on 4 casters. 3.Backward.	R 9 918.45	\$ 793.48
	1900*630*800mm	1.Made of stainless steel. 2.Mounted on 4 casters. 3.Backward. 4.With side rails,oxygen bottle holder,and basket.	R 17 835.81	\$ 1 426.87
	1900*630*800mm	steel. 2.Mounted on 4 casters. 3.Backward. 4.With side rails,oxygen bottle holder,basket and I.V.stand,	R 11 902.14	\$ 952.17

UNCCS CODES USED AND DEFINITION	
481730	Wheelchairs, crutches, walkers and related equipment

HOSPITAL ITEMS

HOSPITAL ITEMS				
ITEM NAME		MODEL CODE	SELLING PRICE	
	Instrument		RANDS	DOLLARS
	Compressor nebulizer	KQW-4A/AS1	R 537.25	\$ 42.98
	Compressor nebulizer	KQW-3A	R 570.31	\$ 45.62
	Compressor nebulizer	KQW-5A	R 611.64	\$ 48.93
	Ultrasonic Nebulizer	TR-NU203	R 991.85	\$ 79.35
	Ultrasonic Nebulizer	TR-NU96	R 1 487.77	\$ 119.02

	Undulation Air-Blowing Bedsore Prevention Cure Mattress 1. Diameter: 11cm 2. Spray air type 3. Striped Style	TR-AM-11	R 1 487.77	\$ 119.02
	Undulation Air-Blowing Bedsore Prevention Cure Mattress 1. Lattice Style	TR-AM-8	R 991.85	\$ 79.35
	Medical Air Pad 1.by rubber	TR-AM-1	R 74.39	\$ 5.95
	Medical Air Pad 1. by cloth with soft	TR-AM-1	R 74.39	\$ 5.95
ICU PRODUCTS				
	Name	MODEL CODE	SELLING PRICE	
	Syring Pump 1. single syring 2.Flow rate: 0.1-399.9ml/h (20ml)0.1-600ml/h (30ml)0.1-1200ml/h (50ml)	TW50AN	R 12 398.07	\$ 991.85
	Syring Pump 1. Double syring (double channel, the block, pressure and alarm can be chose) 2.Flow rate: 0.1-99.9ml/h	TW-50F	R 24 796.13	\$ 1 983.69






	Infusion Pump 1. Infused display volume: 0-9999ml 2. Flow option: 1-1000ml/h 3. Infusion limitation option: 1-9999ml/h 4. Infusion accuracy: -1000ml/h ± 10%	TR5800	R 21 076.71	\$ 1 686.14
---	---	---------------	--------------------	--------------------

UNCCS CODES USED AND DEFINITION	
481679	Infusion pumps, for drug administration, non power driven
481500	instruments and appliances, medical or surgical n.e.c.

WHEELCHAIRS







ITEM NAME		MODEL CODE	SELLING PRICE	
			RANDS	DOLLARS
	Wheel chair with spray plastic	F809-46	R 1 449.62	\$ 115.97
	Wheel chair with spray plastic	F809-41	R 1 449.62	\$ 115.97
	Wheel chair with spray plastic	F875	R 1 449.62	\$ 115.97
	Wheel chair with spray plastic	F873	R 1 449.62	\$ 115.97
	Wheel chair with spray plastic	F874	R 1 560.25	\$ 124.82
	Wheel chair with aluminium	F903L	R 3 578.27	\$ 286.26
	Wheel chair	F903-46	R 1 888.32	\$ 151.07
	Wheel chair	F909	R 2 224.02	\$ 177.92
	Wheel chair	F950 LB	R 4 039.86	\$ 323.19
	Wheel chair	F957LQ	R 3 948.31	\$ 315.86

	Wheel chair	F903LQ	R 3 578.27	\$ 286.26
	Wheel chair	F955L	R 3 208.24	\$ 256.66
	Wheel chair	F959LQ	R 3 738.49	\$ 299.08
	Wheel chair	F954LGC	R 3 887.27	\$ 310.98
	Wheel chair	F954GC	R 2 590.24	\$ 207.22
	Wheel chair with drip stand	4624	R 3 471.46	\$ 277.72
	Wheel chair	F902GC	R 2 655.09	\$ 212.41

	Wheel chair	F912L	R 602.74	\$ 48.22
	Wheel chair	F915L	R 598.92	\$ 47.91
	Wheel chair	F920	R 171.67	\$ 13.73
	Wheel chair	F927	R 206.00	\$ 16.48
	Wheel chair	F930	R 186.92	\$ 14.95



UNCCS CODES USED AND DEFINITION


481730	Wheelchairs, crutches, walkers and related equipment
--------	--

TEST STRIP				
ITEM NAME		Unit	SELLING PRICE	
			RANDS	DOLLARS
	13 item Uric test strips for TRCU-60	/100pcs/bottle	R 350.96	\$ 28.08
	Test Strip for ZH-G01/02.	25pcs/bottle	R 0.00	\$ -
	2V	100strips/bottle	R 37.29	\$ 2.98
	2V	100strips/bottle	R 37.29	\$ 2.98
	3V	100strips/bottle	R 43.87	\$ 3.51
	4V	100strips/bottle	R 61.42	\$ 4.91
	5V	100strips/bottle	R 70.19	\$ 5.62
	8V	100strips/bottle	R 109.68	\$ 8.77
	9V	100strips/bottle	R 127.22	\$ 10.18



	10V	100strips/bottle	R 140.38	\$ 11.23
	One touch	25pcs/bottle	R 96.51	\$ 7.72
	HCG Midstream		R 18.50	\$ 1.48
	HCG 5mm Boat Cassette		R 9.25	\$ 0.74
	HCG 3mm S-Rect Cassette		R 5.92	\$ 0.47
	HCG 4.2mm S-Rect Cassette		R 7.40	\$ 0.59
	HCG Strip 2.5mm		R 3.18	\$ 0.25
	HCG Strip 3mm		R 3.44	\$ 0.28
	HCG Strip 3.5mm		R 3.70	\$ 0.30
	HCG Strip 4mm		R 3.92	\$ 0.31
	HCG Strip 5mm		R 4.44	\$ 0.36
	HCG Strip(Serum)3.5mm		R 3.70	\$ 0.30
	HCG 5mm Boat Cassette		R 12.21	\$ 0.98
	LH Strip 3mm		R 6.48	\$ 0.52
	LH Strip 5mm		R 8.51	\$ 0.68
	LH Boat Cassette 5mm		R 11.47	\$ 0.92
	LH S-Rect Cassette 4.2mm		R 10.18	\$ 0.81
	LH S-Rect Cassette 3mm		R 7.77	\$ 0.62
	AFP Strip 3mm		R 7.59	\$ 0.61
	AFP Cassette 4.2mm		R 14.80	\$ 1.18
	HBsAg Strip 3mm		R 5.85	\$ 0.47
	HBsAg Cassette 4.2mm		R 8.51	\$ 0.68
	HBsAg Cassette 3mm		R 6.85	\$ 0.55
	Anti-HBs Strip 3mm		R 7.96	\$ 0.64
	Anti-HBs Cassette 4.2mm		R 10.73	\$ 0.86
	Anti-HBs Cassette 3mm		R 8.51	\$ 0.68
	Anti-HBe strip 3mm		R 7.40	\$ 0.59
	Anti-HBe Cassette 4.2mm		R 10.18	\$ 0.81
	Anti-HBe Cassette 3mm		R 8.51	\$ 0.68
	HBeAg Strip 3mm		R 7.40	\$ 0.59
	HBeAg Cassette 4.2mm		R 10.18	\$ 0.81
	HBeAg Cassette 3mm		R 8.51	\$ 0.68
	Anti-HBc Strip 3mm		R 7.40	\$ 0.59
	Anti-HBc Cassette 4.2mm		R 10.18	\$ 0.81
	Anti-HBc Cassette 3mm		R 8.51	\$ 0.68
	Anti-Syphilis 3mm		R 8.51	\$ 0.68
	Anti-Syphilis Cassette 4.2mm		R 13.69	\$ 1.10
	GNH Strip 3mm		R 7.77	\$ 0.62
	PSA STRIP 3mm		R 9.25	\$ 0.74
	CEA STRIP 3mm		R 9.25	\$ 0.74
	Anti-HCV Strip 3mm		R 8.51	\$ 0.68
	Anti-HCV Cassette 3mm		R 10.73	\$ 0.86
	Anti-HCV Cassette 4.2mm		R 13.69	\$ 1.10
	Morphine Strip 3mm		R 11.10	\$ 0.89
	Cocaine Strip 3mm		R 11.10	\$ 0.89
	Cannabinoid(THC) Strip 3mm		R 12.95	\$ 1.04


	Amphetamine Strip 3mm		R 14.80	\$ 1.18
	Methamphetamine Strip 3mm		R 14.80	\$ 1.18
	MDMA Strip 3mm		R 14.80	\$ 1.18
	MDMA S-Rect Cassette 4.2mm		R 20.36	\$ 1.63
	ANTI-HIV I+II STRIP 3mm		R 11.10	\$ 0.89
	ANTI-HIV I+II CASSETTE 3mm		R 14.80	\$ 1.18
	ANTI-HIV I+II CASSETTE 4.2mm		R 18.87	\$ 1.51
	ANTI-HIV I+II CASSETTE 5mm		R 20.36	\$ 1.63
	Helicobacter Pylori Strip 3mm		R 20.36	\$ 1.63
	Helicobacter Pylori S-Rect Cassette 3mm		R 25.91	\$ 2.07
	Helicobacter Pylori S-Rect Cassette 4.2mm		R 33.31	\$ 2.66
	Malaria pf STRIP 3mm		R 14.80	\$ 1.18
	Malaria pf S-Rect CASSETTE 3mm		R 18.50	\$ 1.48
	Malaria pf S-Rect CASSETTE 4.2mm		R 24.06	\$ 1.92
	HAV IgM STRIP 3mm		R 17.39	\$ 1.39
	HAV IgM S-Rect CASSETTE 3mm		R 21.10	\$ 1.69
	HAV IgM S-Rect CASSETTE 4.2mm		R 27.76	\$ 2.22
481920	Medical tests, other			

PENDANT				
	ITEM NAME	MODEL CODE	SELLING PRICE	
			RANDS	DOLLARS
	<p>Medical surgical electric Pendant-double arm</p> <p>1. Power Supply : AC220V , 50HZ ;</p> <p>2. Table: up and down≤500mm, Engine power ≤1KW ;</p> <p>3. lateral arm movement (semi diameter) : 600+700 mm;</p> <p>4. level revolving degree ≤340°, lateral arm and case body can revolving at the same time ;</p> <p>5. electromagnetism brake arrester, equipment can be no excursion during operation and easy move once release.</p> <p>6. net loading weight≤100kg ;</p> <p>7. apparatus flat : 2 layers (height adjustable) , loading weight≤50kg ; round angle crashworthy design</p> <p>8. Gas joint standard configuration : Oxygen 2pcs、 minus pressure suction 2pcs、 compress air 1pc</p>	DYT-SB	R 81 827.23	\$ 6 546.18
	<p>Medical surgical electric Pendant-single arm</p> <p>1. Power Supply : AC220V , 50HZ ;</p> <p>2. Table: up and down≤600mm, Engine power ≤1KW ;</p> <p>3. lateral arm movement (semi diameter) :750mm;</p> <p>4. level revolving degree ≤340°, lateral arm and case body can revolving at the same time ;</p> <p>5. electromagnetism brake arrester, equipment can be no excursion during operation and easy move once release.</p> <p>6. net loading weight≤100kg ;</p> <p>7. apparatus flat : 2 layers (height adjustable) , loading weight≤50kg ; round angle crashworthy design</p> <p>8. Gas joint standard configuration : Oxygen 2pcs、 minus pressure suction 2pcs、 compress air 1pc</p>	DYT-DB	R 70 916.93	\$ 5 673.35
	<p>Anaesthesia Pendant</p> <p>1. Power Supply : AC220V , 50HZ ;</p> <p>2. Table: up and down≤300mm, Engine power ≤1KW ;</p> <p>3. lateral arm movement (semi diameter) :600mm;</p> <p>4. level revolving degree ≤340°, lateral arm and case body can revolving at the same time ;</p> <p>5. electromagnetism brake arrester, equipment can be no excursion during operation and easy move once release.</p> <p>6. net loading weight≤150kg ;</p> <p>7. apparatus flat : 1 layer (height adjustable) , loading weight≤50kg ; round angle crashworthy design</p> <p>8. Gas joint standard configuration : Oxygen 2pcs、 minus pressure suction 2pcs、 compress air 1pc ; nitrous oxide 1pc ; waste gas 1pc</p>	DYT-MZ	R 70 916.93	\$ 5 673.35
	<p>Medical ceiling tower type pole</p> <p>1. Power Supply : AC220V , 50HZ ;</p> <p>2. case body level revolving degree ≤340°,</p> <p>3. electromagnetism brake arrester, equipment can be no excursion during operation and easy move once release.</p> <p>4. net loading weight≤100kg ;</p> <p>5. apparatus flat : 2 layers (height adjustable) , loading weight≤50kg ; round angle crashworthy design</p> <p>6. Gas joint standard configuration : Oxygen 2pcs、 minus pressure suction 2pcs、 compress air 1pc</p>	DYT-YY	R 59 510.71	\$ 4 760.86

	<p>Medical Endoscope manual Pendant-single arm</p> <ol style="list-style-type: none"> 1. Power Supply : AC220V , 50HZ ; 2. Table: up and down≤750mm ; 3. lateral arm movement (semi diameter) :750mm; 4. level revolving degree ≤340°, lateral arm and case body can revolving at the same time ; 5. electromagnetism brake arrester, equipment can be no excursion during operation and easy move once release. 6. net loading weight≤120kg ; 7. apparatus flat : 3 layers (height adjustable) , loading weight≤50kg ; round angle crashworthy design ; 8. Gas joint standard configuration : Oxygen 2pcs、 minus pressure suction 2pcs、 compress air 1pc ; CO2 1pc 	<p>DYT-QJ</p>	<p>R 74 388.39</p>	<p>\$ 5 951.07</p>
---	---	----------------------	---------------------------	---------------------------

Picture	Diagnostic Products		SELLING PRICE	
	Name	Model	RANDS	DOLLARS
	Sphygmomanometer 1. I.D. of glass tube : $\Phi 3.0 \pm 0.2$ 2. Cuff : 021 Cotton 50x14 CM 3. PCS/CTN : 20 4. G.W(Kgs) : 23 5. Carton size : 43x33x37	TE007	R 272.76	\$ 21.82
	Sphygmomanometer Floor stand model 1. Steel tube, iron castors with 5 pieces brakes. 2. Height adjustable from 105cm to 146cm. 3. Spring screw tube 2.5m. 4. Adult cuff 50x14cm. 5. Adult bladder 22x12cm 6. Standard bulb with both valve. 7. 1 PC/CTN 50x50x22cm 8KGS	TE013	R 892.66	\$ 71.41
	Aneroid Sphygmomanometer 1. Cuff: 023 Nylon D ring 48x14cm 2. Bladder: 053 latex 3. Bulb: 052.2 4. Bag: 069 Vinyl 5. PCS/CTN 50 6. G.W.(Kgs): 23 7. Carton size(cm): 57x36x34 8. Remarks: Euro type	TE014	R 99.18	\$ 7.93
	Sphygmomanometer 1. Measure unit: mmHg. 2. Minimal scale: LCD/LIGHT column 2mmHg. 3. Numerical display: 1mmHg. 4. Measure method: stethoscopy. 5. Measure scope: LCD/LIGHT column: 0-280mmHg Numerical display: 0-300mmHg. 6. Available discrepancy: +/-3mmHg. 7. Pulse rate: 30-200/Min, +/-5%. 8. Pressurization: manual by bulb. 9. Depressurization: manual by air release valve. 10. Power supply: LCD Type: 3V, AA*2 11. Light Display Type: 6V, AA*4	TE018	R 471.13	\$ 37.69
	Single Head Stethoscope Anodized aluminum chestpiece of diameter 46mm for adult, brass chrome plated binaural, white plastic or soft materials ear tips, and one Y-PVC tubing in assorted colors: Black, Yellow, Red, Pink, Blue, Orange, Green, White, Gray, Navy, Brown, Peach, Lavender, etc.	TE015-DT010	R 24.80	\$ 1.98
	Single Head Stethoscope(Pediatric) Anodized aluminum chestpiece of diameter 38mm for pediatric, brass chrome plated binaural, white plastic or soft materials ear tips, and one Y-PVC tubing in as sorted colors.	TE015-DT011	R 24.80	\$ 1.98

	<p>Sprague Rappaport Stethoscope Chrome-plated brass binaural and full rotatable and various color chestpiece. Accessory kit includes: 2 Diaphragms, 2 Pairs of ear tips, 3 Bells. 22" tube colorful and transparent tube latex free tube for your choice.</p>	TE016-DT210	R 69.43	\$ 5.55
	<p>Stethoscope 1. Wooden fetal stethoscope 2. Φ 5cm 3. Height: 17.5cm</p>	TE015-DT514B	R 49.59	\$ 3.97

	Diagnostic Products		SELLING PRICE	
Picture	Name	Model	RANDS	DOLLARS
	Rechargeable LEDX Veinlite 32 LEDs in 2 colors Charger 50 disposable covers Light shield Size Adapter	LEDX	R 15 596.77	\$ 1 247.74
LEDX ACCESSORIES	Additional Protective Covers for Veinlite LEDX	VLEDX-DPC	R 520.72	\$ 41.66
	Veinlite LEDX Charger	VLEDX-BC	R 768.68	\$ 61.49
	Veinlite LEDX Battery	VLEDX-BA	R 793.48	\$ 63.48
	Veinlite LEDX Case	VLEDX-CC	R 520.72	\$ 41.66
	<ul style="list-style-type: none"> • Rechargeable LED Veinlite® • 24 LEDs in 2 colors • Charger • 50 disposable covers • Light shield • Paediatric adapter 	VLED	R 11 629.39	\$ 930.35
VLED ACCESSORIES	Additional Protective Covers for Veinlite LED	VLED-DPC	R 446.33	\$ 35.71
	Veinlite LED Charger	VLED-BC	R 719.09	\$ 57.53
	Veinlite LED Battery	VLED-BAT	R 793.48	\$ 63.48
	Veinlite EMS (includes 50 disposable plastic covers, light shield and paediatric adapter)	VEMS	R 5 157.60	\$ 412.61
VEMS ACCESSORY	Additional Protective Covers for Veinlite EMS (50)	VEMS-DPC	R 446.33	\$ 35.71

	<p>Veinlite PEDI (includes 50 protective covers, light shield and neonatal adapter)</p>	<p>VPEDI</p>	<p>R 4 438.51</p>	<p>\$ 355.08</p>
<p>VPEDI ACCESSORY</p>	<p>Additional Protective Covers for Veinlite PEDI (50)</p>	<p>VPEDI- DPC</p>	<p>R 371.94</p>	<p>\$ 29.76</p>
	<p>Veinlite II Light source unit with large ring illuminator and fiberoptic cable</p>	<p>VLII</p>	<p>R 36 425.52</p>	<p>\$ 2 914.04</p>
	<p>Veinlite Fiberoptic • FO-150 model 150W halogen light source (110-120V A.C.) • Large ring illuminator attached to 6ft. fiberoptic cable</p>	<p>VL</p>	<p>R 27 821.26</p>	<p>\$ 2 225.70</p>
	<p>Veinlite P Light source unit with small ring illuminator and fiberoptic cable</p>	<p>VS</p>	<p>R 25 192.87</p>	<p>\$ 2 015.43</p>
			<p>R 0.00</p>	<p>\$ -</p>
			<p>R 0.00</p>	<p>\$ -</p>
			<p>R 0.00</p>	<p>\$ -</p>
			<p>R 0.00</p>	<p>\$ -</p>
			<p>R 0.00</p>	<p>\$ -</p>
			<p>R 0.00</p>	<p>\$ -</p>

Picture	Name	Model	SELLING PRICE	
			RANDS	DOLLARS
	Transportation of boxes for vaccine 18L	1. TRXY18L	R 2 975.54	\$ 238.04
	Blood Bank 1. 120L 2. Inside temperature: 4°C	TRXY120L	R 13 141.95	\$ 1 051.36
	Blood Bank 1. 170L 2. Inside temperature: 4°C	TRXY170L	R 14 877.68	\$ 1 190.21
	Blood Bank 1. 300L 2. Inside temperature: 4°C	TRXY300L	R 19 836.90	\$ 1 586.95
	Medical storage fridge 1. 210L 2. Inside temperature: 2~8°C	TRY-200	R 13 389.91	\$ 1 071.19
	Medical storage fridge 1. 260L 2. Inside temperature: 2~8°C	TRY-260	R 15 621.56	\$ 1 249.73
	Corpse Refrigerating/Freezing Box 1.1 corpses 2.Lowest temperature reached:1~5°C 3.Quantity of compressor unit:-16°C/-30°C	TRG1	R 23 556.32	\$ 1 884.51

	<p>Corpse Refrigerating/Freezing Box 1.2 corpses 2.Lowest temperature reached:1 ~5°C 3.Quantity of compressor unit:-16°C/-30°C</p>	TRG2-B	R 40 913.62	\$ 3 273.09
	<p>Corpse Refrigerating/Freezing Box 1.3 corpses 2.Lowest temperature reached:1 ~5°C 3.Quantity of compressor unit:-16°C/-30°C</p>	TRG3-B	R 56 733.55	\$ 4 538.68
	<p>Corpse Refrigerating/Freezing Box 1.4 corpses 2.Lowest temperature reached:1 ~5°C 3.Quantity of compressor unit:-16°C/-30°C</p>	TRG4-B	R 73 644.51	\$ 5 891.56
	<p>Corpse Refrigerating/Freezing Box 1.6 corpses 2.Lowest temperature reached:1 ~5°C 3.Quantity of compressor unit:-16°C/-30°C</p>	TRG6-B	R 95 465.10	\$ 7 637.21
	<p>Cold Chain Box 1. Capacity: 8L 2.Vaccine Capacity: 1.6 liter 3.Main Material:PP, Insulation: PU foam, 4.Ambient temperature: 20°C-35°C; 5.Hold articles inside at 2 deg.C to 8 deg.C about 24 hours</p>	TRXY-C8	R 1 239.81	\$ 99.18
	<p>Cold Chain Box 1.Capacity: 12L 2.Vaccine Capacity: 4.5 liter 3.Main material: PP,Insulation: PU foam, 4.Hold articles inside at 2 deg.C to 8 deg.C about 26~30 hours</p>	TRXY-C12	R 1 363.79	\$ 109.10

	<p>Cold Chain Box</p> <p>1.Capacity: 28L</p> <p>2.Vaccine Capacity: 10 liter</p> <p>3.Material:External Surface - Polyethylene;</p> <p>4.Internal Lining: Polyethylene,Insulation: PU foam,</p> <p>5.Ambient temperature: 20°C-35°C;</p> <p>6.Hold articles inside at 2 deg.C to 8 deg.C about 24-32 hours</p>	TRXY-C28	R 2 355.63	\$ 188.45
	<p>Cold Chain Box</p> <p>1.Capacity: 36L</p> <p>2.Vaccine Capacity: 20 liter</p> <p>3.Material:External Surface - Polyethylene;</p> <p>4.Internal Lining: Polyethylene,</p> <p>5.Ambient temperature: 20°C-30°C;</p> <p>6.Hold articles inside at 2 deg.C to 8 deg.C about 24-36 hours</p>	TRXY-C36	R 2 727.57	\$ 218.21
	<p>Cold Chain Box</p> <p>1.Capacity: 48L</p> <p>2.Vaccine Capacity: 30 liter</p> <p>3.Main Material:PP,Insulation: PU foam.</p> <p>4.Color : Black body and Yellow lid</p>	TRXY-C48	R 3 099.52	\$ 247.96