



OJ Luxury Touch Screen

Touch screen programmable flush mount, 16 amp, 3600 watt, 230VAC
100mm x 100mm (4x4) with 16 amp 2 pole isolator.

Dual sensor, built-in air sensor with additional floor sensor for limit and accurate control of floor temperature. QR data readout, power usage history.



LUXYTSS2000



OJ Luxury 2

Digital programmable flush mount, 16 amp, 3600 watt, 230VAC
100mm x 100mm (4x4) with 16 amp 2 pole isolator.

Dual sensor, built-in air sensor with additional floor sensor for limit and accurate control of floor temperature. May also be used as a regulator function.



LUXY2DS2000



OJ Luxury 2

Digital programmable flush mount, 16 amp, 3600 watt, 230VAC
100mm x 50mm (2x4).

Dual sensor, built-in air sensor with additional floor sensor for limit and accurate control of floor temperature. May also be used as a regulator function.



LUXY2DS200024



OJ Microline Manual

Non-programmable flush mount, 16 amp, 3600 watt, 230VAC
100mm x 100mm (4x4) with 16 amp 2 pole isolator.

Including built-in air sensor.
Including external floor sensor.



OJMAIRS2000
OJMFLOORS2000



OJ Microline Manual

Non-programmable flush mount, 16 amp, 3600 watt, 230VAC
100mm x 50mm (2x4).

Including built-in air sensor.
Including external floor sensor.



OJMAIRS200024
OJMFLOORS200024



OJ Microline Comfort Manual

Non-programmable, surface mount, 16 amp, 3600 watt, 230VAC
84mm x 84mm (3x3), total depth 28mm.

Including built-in air sensor.
Including external floor sensor.



COMFASM
COMFFSM



Warmup Relax Plug-in

Digital non-programmable, 16 amp, 3600 watt, 230VAC
170mm x 60mm.

Built-in air sensor.
Heating or cooling function.



RELXAPI

ALL PRICING SHOWN IS EXCLUDING VAT
AND IS SUBJECT TO CONFIRMATION.

PRICING AS OF 01 NOVEMBER 2016.

UNFORTUNATELY, WE CANNOT
GUARANTEE AN EXACT
COLOUR MATCH.

WARMUP, a division of A J Pudney (SA) cc

4 Richard Road, Industria North, Roodepoort, Gauteng, Tel: 011 673 5063, Fax: 011 673 4827
3 Thor Circle, Viking Place, Thornton, Cape Town, Tel: 021 531 1896, Fax: 021 532 0741
website: www.warmup.co.za, info@warmup.co.za / capesales@warmup.co.za
Co. Reg. No: 2007/024013/23

warmup[®]



OJ Luxury Touch Screen - Clipsal S3000 Plate



LUXYTSS3000

Touch Screen Programmable Flush Mount, 16 Amp, 3600 Watt, 230VAC.
100mm x 100mm (4x4) with 16 Amp 2 pole isolator, Clipsal S3000 plate.

Dual Sensor, Built in Air Sensor with additional Floor Sensor for limit and accurate control of floor temperature. QR data readout, power usage history.



OJ Luxury 2 - Clipsal S3000 Plate



LUXY2DS3000

Digital Programmable Flush Mount, 16 Amp, 3600 Watt, 230VAC.
100mm x 100mm (4x4) with 16 Amp 2 pole isolator, Clipsal S3000 plate.

Dual Sensor, Built in Air Sensor with additional Floor Sensor for limit and accurate control of floor temperature. May also be used as a regulator function.



OJ Microline Manual - Clipsal S3000 Plate



OJMAIRS3000

OJMFLOORS3000

Non-Programmable Flush Mount, 16 Amp, 3600 Watt, 230VAC.
100mm x 100mm (4x4) with 16 Amp 2 pole isolator, Clipsal S3000 plate.

Including built in Air Sensor.
Including external Floor Sensor.



OJ Luxury 2 - Clipsal S3000, Black Plate



LUXY2DS3000BK

Digital Programmable Flush Mount, 16 Amp, 3600 Watt, 230VAC.
100mm x 100mm (4x4) with 16 Amp 2 pole isolator, Clipsal S3000 plate, Black

Dual Sensor, Built in Air Sensor with additional Floor Sensor for limit and accurate control of floor temperature. May also be used as a Regulator.



OJ Luxury Touch Screen - Legrand Arteor Plate



LUXYTSLGD44

Touch Screen Programmable Flush Mount, 16 Amp, 3600 Watt, 230VAC.
100mm x 100mm (4x4) with 16 Amp 2 pole isolator, Legrand Arteor plate.

Dual Sensor, Built in Air Sensor with additional Floor Sensor for limit and accurate control of floor temperature. QR data readout, power usage history.



OJ Luxury 2 - Legrand Arteor Plate



LUXY2DLGD44

Digital Programmable Flush Mount, 16 Amp, 3600 Watt, 230VAC.
100mm x 100mm (4x4) with 16 Amp 2 pole isolator, Legrand Arteor plate.

Dual Sensor, Built in Air Sensor with additional Floor Sensor for limit and accurate control of floor temperature. May also be used as a regulator function.



OJ Microline Manual - Legrand Arteor Plate



OJMAIRLGD44

OJMFLOORLGD44

Non-Programmable, Flush Mount, 16 Amp, 3600 Watt, 230VAC.
100mm x 100mm (4x4) with 16 Amp 2 pole isolator, Legrand Arteor plate.

Including built in Air Sensor.
Including external Floor Sensor.

ALL PRICING SHOWN IS EXCLUDING VAT
AND IS SUBJECT TO CONFIRMATION.

PRICING AS OF 01 NOVEMBER 2016.

UNFORTUNATELY, WE CANNOT
GUARANTEE AN EXACT
COLOUR MATCH.

WARMUP, a division of A J Pudney (SA) cc

4 Richard Road, Industria North, Roodepoort, Gauteng, Tel: 011 673 5063, Fax: 011 673 4827
3 Thor Circle, Viking Place, Thornton, Cape Town, Tel: 021 531 1896, Fax: 021 532 0741
website: www.warmup.co.za, info@warmup.co.za / capesaes@warmup.co.za
Co. Reg. No: 2007/024013/23

warmup®



OJ Luxury 2 - Legrand Arteor, Graphite Plate



LUXY2DLGD44GP

Digital programmable flush mount, 16 amp, 3600 watt, 230VAC
100mm x 100mm (4x4) with 16 amp 2 pole isolator, Legrand Arteor plate, Graphite
Dual sensor, built-in air sensor with additional floor sensor for limit and accurate control of floor temperature. May also be used as a regulator function.



OJ Luxury 2 - Legrand Arteor, Pearl Aluminium Plate



LUXY2DLGD44PA

Digital programmable flush mount, 16 amp, 3600 watt, 230VAC
100mm x 100mm (4x4) with 16 amp 2 pole isolator, Legrand Arteor plate, Pearl-Alu.
Dual sensor, built-in air sensor with additional floor sensor for limit and accurate control of floor temperature. May also be used as a regulator function.



OJ Luxury 2 - Legrand Arteor, Graphite Plate



LUXY2DLGD24GP

Digital programmable flush mount, 16 amp, 3600 watt, 230VAC
100mm x 50mm (2x4), with 16 amp 2 pole isolator, Legrand Arteor plate, Graphite.
Dual sensor, built-in air sensor with additional floor sensor for limit and accurate control of floor temperature. May also be used as a regulator function.



OJ Luxury 2 - Legrand Arteor, Pearl Aluminium Plate



LUXY2DLGD24PA

Digital programmable flush mount, 16 amp, 3600 watt, 230VAC
100mm x 50mm (2x4), with 16 amp 2 pole isolator, Legrand Arteor plate, Pearl-Alu.
Dual sensor, built-in air sensor with additional floor sensor for limit and accurate control of floor temperature. May also be used as a regulator function.



OJ Luxury Touch Screen - Legrand Arteor Plate



LUXY2SLGD24

Touch screen programmable flush mount, 16 amp, 3600 watt, 230VAC
100mm x 50mm (2x4), with 16 amp 2 pole isolator, Legrand Arteor plate.
Dual sensor, built-in air sensor with additional floor sensor for limit and accurate control of floor temperature. QR data readout, power usage history.



OJ Luxury 2 - Legrand Arteor Plate



LUXY2DLGD24

Digital programmable flush mount, 16 amp, 3600 watt, 230VAC
100mm x 50mm (2x4), with 16 amp 2 pole isolator, Legrand Arteor plate.
Dual sensor, built-in air sensor with additional floor sensor for limit and accurate control of floor temperature. May also be used as a regulator function.



OJ Microline Manual - Legrand Arteor Plate



OJMAIRLGD24

Non-programmable flush mount, 16 amp, 3600 watt, 230VAC.
100mm x 50mm (2x4) with 16 amp 2 pole isolator, Legrand Arteor plate.
Including built-in air sensor.
Including external floor sensor.

OJMFLOORLGD24