



SA ROAD SIGNS

CATALOG



015 004 0316



admin@saroadsigns.co.za



www.saroadsigns.co.za

Company Information

Registered Company Name:
**SA Road Signs
(PTY) Ltd**

Address:
**165 Leeuwkuil
Percy Fyfe Rd
Polokwane
0699**

Vat No:
412 028 0609

BBBEE Level:
4


Registration No:
2016 / 345192 / 07

CIDB:
Sk1

CSD No:
MAAA 058 1018

Exporters License:
CUS001 5349

Serviceable Areas:
Continental



R-Series: Control



R1: Stop Sign



R1.1: Stop Sign (Dual)



R1.2: Stop/Yield Sign



R1.3: 3-Way Stop Sign



R1.4: 4-Way Stop Sign



R1.5A/R1.5B: Stop/Go Sign



R2: Yield Sign



R2.1: Yield to Pedestrians Sign



R2.2: Yield at Circle Sign



R3: No Entry Sign



R4.1: One-Way Roadway Sign




R4.2: One-Way Roadway Sign



R4.3: One-Way Roadway Sign



R5: Pedestrian Priority Sign



R6: Yield to Oncoming Traffic Sign

	R1	R1.2	R1,3 & R1.4	R1.5A & B	R2	R2.1	R2.2	R3	R4.1, R4.2 & R4.3
0 – 60 km/h	600mm	900mm	249mm	600mm	900mm	225x300mm	900mm	600mm	600x450mm
61 – 80 km/h	900mm	1200mm	373mm	900mm	1200mm	338x450mm	1200mm	900mm	900x675mm
81 – 100 km/h	1200mm	1500mm	497mm	1200mm	1200mm	450x600mm	1200mm	1200mm	1200x900mm
101 – 120 km/h	1200mm	1500mm	497mm	1200mm	1500mm	563x750mm	1500mm	1200mm	1200x900mm

R-Series: Command



R101: Minimum Speed Sign



R102: Vehicle Exceeding Mass Only Sign



R103: Keep Left Sign



R104: Keep Right Sign



R105: Proceed to the Left Only Sign



R106: Proceed to the Right only Sign



R107: Proceed Straight Only Sign



R108: Turn Left Ahead Sign



R109: Turn Right Ahead Sign



R110: Pedestrians Only Sign



R111: Pedal Cycles Only Sign



R112: Cyclists & Pedestrians Only Sign



R113: Cyclists & Pedestrians Only Sign



R114: Cyclists & Pedestrians Only Sign



R115: Cyclists & Pedestrians Only Sign



R116: Motorcycles Only Sign



R117: Motorcars Only Sign



R118: Taxis Only Sign

Speed Limit on Road (km/h)	Dimensions of Signs
0 – 60	600mm
61 – 80	900mm
81 – 120	1200mm

R-Series: Command



R119: Mini-Buses Only Sign



R120: Midi-Buses Only Sign



R121: Buses Only Sign



R122: Delivery Vehicles Only Sign



R123: Goods Vehicle Only Sign



R124: Goods Vehicle exceeding 10 tonnes GVM only Sign



R125: Construction Vehicles Only Sign



R126: Vehicles Conveying Dangerous Substances Only Sign



R127: Abnormal Vehicles Only Sign



R128: Rickshaws Only Sign



R129: Tour Buses Only Sign



R130: Agricultural Vehicles Only Sign



R131: Animal-Drawn Vehicles Only Sign



R132: Toll Road Sign



R133: Switch Headlights on Sign



R134: Buses and Mini-Buses Only Sign



R135: Buses and Midi-Buses Only Sign



R136: Buses, Midi-buses and Mini-buses Only Sign

Speed Limit on Road (km/h)	Dimensions of Signs
0 – 60	600mm
61 – 80	900mm
81 - 120	1200mm

R-Series: Command



R137: Roundabout Sign



R138: Trams Only Sign



R139: Buses & Trams Only Sign



R140: Buses, Trams & Mini-Buses Only Sign

Speed Limit on Road (km/h)	Dimensions of Signs
0 – 60	600mm
61 – 80	900mm
81 - 120	1200mm

R-Series: Command (Temporary)



TR101: Minimum Speed Sign



TR102: Vehicle Exceeding Mass Only Sign



TR103: Keep Left Sign



TR104: Keep Right Sign



TR105: Proceed to the Left Only Sign



TR106: Proceed to the Right only Sign



TR107: Proceed Straight Only Sign



TR108: Turn Left Ahead Sign



TR109: Turn Right Ahead Sign



TR110: Pedestrians Only Sign



TR111: Pedal Cycles Only Sign



TR112: Cyclists & Pedestrians Only Sign



TR113: Cyclists & Pedestrians Only Sign



TR114: Cyclists & Pedestrians Only Sign



TR115: Cyclists & Pedestrians Only Sign



TR116: Motorcycles Only Sign



TR117: Motorcars Only Sign



TR118: Taxis Only Sign

Speed Limit on Road (km/h)	Dimensions of Signs
0 – 60	600mm
61 – 80	900mm
81 - 120	1200mm

R-Series: Command (Temporary)



TR119: Mini-Buses Only Sign



TR120: Midi-Buses Only Sign



TR121: Buses Only Sign



TR122: Delivery Vehicles Only Sign



TR123: Goods Vehicle Only Sign



TR124: Goods Vehicle exceeding 10 tonnes GVM only Sign



TR125: Construction Vehicles Only Sign



TR126: Vehicles Conveying Dangerous Substances Only Sign



TR127: Abnormal Vehicles Only Sign



TR128: Rickshaws Only Sign




TR129: Tour Buses Only Sign



TR130: Agricultural Vehicles Only Sign



TR131: Animal-Drawn Vehicles Only Sign



TR133: Switch Headlights on Sign



TR134: Buses and Mini-Buses Only Sign



TR135: Buses and Midi-Buses Only Sign



TR136: Buses, Midi-buses and Mini-buses Only Sign



TR137: Roundabout Sign

Speed Limit on Road (km/h)	Dimensions of Signs
0 – 60	600mm
61 – 80	900mm
81 – 120	1200mm

R-Series: Prohibition



R201: Speed Limit Sign (20km/h)



R201: Speed Limit Sign (40km/h)



R201: Speed Limit Sign (60km/h)



R201: Speed Limit Sign (80km/h)




R201: Speed Limit Sign (100km/h)



R201: Speed Limit Sign (120km/h)



R202: Mass Limit Sign



R203: Axle Mass load Limit Sign



R204: Height Limit Sign



R205: Length Limit Sign



R206: Excessive Noise Prohibited Sign



R207: Hitch-hiking Prohibited Sign



R208: Unauthorized Vehicles Prohibited Sign



R209: Left Turn Ahead Prohibited Sign



R210: Right Turn Ahead Prohibited Sign



R211: Left Turn Prohibited Sign



R212: Right Turn Prohibited Sign



R213: U-Turn Prohibited Sign

Speed Limit on Road (km/h)	Dimensions of Signs
0 – 60	600mm
61 – 80	900mm
81 - 120	1200mm

R-Series: Prohibition



R214: Overtaking Prohibited Sign



R215: Overtaking by Goods Vehicle Prohibited Sign



R216: Parking Prohibited Sign



R217: Stopping Prohibited Sign



R218: Pedestrians Prohibited Sign



R219: Cyclists Prohibited Sign



R220: Cyclists & Pedestrians Prohibited Sign



R222: Motorcycles Prohibited Sign



R223: Motor Vehicles Prohibited Sign



R224: Taxis Prohibited Sign



R225: Mini-buses Prohibited Sign



R226: Midi-buses Prohibited Sign



R227: Buses Prohibited Sign



R228: Delivery Vehicles Prohibited Sign



R229: Goods Vehicles Prohibited Sign



R230: Goods Vehicle over indicated GVM Prohibited Sign



R231: Construction Vehicle Prohibited Sign



R232: Vehicle Conveying Dangerous Substances Prohibited Sign

Speed Limit on Road (km/h)	Dimensions of Signs
0 – 60	600mm
61 – 80	900mm
81 – 120	1200mm

R-Series: Prohibition



R233: Abnormal
Vehicles Prohibited
Sign



R234: Rickshaws
Prohibited Sign



R235: Tour Buses
Prohibited Sign



R236: Agricultural
Vehicles Prohibited
Sign



R237: Animal-Drawn
Vehicles Prohibited
Sign



R238: Horses & Riders
Prohibited Sign



R239: Vehicles Width
Limit Sign



R240: Towed Vehicles
Prohibited Sign



R241: Hawkers
Prohibited Sign

Speed Limit on Road (km/h)	Dimensions of Signs
0 – 60	600mm
61 – 80	900mm
81 - 120	1200mm

R-Series: Prohibition (Temporary)



TR201: Speed Limit Sign (20km/h)



TR201: Speed Limit Sign (40km/h)



TR201: Speed Limit Sign (60km/h)



TR201: Speed Limit Sign (80km/h)



TR201: Speed Limit Sign (100km/h)



TR201: Speed Limit Sign (120km/h)



TR202: Mass Limit Sign



TR203: Axle Mass load Limit Sign



TR204: Height Limit Sign



TR205: Length Limit Sign



TR208: Unauthorized Vehicles Prohibited Sign



TR209: Left Turn Ahead Prohibited Sign



TR210: Right Turn Ahead Prohibited Sign



TR211: Left Turn Prohibited Sign



TR212: Right Turn Prohibited Sign



TR213: U-Turn Prohibited Sign



TR214: Overtaking Prohibited Sign



TR215: Overtaking by Goods Vehicle Prohibited Sign

Speed Limit on Road (km/h)	Dimensions of Signs
0 – 60	600mm
61 – 80	900mm
81 - 120	1200mm

R-Series: Prohibition



TR216: Parking Prohibited Sign



TR217: Stopping Prohibited Sign



TR218: Pedestrians Prohibited Sign



TR219: Cyclists Prohibited Sign



TR220: Cyclists & Pedestrians Prohibited Sign



TR222: Motorcycles Prohibited Sign



TR223: Motor Vehicles Prohibited Sign



TR224: Taxis Prohibited Sign



TR225: Mini-buses Prohibited Sign



TR226: Midi-buses Prohibited Sign



TR227: Buses Prohibited Sign



TR228: Delivery Vehicles Prohibited Sign



TR229: Goods Vehicles Prohibited Sign



TR230: Goods Vehicle over indicated GVM Prohibited Sign



TR231: Construction Vehicle Prohibited Sign



TR232: Vehicle Conveying Dangerous Substances Prohibited Sign



TR233: Abnormal Vehicles Prohibited Sign



TR234: Rickshaws Prohibited Sign

Speed Limit on Road (km/h)	Dimensions of Signs
0 – 60	600mm
61 – 80	900mm
81 - 120	1200mm

R-Series: Prohibition



TR235: Tour Buses Prohibited Sign



TR236: Agricultural Vehicles Prohibited Sign



TR237: Animal-Drawn Vehicles Prohibited Sign



TR238: Horses & Riders Prohibited Sign



TR239: Vehicles Width Limit Sign



TR240: Towed Vehicles Prohibited Sign



TR241: Hawkers Prohibited Sign

Speed Limit on Road (km/h)	Dimensions of Signs
0 – 60	600mm
61 – 80	900mm
81 – 120	1200mm

R-Series: Reservation



R301: Reserved for Buses Sign



R302: Reserved Lane for Buses Sign



R303: Start of a Reserved Lane for Buses Sign



R304: Reserved Lane for Bicycles Sign



R307: Reserved for Motorcycles Sign



R308: Reserved for Motor Vehicles Sign



R309: Reserved for Taxis Sign



R310: Reserved for Mini-Buses Sign



R311: Reserved for Midi-Buses Sign



R312: Reserved for Delivery Vehicles Sign



R313: Reserved for Goods Vehicles Sign



R314: Reserved for Goods Vehicles Exceeding 10 Tonnes GVM Sign



R315: Reserved for Construction Vehicles Sign



R316: Reserved for Vehicles transporting Dangerous Substances Sign



R217: Reserved for Abnormal Vehicles Sign



R318: Reserved for Rickshaws Sign



R319: Reserved for Tour Buses Sign



R320: Reserved for High Occupancy Vehicles Sign

Speed Limit on Road (km/h)	Dimensions of Signs
0 – 60	340mm x 450mm
61 – 80	675mm x 900mm
81 - 120	900mm x 1200mm

R-Series: Reservation



R321: Reserved for Ambulances/Emergency Vehicles Sign



R322: Reserved Police Vehicles Sign



R323: Reserved for Vehicles Carrying Disabled Passengers Sign



R324: Reserved for Authorized Vehicles Sign



R327: Reserved for Buses and Mini-Buses Sign



R328: Reserved Lane for Buses and Mini-Buses Sign



R329: Start of a Reserved Lane for Buses and Mini-Buses Sign



R330: Reserved for Buses and Midi-Buses Sign



R331: Reserved Lane for Buses and Midi-Buses Sign



R332: Start of Reserved Lane for Buses and Midi-Buses Sign



R333: Reserved for Buses, Midi-Buses and Mini-Buses Sign



R334: Reserved Lane for Buses, Midi-Buses and Mini-Buses Sign



R335: Start of Reserved Lane for Buses, Midi-Buses and Mini-Buses Sign



R336: Reserved Lane for High Occupancy Vehicles Sign



R237: Start of Reserved Lane for High Occupancy Vehicles Sign



R338: Reserved for Trams Sign



R339: Reserved Lane for Trams Sign



R340: Start of Reserved Lane for Trams Sign

Speed Limit on Road (km/h)	Dimensions of Signs
0 – 60	340mm x 450mm
61 – 80	675mm x 900mm
81 - 120	900mm x 1200mm

R-Series: Reservation



R342: Reserved for Ambulances/Emergency Vehicles Sign



R343: Reserved Police Vehicles Sign



R344: Reserved for Vehicles Carrying Disabled Passengers Sign



R345: Reserved for Buses, Trams and Mini-Buses Sign



R346: Reserved Lane for Buses, Trams and Mini-Buses Sign



R347: Start of Reserved Lane for Buses, Trams and Mini-Buses Sign



R348: Reserved Lane for Buses Sign



R349: Reserved Lane for Buses and Mini-Buses Sign



R350: Start of Reserved Lane for Buses Trams Sign



R351: Reserved Lane for Buses, Trams and Mini-Buses Sign



R352: Reserved Lane for High Occupancy Vehicles Sign



R353: Reserved Lane for Authorized Vehicles (Right) Sign



R354: Reserved Lane for Authorized Vehicles (Left) Sign

Speed Limit on Road (km/h)	Dimensions of Signs
0 – 60	340mm x 450mm
61 – 80	675mm x 900mm
81 - 120	900mm x 1200mm

R-Series: Reservation (Parking)



R301-P: Bus Parking Reservation Sign



R304-P: Bicycle Parking Reservation Sign



R305-P: Parking Reservation Sign



R306-P: Limited Parking Reservation Sign



R307-P: Motorcycle Parking Reservation Sign



R308-P: Motor Vehicle Parking Reservation Sign



R309-P: Taxi Parking Reservation Sign



R310-P: Mini-Bus Parking Reservation Sign



R311-P: Midi-Bus Parking Reservation Sign



R312-P: Delivery Vehicle Parking Reservation Sign



R313-P: Goods Vehicle Parking Reservation Sign



R314-P: Goods Vehicle Exceeding Indicated GVM Parking Reservation Sign



R315-P: Construction Vehicle Parking Reservation Sign



R316-P: Vehicle Conveying Dangerous Substances Parking Reservation Sign



R217-P: Abnormal Vehicle Parking Reservation Sign



R318-P: Rickshaw Parking Reservation Sign



R319-P: Tour Bus Parking Reservation Sign



R320-P: High Occupancy Vehicle Parking Reservation Sign

Speed Limit on Road (km/h)	Dimensions of Signs
0 – 60	340mm x 450mm
61 – 80	675mm x 900mm
81 - 120	900mm x 1200mm

R-Series: Reservation (Parking)



R321-P: Ambulance/Emergency Vehicle Parking Reservation Sign



R322-P: Police Vehicle Parking Reservation Sign



R323-P: Parking Reservation for Vehicles Carrying Disabled Passengers Sign



R324-P: Authorized Vehicle Parking Reservation Sign



R327-P: Bus and Mini-Bus Parking Reservation Sign



R330-P: Bus and Midi-Bus Parking Reservation Sign



R333-P: Bus, Midi-Bus and Mini-Bus Parking Reservation Sign

Speed Limit on Road (km/h)	Dimensions of Signs
0 – 60	340mm x 450mm
61 – 80	675mm x 900mm
81 - 120	900mm x 1200mm

R-Series: Reservation and Parking

Reservation (Temporary)




TR301-P: Bus Parking
Reservation Sign



TR304: Bicycle Lane
Reservation Sign



TR305-P: Parking
Reservation Sign



TR306-P: Limited
Parking Reservation Sign



TR307: Motorcycle
Reservation Sign



TR308-P: Motor
Vehicle Parking
Reservation Sign



TR309: Taxi
Reservation Sign



TR314-P: Goods
Vehicle Exceeding
Indicated GVM
Parking Reservation
Sign



TR315: Construction
Vehicle Reservation
Sign



TR316-P: Vehicle
Conveying Dangerous
Substances Parking
Reservation Sign



TR317: Abnormal Vehicle
Reservation Sign



TR319: Tour Bus
Reservation Sign



TR320-P: High
Occupancy Vehicle
Parking Reservation Sign



TR321:
Ambulance/Emergency
Vehicle Reservation Sign



TR322-P: Police Vehicle
Parking Reservation Sign



TR323: Reserved for
Vehicles Carrying
Disabled Passengers
Sign



TR324-P: Authorized
Vehicle Parking
Reservation Sign



TR333: Bus, Midi-Bus
and Mini-Bus
Reservation Sign

Speed Limit on Road (km/h)	Dimensions of Signs
0 – 60	340mm x 450mm
61 – 80	675mm x 900mm
81 - 120	900mm x 1200mm

R-Series: Comprehensive and De-Restrictive Signs



R401: Dual-Carriageway Freeway Begins Sign



R402: Single-Carriageway Freeway Begins Sign



R403: Living Street Starts Sign



TR402: Single-Carriageway Freeway Begins Sign (Temporary Sign)



R401: Dual-Carriageway Freeway Begins Sign (De-Restrictive)



R402: Single-Carriageway Freeway Begins Sign (De-Restrictive)



R403: Living Street Starts Sign (De-Restrictive)



R132: Toll Road Sign (De-Restrictive)



R133: Switch Headlights on Sign (De-Restrictive)

Sizes on R132 and R133 De-Restrictive Signs

Speed Limit on Road (km/h)	Dimensions of Signs
0 – 60	600mm
61 – 80	900mm
81 – 120	1200mm

Sizes on R401, R402, R403, TR402, R401, R402 and R403 De-Restrictive Signs

Speed Limit on Road (km/h)	Dimensions of Signs
0 – 60	340mm x 450mm
61 – 80	675mm x 900mm
81 – 120	900mm x 1200mm

R-Series: Exclusive Secondary Message Signs




R501: One Period Time Limit Sign



R502: Two Periods Time Limit Sign



R503: Two Periods or Days' Time Limit Sign




R504: Three Periods or Days' Time Limit Sign




R505: Maximum Stay During Two Periods or Days' Time Limit Sign




R506: Maximum Stay During One Period Time Limit Sign



R511: Day Condition Sign




R512: Night Condition Sign



R520: Reserved Movement Left by Vehicle Class Sign




R5221: Reserved Movement Right by Vehicle Class Sign




R522: Reserved Movement Left & Right by Vehicle Class Sign



R523: Pay & Display Sign




R530: Operator Identity (Logo) Sign



R531: Operator Identity (Words) Sign



R532: Mass Limit Sign



R533: Motorcycle Engine Size Limit Sign



R534: *and Local Access Only Limit Sign




R535: Distance "for" Limit Sign

Speed Limit on Road (km/h)	Dimensions of Signs
0 – 60	340mm x 450mm
61 – 80	675mm x 900mm
81 – 120	900mm x 1200mm

R-Series: Exclusive Secondary Message Signs



R540: Maximum Number of Vehicles Sign




R560: Applies to Buses Sign



R561: Applies to Bicycles Sign




R562: Applies to Motorcycles Sign



R563: Applies to Motor Vehicles Sign



R564: Applies to Taxis Sign



R565: Applies to Mini-Buses Sign



R566: Applies to Midi-Buses Sign




R567: Applies to Delivery Vehicles Sign



R568: Applies to Goods Vehicles Sign




R569: Applies to Goods Vehicles Exceeding Specified GVM Sign



R570: Applies to Construction Vehicles Sign



R571: Applies to Vehicles Conveying Dangerous Substances Sign



R572: Applies to Abnormal Vehicles Sign



R573: Applies to Rickshaws Sign



R574: Applies to Tour Buses Sign



R575: Applies to High Occupancy Vehicle Sign



R576: Applies to Ambulances/Emergency Vehicles Sign

Speed Limit on Road (km/h)	Dimensions of Signs
0 – 60	340mm x 450mm
61 – 80	675mm x 900mm
81 – 120	900mm x 1200mm

R-Series: Exclusive Secondary Message Signs



R577: Applies to Police Vehicles Sign




R578: Applies to Disabled Persons Sign



R579: Applies to Authorized Vehicles Sign




R580: Applies to Agricultural Vehicles Sign



R581: Applies to Animal-Drawn Vehicles Sign



R582: Applies to Towed Vehicles Sign



R583: Applies to Trams Sign

Speed Limit on Road (km/h)	Dimensions of Signs
0 – 60	340mm x 450mm
61 – 80	675mm x 900mm
81 - 120	900mm x 1200mm

R-Series: Exclusive Secondary Message Signs (Temporary)



TR501: One Period Time Limit Sign




TR502: Two Periods Time Limit Sign



TR503: Two Periods or Days' Time Limit Sign



TR504: Three Periods or Days' Time Limit Sign




TR505: Maximum Stay During Two Periods or Days' Time Limit Sign



TR506: Maximum Stay During One Period Time Limit Sign



TR511: Day Condition Sign



TR512: Night Condition Sign



TR520: Reserved Movement Left by Vehicle Class Sign




TR5221: Reserved Movement Right by Vehicle Class Sign



TR522: Reserved Movement Left & Right by Vehicle Class Sign



TR523: Pay & Display Sign



TR530: Operator Identity (Logo) Sign



TR531: Operator Identity (Words) Sign



TR532: Mass Limit Sign



TR533: Motorcycle Engine Size Limit Sign



TR534: *and Local Access Only Limit Sign




TR535: Distance "for" Limit Sign

Speed Limit on Road (km/h)	Dimensions of Signs
0 – 60	340mm x 450mm
61 – 80	675mm x 900mm
81 – 120	900mm x 1200mm

R-Series: Exclusive Secondary Message Signs (Temporary)



TR540: Maximum Number of Vehicles Sign



TR560: Applies to Buses Sign



TR561: Applies to Bicycles Sign




TR562: Applies to Motorcycles Sign



TR563: Applies to Motor Vehicles Sign



TR564: Applies to Taxis Sign




TR565: Applies to Mini-Buses Sign



TR566: Applies to Midi-Buses Sign




TR567: Applies to Delivery Vehicles Sign



TR568: Applies to Goods Vehicles Sign



TR569: Applies to Goods Vehicles Exceeding Specified GVM Sign



TR570: Applies to Construction Vehicles Sign



TR571: Applies to Vehicles Conveying Dangerous Substances Sign



TR572: Applies to Abnormal Vehicles Sign



TR573: Applies to Rickshaws Sign



TR574: Applies to Tour Buses Sign



TR575: Applies to High Occupancy Vehicle Sign



TR576: Applies to Ambulances/Emergency Vehicles Sign

Speed Limit on Road (km/h)	Dimensions of Signs
0 – 60	340mm x 450mm
61 – 80	675mm x 900mm
81 – 120	900mm x 1200mm

R-Series: Exclusive Secondary Message Signs (Temporary)



TR577: Applies to Police Vehicles Sign




TR578: Applies to Disabled Persons Sign




TR579: Applies to Authorized Vehicles Sign




TR580: Applies to Agricultural Vehicles Sign



TR581: Applies to Animal-Drawn Vehicles Sign



TR582: Applies to Towed Vehicles Sign



TR583: Applies to Trams Sign

Speed Limit on Road (km/h)	Dimensions of Signs
0 – 60	340mm x 450mm
61 – 80	675mm x 900mm
81 - 120	900mm x 1200mm

W-Series: Warning Signs

Road Layout Signs



W101: Crossroad Sign



W102: Priority Crossroad Sign



W103: Secondary Crossroad Sign



W104: T-Junction Sign



W105: Skew T-Junction Sign



W106: Skew T-Junction Sign



W107: Left Side Road Junction Sign



W108: Right Side Road Junction Sign



W109: Staggered Junction Sign



W110: Staggered Junction Sign



W111: Sharp Junction Left Sign



W112: Sharp Junction Left Sign



W113: Sharp Junction Right Sign



W114: Sharp Junction Right Sign



W115: Y-Junction Sign



W116: End of Dual Roadway Sign



W117: End of Dual Roadway Sign



W118: Beginning of Dual Roadway Sign



W119: Beginning of Dual Roadway Sign

Speed Limit on Road (km/h)	Dimensions of Signs
0 – 60	900mm
61 – 80	1200mm
81 - 120	1500mm

W-Series: Warning Signs

Direction of Movement Signs



W201: Traffic Circle Sign



W202: Gentle Curve Right Sign



W203: Gentle Curve Left Sign



W204: Sharp Curve Right Sign



W205: Sharp Curve Left Sign



W206: Hairpin Bend Right Sign



W207: Hairpin Bend Left Sign



W208: Winding Road Sign Right to Left



W209: Winding Road Sign Left to Right



W210: Combined Curves Right to Left Sign



W211: Combined Curves Left to Right Sign



W212: Two-Way Traffic Sign



W213: Two-Way Traffic Crossroad Sign



W214: Right Lane Ends Sign



W215: Left Lane Ends Sign



W216: Concealed Driveway Right Sign



W217: Concealed Driveway Left Sign



W218: Concealed Driveway Both Sides Sign

Speed Limit on Road (km/h)	Dimensions of Signs
0 – 60	900mm
61 – 80	1200mm
81 - 120	100mm

W-Series: Warning Signs

Symbolic Signs



W301: Traffic Signal Ahead Sign



W302: Traffic Control "STOP" Sign



W303: Traffic Control "YIELD" Sign



W306: Pedestrians Crossing Sign



W307: Pedestrian Sign



W308: Children Sign



W309: Cyclists Sign



W310: Domestic Animals (Cattle) Sign



W311: Domestic Animals (Horses) Sign



W312: Domestic Animals (Sheep) Sign



W313: Wild Animals Ahead Sign



W314: Gate Ahead Sign



W315: Motor Gate Right Sign



W316: Motor Gate Left Sign



W317: Motor Gate Sign



W318: Railway Crossing Sign



W319: Tunnel Ahead Sign



W320: Height Restriction Sign

Speed Limit on Road (km/h)	Dimensions of Signs
0 – 60	900mm
61 – 80	1200mm
81 - 120	100mm

W-Series: Warning Signs

Symbolic Signs



W321: Length Restricted Sign



W322: Steep Descent Sign



W323: Steep Ascent Sign



W324: Slow Moving Heavy Vehicles Ahead Sign



W325: Gravel Road Begins Ahead Sign



W326: Narrow Bridge Sign



W327: One Width Vehicle Structure Sign



W328: Road Narrows from Both Sides Sign



W329: Road Narrows from Right Side Sign



W330: Road Narrows from Left Side Sign



W331: Uneven Roadway Sign



W332: Speed Humps Ahead Sign



W333: Slippery Road Sign



W334: Falling Rocks from Right Sign



W335: Falling Rocks from Left Sign



W339: General Warning Sign



W346: Emergency Flashing Light Sign



W348: Jetty Edge or River-Bank Sign

Speed Limit on Road (km/h)	Dimensions of Signs
0 – 60	900mm
61 – 80	1200mm
81 - 120	100mm

W-Series: Warning Signs

Symbolic Signs



W349: Crosswinds Sign



W350: Drift Sign



W351: Low Flying Aircraft Sign



W352: Agricultural Vehicles Ahead Sign



W354: Reduced Visibility Sign



W355: Congestion Sign



W356: Horses & Riders Ahead Sign



W357: Elephants Ahead Sign



W358: Warthogs Ahead Sign



W359: Hippos Ahead Sign



W360: Width Restriction Sign



W361: Electrical Shock Sign



W362: Trams Ahead Sign



W363: Gravel Road Ends Sign



W365: Moveable Bridge Ahead Sign

Speed Limit on Road (km/h)	Dimensions of Signs
0 – 60	900mm
61 – 80	1200mm
81 - 120	100mm

W-Series: Warning Signs

Road Layout Signs (Temporary)



TW101: Crossroad Sign



TW102: Priority Crossroad Sign



TW103: Secondary Crossroad Sign



TW104: T-Junction Sign



TW105: Skew T-Junction Sign



TW106: Skew T-Junction Sign



TW107: Left Side Road Junction Sign



TW108: Right Side Road Junction Sign



TW109: Staggered Junction Sign



TW110: Staggered Junction Sign



TW111: Sharp Junction Left Sign



TW112: Sharp Junction Left Sign



TW113: Sharp Junction Right Sign



TW114: Sharp Junction Right Sign



TW115: Y-Junction Sign



TW116: End of Dual Roadway Sign



TW117: End of Dual Roadway Sign



TW118: Beginning of Dual Roadway Sign



TW119: Beginning of Dual Roadway Sign

Speed Limit on Road (km/h)	Dimensions of Signs
0 – 60	900mm
61 – 80	1200mm
81 - 120	1500mm

W-Series: Warning Signs

Direction of Movement Signs (Temporary)



TW201: Traffic Circle Sign



TW202: Gentle Curve Right Sign



TW203: Gentle Curve Left Sign



TW204: Sharp Curve Right Sign



TW205: Sharp Curve Left Sign



TW206: Hairpin Bend Right Sign



TW207: Hairpin Bend Left Sign



TW208: Winding Road Sign Right to Left



TW209: Winding Road Sign Left to Right



TW210: Combined Curves Right to Left Sign



TW211: Combined Curves Left to Right Sign



TW212: Two-Way Traffic Sign



TW213: Two-Way Traffic Crossroad Sign



TW214: Right Lane Ends Sign



TW215: Left Lane Ends Sign



TW216: Concealed Driveway Right Sign



TW217: Concealed Driveway Left Sign



TW218: Concealed Driveway Both Sides Sign

Speed Limit on Road (km/h)	Dimensions of Signs
0 – 60	900mm
61 – 80	1200mm
81 - 120	100mm

W-Series: Warning Signs

Symbolic Signs (Temporary)



TW301: Traffic Signal Ahead Sign



TW302: Traffic Control "STOP" Sign



TW303: Traffic Control "YIELD" Sign



TW304: Traffic Control Ahead Sign



TW305: School Patrol Ahead Sign



TW306: Pedestrians Crossing Sign



TW307: Pedestrian Sign



TW308: Children Sign



TW309: Cyclists Sign



TW310: Domestic Animals (Cattle) Sign




TW311: Domestic Animals (Horses) Sign



TW312: Domestic Animals (Sheep) Sign



TW313: Wild Animals Ahead Sign



TW314: Gate Ahead Sign



TW315: Motor Gate Right Sign



TW316: Motor Gate Left Sign



TW317: Motor Gate Sign



TW318: Railway Crossing Sign

Speed Limit on Road (km/h)	Dimensions of Signs
0 – 60	900mm
61 – 80	1200mm
81 - 120	100mm

W-Series: Warning Signs

Symbolic Signs (Temporary)



TW320: Height Restriction Sign



TW321: Length Restricted Sign



TW322: Steep Descent Sign



TW323: Steep Ascent Sign



TW324: Slow Moving Heavy Vehicles Ahead Sign



TW325: Gravel Road Begins Ahead Sign



TW326: Narrow Bridge Sign



TW327: One Width Vehicle Structure Sign



TW328: Road Narrows from Both Sides Sign



TW329: Road Narrows from Right Side Sign



TW330: Road Narrows from Left Side Sign



TW331: Uneven Roadway Sign



TW332: Speed Humps Ahead Sign



TW333: Slippery Road Sign



TW334: Falling Rocks from Right Sign



TW335: Falling Rocks from Left Sign



TW336: Roadworks Ahead Sign



TW337: Grader Working Ahead Sign

Speed Limit on Road (km/h)	Dimensions of Signs
0 – 60	900mm
61 – 80	1200mm
81 - 120	100mm

W-Series: Warning Signs

Symbolic Signs (Temporary)



TW338: Loose Stones Ahead Sign



W339: General Warning Sign



TW340: Surface Step on the Right Sign



TW341: Surface Step on the Left Sign



TW342: Soft Shoulder Sign



TW343: "STOP/GO" Control Ahead Sign



TW344: Construction Vehicle Crossing from the Left Sign



TW345: Construction Vehicle Crossing from the Right Sign



W346: Emergency Flashing Light Sign



TW347: Police Flashing Light Sign



TW348: Jetty Edge or River-Bank Sign



TW349: Crosswinds Sign



TW350: Drift Sign



TW352: Agricultural Vehicles Ahead Sign



TW353: Collision Ahead Sign



TW354: Reduced Visibility Sign



TW355: Congestion Sign



TW356: Horses & Riders Ahead Sign

Speed Limit on Road (km/h)	Dimensions of Signs
0 – 60	900mm
61 – 80	1200mm
81 - 120	100mm

W-Series: Warning Signs

Symbolic Signs (Temporary)



TW357: Elephants Ahead Sign



TW358: Warthogs Ahead Sign



TW359: Hippos Ahead Sign



TW360: Width Restriction Sign



TW361: Electrical Shock Sign



TW363: Gravel Road Ends Sign

Speed Limit on Road (km/h)	Dimensions of Signs
0 – 60	900mm
61 – 80	1200mm
81 - 120	100mm

W-Series: Warning Signs

Hazard Markers



W401: Danger
Plate Marker



W402: Danger
Plate Marker




W403: Railway
Crossing
Marker



W404: Multiple
Railway
Crossings Marker



W405: Right Sharp
Curve Chevron
Marker



W406: Left Sharp
Curve Chevron
Marker




W416: Speed
Hump Danger
Plate Marker



W417: Speed
Hump Danger
Plate Marker



W407: Triple Right Sharp Curve Chevron Marker




W408: Triple Left Sharp Curve Chevron Marker


Speed Limit on Road (km/h)	W401 & W402	W403 & W404	W405 & W406	W407 & W408
0 - 80	150mm x 600mm	800mm	450mm	1350mm x 450mm
81 - 120	200mm x 800mm	1200mm	600mm	1800mm x 600mm

W-Series: Warning Signs


Hazard Markers



W408: T-Junction Chevron Marker



W410: Dead End or Road Closed Chevron Marker



W413: Gore Plate Marker




W411: Boom Barricade Marker

Speed Limit on Road (km/h)	W408 & W409
0 – 80	2700mm x 450mm
81 – 120	3600mm x 600mm




W415: Overhead Danger Plate Marker




W414: Gore Chevron Marker

GS/TGS-Series: Guidance Signs


GS/TGS100 Series



GS101




TGS101



GS102




TGS102




GS103




TGS103



GS104




TGS104



GS105



TGS105



GS106



TGS106



TGS107



TGS108



TGS109



TGS110



TGS111



TGS112



TGS113



TGS114



TGS115



TGS116

Sizes (in mm)

900mm x 1200mm

1200mm x 1600mm

1600mm x 2400mm

GS/TGS-Series: Guidance Signs

GS/TGS100 Series



TGS117



TGS118



TGS119




TGS120




TGS121




TGS122



GS123




TGS123




GS124



TGS124



TGS125




TGS126




TGS127



TGS128




TGS129




TGS130




TGS131



TGS132




TGS133



TGS134



TGS135



TGS136

Sizes (in mm)


900mm x 1200mm

1200mm x 1600mm


1600mm x 2400mm

GS/TGS-Series: Guidance Signs


GS/TGS100 Series



TGS137



TGS138



TGS139




TGS140



TGS141




TGS142



TGS143




TGS144




GS145




TGS145



GS146




TGS146



GS147




TGS147



GS148




TGS148



GS149



TGS149



GS150



TGS150



GS151



GS152

Sizes (in mm)

900mm x 1200mm

1200mm x 1600mm

1600mm x 2400mm

GS/TGS-Series: Guidance Signs


GS/TGS100 Series



GS153




TGS153



GS154




TGS154




GS155




TGS155




GS156



TGS156



GS157



GS158

Sizes (in mm)


900mm x 1200mm

1200mm x 1600mm


1600mm x 2400mm

GS/TGS-Series: Guidance Signs


GS200 Series




GS201




GS202




GS203




GS204




GS205




GS206



GS207




GS208




GS209




GS210




GS211



GS212



GS213



GS214

Sizes (in mm)

900mm x 1200mm

1200mm x 1600mm

1600mm x 2400mm

GS/TGS-Series: Guidance Signs

GS/TGS300 Series



GS301



TGS201



GS302



TGS302



GS303



TGS303



GS304




TGS304



GS305




TGS305



GS306




TGS306




GS307




TGS307




GS308




GS309



TGS309



GS310




TGS310



GS311



TGS311



GS312



TGS312

Sizes (in mm)


900mm x
1200mm

1200mm x
1600mm

1600mm x
2400mm

GS/TGS-Series: Guidance Signs


GS/TGS400 & GS/TGS450 Series




GS401




TGS401



GS402




TGS402



GS403




TGS403



GS404




TGS404




GS405




TGS405




GS406




TGS406




GS451



GS452



GS453



GS454

Sizes (in mm)

900mm x 1200mm

1200mm x 1600mm

1600mm x 2400mm

GS/TGS-Series: Guidance Signs

GS/TGS500 Series



GS501




GS502



GS503



GS504



GS505



TGS505

Sizes (in mm)

900mm x 1200mm

1200mm x 1600mm

1600mm x 2400mm

GS/TGS-Series: Guidance Signs

GS/TGS600 Series



GS601



GS602



GS503



TGS603



GS604



TGS604



GS605



TGS605



GS606



TGS606



GS607



GS608



GS609




GS610



GS611



GS612



GS613



GS614

Sizes (in mm)


900mm x 1200mm

1200mm x 1600mm


1600mm x 2400mm

GS/TGS-Series: Guidance Signs


GS/TGS800 Series




GS801




GS802




GS803




GS804




GS805



GS806




GS807



GS808




GS809




GS810




GS811




GS812




GS813



GS814




GS815




GS816




GS817



GS818



GS819



GS820



TGS861



TGS862



TGS863

Sizes (in mm)

900mm x
1200mm

1200mm x
1600mm

1600mm x
2400mm

GS/TGS-Series: Guidance Signs


GS/TGS900 & GS/TGS6000 Series



GS901



TGS901



GS902



TGS902



GS6106




TGS6106



GS6106-D



TGS6106-D



GS6210




GS6210-D



GS6406



TGS6406



GS6406-D



TGS6406-D



GS6501

Sizes (in mm)

900mm x 1200mm

1200mm x 1600mm

1600mm x 2400mm

Safety & Operational Signs

Safety Information Signs



GA01
First Aid Equipment



GA02
General Direction



GA03
Direction to
Escape Route (Left)




GA04
Direction to
Escape Route (Right)



GA05
Manned First-Aid
Station



GA06
Drinking Water



GA07
Blasting Point



GA08
Traveling Way



GA09
Locomotive Refuelling
Point



GA10
Ladies Restroom



GA11
Gents Restroom



GA12
Refuse Chamber




GA13
Telephone



GA14
Waiting Area



GA15
Emergency Telephone



GA16
Electric Isolator Switch



GA17
Stairs Going Down



GA18
Stairs Going Up



GA19
Eye Washing Station



GA20
Safety Shower

Sizes (in mm)

190mm x 190mm

290mm x 290mm

440mm x 440mm

Safety & Operational Signs

Safety Information Signs



GA21

Location of Bomb Bag



GA22

Allocated or Accessible
to Wheelchairs



GA24

Breathing Apparatus



GA25

Shelter in Place



GA26

Emergency Assembly
Point



GA27

Tap for Washing Hands



GA28

Helicopter Pad



GA29

Emergency Stop

Sizes (in mm)

190mm x 190 mm

290mm x 290mm

440mm x 440mm

Safety & Operational Signs

Fire Fighting Signs



FB01

Location of Fire Fighting Equipment



FB02

Fire Extinguisher



FB03

Fire Hose



FB04

Fire Hydrant



FB05

Fire Alarm



FB06

Sprinkler Stop Valve



FB07

Fire Telephone



FB08

Fire Pump Connection



FB09

Location of Fire Blanket



FB10

Fire Marshall



FB13

Hand Held Emergency Alarm



FB14

Fire Trolley



FB15

Bucket with Fire Fighting Sand

Sizes (in mm)

190mm x 190 mm

290mm x 290mm

440mm x 440mm

Safety & Operational Signs

Prohibition Signs



PV01

Smoking Prohibited



PV02

Fire & Open Flames
Prohibited



PV03

Throughfare
for Pedestrians
Prohibited



PV04

Water Prohibited
as Extinguishing Agent



PV05

Drinking of Water
Prohibited



PV06

Proceeding Beyond this
point Prohibited



PV07

Cycling Prohibited



PV08

Hand Trolleys
Prohibited



PV10

Tractors and Forklifts
Prohibited beyond this
point



PV11

Use of Compressed air
to dust body Prohibited




PV12

Loose Clothing, Ties,
Jewellery and Hair
Prohibited



PV13

Dumping Prohibited



PV14

No Stacking



PV15

No Entry for Heavy
Vehicles



PV16

No Entry for Motor
Vehicles



PV17

Locomotives Prohibited
beyond this point



PV18

Helmets Prohibited



PV19

Firearms Prohibited



PV20

Dog Prohibited



PV21

Cameras Prohibited

Sizes (in mm)

190mm x 190mm

290mm x 290mm

440mm x 440mm

Safety & Operational Signs

Prohibition Signs



PV22

Alcohol Prohibited



PV23

Littering Prohibited



PV24

Swimming
Prohibited



PV25

Fishing Prohibited



PV26

Lighters & Open Flames
Prohibited



PV27

Cellphones Prohibited



PV28

Drain Pollution
Prohibited



PV29

Lifting on Forklifts
Prohibited



PV30

Lifting on Trolleys
Prohibited



PV31

Handbags Prohibited



PV32

Drilling Prohibited



PV33

Grinding Prohibited



PV34

Drugs Prohibited



PV35

Do not Clean or Oil in
Motion



PV36

Loud Music Prohibited

Sizes (in mm)

190mm x 190 mm

290mm x 290mm

440mm x 440mm

Safety & Operational Signs

Warning Signs



WW01

General Warning of
Danger



WW02

Warning of Fire Hazard



WW03

Warning of
Explosion Hazard



WW04

Warning of
Corrosive Hazard



WW05

Warning of Poisonous
Hazard



WW06

Warning of Ionizing
Radiation Hazard



WW07

Warning of Electric
Shock Hazard



WW08

Warning of Suspended
Load Hazard



WW09

Warning of Methane
Hazard



WW10

Warning of Fragile
Surface



WW11

Warning of biological
Hazard



WW12

Warning of Lazer Hazard



WW13

Warning of Asbestos
Hazard



WW14

Warning of Workers
Overhead



WW15

Warning of Carbon
Dioxide Hazard



WW16

Warning of Slippery
Surface Hazard



WW17

Warning of Moving
Machinery



WW18

Warning of Cold Burns
Hazard



WW19

Beware of Dogs



WW20

Beware of Forklifts

Sizes (in mm)

190mm x 190mm

290mm x 290mm

440mm x 440mm

Safety & Operational Signs

Warning Signs



WW21

Beware of Falling
Materials from Conveyor
Belts



WW22

Beware Of Slippery
Steps



WW23

Beware Of Exposed
Live High-Voltage
Equipment Hazard



WW24

Beware of
Swinging Objects



WW25

Beware of Confined Gas
Hazard



WW26

Warning of Non-Ionizing
Radiation Hazard



WW27

Warning of Electro
Magnetic Interference of
Heart Pacemakers



WW28

Beware of Confined
Spaces



WW29

Beware of Electrical
Fencing



WW30

Beware Of Magnetic
Crane



WW31

Beware of Nail Gun
Hazard



WW32

Beware of Demolition
Area



WW33

Warning of Tripping
Hazard



WW34

Warning of Robotic
Machinery Hazard



WW35

Catwalk Hazard

Sizes (in mm)

190mm x 190 mm

290mm x 290mm

440mm x 440mm

Safety & Operational Signs

Mandatory Signs



MV01

Eye Protection must be Worn



MV02

Respiratory Protection must be Worn



MV03

Head Protection must be Worn



MV04

Hearing Protection is Mandatory



MV05

Hand Protection must be Worn



MV06

Foot and Leg Protection must be Worn



MV07

Safety Foot Protection must be Worn



MV08

Lifelines are Mandatory



MV09

Apron Protection must be Worn



MV10

Face Protection must be Worn



MV11

Air-Supplied Hood must be Worn



MV12

Dust Mask must be Worn



MV13

Air Extraction is Mandatory



MV14

Keep Area Clean



MV15

Screening must be used when Welding



MV16

Safety Cage is Mandatory



MV17

Carbon Monoxide Monitor is Mandatory



MV18

Harnesses are Mandatory



MV19

Banded Earplugs are Mandatory



MV20

Overalls are Mandatory

Sizes (in mm)

190mm x 190mm

290mm x 290mm

440mm x 440mm

Safety & Operational Signs

Mandatory Signs



MV21

Lab Coats are
Mandatory



MV22

Foot Spats are
Mandatory



MV23

Full Welding Gear
is Mandatory



MV24

Thermal Suit
must be Worn



MV25

Reflective Jacket is
Mandatory



MV26

Hairnets are Mandatory



MV27

Non-Conductive Shoes
are Mandatory



MV28

Full Body Harnesses and
Lifelines are Mandatory

Sizes (in mm)

190mm x 190 mm

290mm x 290mm

440mm x 440mm

GHS Signs

GHS Hazard Pictograms



GHS01
Explosive



GHS02
Flammable



GHS03
Oxidizing



GHS04
Compressed Gas



GHS05
Corrosive



GHS06
Toxic



GHS07
Harmful



GHS08
Health hazard



GHS09
Environmental Hazard

Sizes (in mm)

190mm x 190mm

290mm x 290mm

440mm x 440mm

Safety & Operational Signs

Fire Protection Signs



F001

Fire extinguisher



F002

Fire hose reel



F003

Fire ladder



F004

Collection
of Firefighting
equipment



F005

Fire alarm call point



F006

Fire emergency
telephone



F007

Fire protection door



F008

Fixed fire extinguishing
battery



F009

Wheeled fire
extinguisher



F010

Portable foam
applicator unit



F011

Water fog applicator



F012

Fixed fire extinguishing
installation



F013

Fixed fire extinguishing
bottle



F014

Remote release station



F015

Fire monitor




F016

Fire blanket



F017

Firefighters' lift



F018

Fire alarm flashing light



F019

Unconnected fire hose

Sizes (in mm)

190mm x 190mm

290mm x 290mm

440mm x 440mm

Safety & Operational Signs

Mandatory Signs



M001

General mandatory action sign



M002

Refer to instruction manual/booklet



M003

Wear ear protection



M004

Wear eye protection



M005

Connect an earth terminal to the ground



M006

Disconnect mains plug from electrical outlet



M007

Opaque eye protection must be worn



M008

Wear foot protection



M009

Wear protective gloves



M010

Wear protective clothing



M011

Wash your hands



M012

Use handrail



M013

Wear a face shield



M014

Wear head protection



M015

Wear high visibility clothing



M016

Wear a mask



M017

Wear respiratory protection



M018

Wear a safety harness



M019

Wear a safety harness



M020

Wear safety belts

Sizes (in mm)

190mm x 190mm

290mm x 290mm

440mm x 440mm

Safety & Operational Signs

Mandatory Signs



M021

Disconnect before
carrying out
maintenance or repair



M022

Use barrier cream



M023

Use footbridge



M024

use this walkway



M025

Protect infants' eyes
with opaque eye
protection



M026

Use protective apron



M027

install or check guard



M028

install locks and keep
locked



M029

sound your horn



M030

place trash in the bin



M031

use guard to protect
from injury from the
table saw



M032

use footwear with anti-
static or anti-spark
features



M033

lower safety restraining
bar on ski chairlift



M034

raise safety restraining
bar on ski chairlift



M035

exit towpath after falling



M036

keep ski tips up




M037

close and secure the
hatch (lifeboat launch
sequence)



M038

start the motor (lifeboat
launch sequence)



M039

lower the lifeboat to the
water (lifeboat launch
sequence)



M040

lower the lifeboat to the
water (lifeboat launch
sequence)

Sizes (in mm)

190mm x 190mm

290mm x 290mm

440mm x 440mm

Safety & Operational Signs

Mandatory Signs



M041

lower the rescue boat to the water (lifeboat launch sequence)



M042

release the hooks holding the lifeboat (lifeboat launch sequence)



M043

start the water spray for the lifeboat (lifeboat launch sequence)



M044

start the air supply for the lifeboat (Lifeboat launch sequence)



M045

release the ropes (gripes) (lifeboat launch sequence)



M046

secure gas cylinders




M047

use breathing equipment (SCBA)



M048

use gas detector



M049

use personal protective equipment for sport



M050

exit sled-toboggan to the left



M051

exit sled-toboggan to the right



M052

keep a safe distance between sleds (toboggans)



M053

wear personal floatation device (PFD) (lifejacket)



M054

supervise children during aquatic activities



M055

Keep out of the reach of children



M056

Ventilate before and during entering



M057

Ensure continuous ventilation



M058

Entry only with supervisor outside



M059

Wear laboratory coat



M060

Hold the trolley handle

Sizes (in mm)

190mm x 190mm

290mm x 290mm

440mm x 440mm

Safety & Operational Signs

Prohibition Signs



P001

General prohibition sign



P002

No smoking



P003

No open flame



P004

No thoroughfare



P005

Not drinking water



P006

No access for forklift trucks and industrial vehicles



P007

No access for people with active implanted cardiac devices



P008

No metallic articles or watches



P009

No climbing



P010

Do not touch



P011

Do not extinguish with water



P012

No heavy load



P013

No activated mobile phone



P014

No access for people with metallic implants



P015

No reaching in



P016

Do not spray with water



P017

No pushing



P018

No sitting



P019

No stepping on surface



P020

Do not use lift in the event of fire

Sizes (in mm)

190mm x 190mm

290mm x 290mm

440mm x 440mm

Safety & Operational Signs

Prohibition Signs




P021

No dogs



P022

No eating or drinking



P023

Do not obstruct



P024

Do not walk
or stand here



P025

Do not use this
incomplete scaffold



P026

Do not use this device in
a bathtub, shower or
water-filled reservoir



P027

Do not use this lift for
people



P028

Do not wear gloves



P029

No photography



P030

Do not tie knots in rope



P031

Do not alter the state of
the switch



P032

Do not use for face
grinding



P033

Do not use for wet
grinding



P034

Do not use with hand-
held grinder



P035

Do not wear metal-
studded footwear



P036

No children allowed



P037

Do not leave the tow-
track



P038

Do not swing the chair



P039

Hot works prohibited



P040

Do not set off fireworks

Sizes (in mm)

190mm x 190mm

290mm x 290mm

440mm x 440mm

Safety & Operational Signs

Prohibition Signs



P041

No leaning against



P042

Not for pregnant
women



P043

Not for people in
the state of intoxication



P044

Use of smart
glasses prohibited



P045

No campfire



P046

Do not stretch out of
toboggan



P047

Do not ram into
toboggans



P048

No running



P049

No swimming



P050

No snorkelling



P051

No sub-aqua diving



P052

No diving



P053

No sailing



P054

No windsurfing



P055

No manually powered
craft



P056

No mechanically
powered craft



P057

No personal water craft



P058

No towed water activity



P059

No surf craft



P060

No outdoor footwear

Sizes (in mm)

190mm x 190mm

290mm x 290mm

440mm x 440mm

Safety & Operational Signs

Prohibition Signs



P061

No jumping into water



P062

No pushing into water



P063

No body boarding



P064

No surfing between
the red-and-yellow flags



P065

No kite surfing



P066

No parasailing



P067

No sand yachting



P068

Do not expose to direct
sunlight or hot surface



P069

Not to be serviced by
users



P070

Do not put finger into
the nozzle of a
hydromassage



P071

Do not cross barrier



P072

No jumping down



P073

Do not shut lid when
burners are operating



P074

Child seat installation
prohibited

Sizes (in mm)

190mm x 190 mm

290mm x 290mm

440mm x 440mm

Safety & Operational Signs

Warning Signs



W001

General warning sign



W002

Explosive materials



W003

Radioactive material
or ionizing radiation



W004

Laser beam



W005

Non-ionizing radiation



W006

Magnetic field



W007

Floor-level obstacle



W008

Drop or fall hazard



W009

Biological hazard



W010

Low temperature
hazard



W011

Slippery surface



W012

Electricity hazard



W013

Guard dog



W014

Forklift truck and other
industrial vehicles



W015

Overhead or suspended
load



W016

Toxic material



W017

Hot surface



W018

Automatic start-up



W019

Crushing by moving
parts



W020

Overhead obstacle

Sizes (in mm)

190mm x 190mm

290mm x 290mm

440mm x 440mm

Safety & Operational Signs

Warning Signs



W021

Flammable material



W022

Sharp element



W023

Corrosive substance



W024

Crushing of hands



W025

Counter-rotating rollers



W026

Battery charging



W027

Optical radiation



W028

Oxidizing substance



W029

Pressurized cylinder



W030

Hand Injury in Press



W031

Hand injury from rapid movement of workpiece in press brake machine



W032

Rapid movement of workpiece in press brake machine



W033

barbed wire



W034

bull



W035

Falling Parts



W036

fragile roof



W037

injury from automated or remote-controlled vehicles



W038

sudden loud noises



W039

Falling Ice Spikes



W040

roof avalanche

Sizes (in mm)

190mm x 190mm

290mm x 290mm

440mm x 440mm

Safety & Operational Signs

Warning Signs



W041
breathing hazard



W042
arc flash hazard



W043
thin ice



W044
slipway



W045
water skiing or towed
water activity area



W046
surfing



W047
deep water



W048
shallow water



W049
submerged objects



W050
sudden drop in
swimming pool



W051
no guard rail and
unprotected edges



W052
unstable cliff edge



W053
unstable cliff



W054
sharks



W055
sewage effluent outfall



W056
tsunami hazard zone



W057
strong currents



W058
boating area



W059
wheeled beach vehicles;
land surfing; sand
yachting; wind carts



W060
incoming tides

Sizes (in mm)

190mm x 190mm

290mm x 290mm

440mm x 440mm

Safety & Operational Signs

Warning Signs



W061

quicksand, mud, deep mud, or silt



W062

kite surfing



W063

parasailing



W064

strong winds



W065

high surf or large breaking waves



W066

Sudden drop to deep water



W067

alligators, caymans and crocodiles



W068

Falling into water when stepping on or off a floating surface



W069

Jellyfish



W070

Step down



W071

Substance or mixture presenting a health hazard



W072

Substance or mixture that can cause an environmental hazard



W073

Large-scale fire zone



W074

Tornado zone



W075

Active volcano zone



W076

Debris flow zone



W077

Flood zone



W078

Landslide zone

Sizes (in mm)

190mm x 190 mm

290mm x 290mm

440mm x 440mm

Safety & Operational Signs

Safe Condition (Emergency) Signs



E001

Emergency exit (left hand)



E002

Emergency exit (right hand)



E003

First aid



E004

Emergency telephone



E007

Evacuation assembly point




E008

Break to obtain access



E009

Doctor




E010

Automated external heart defibrillator



E011

Eyewash station




E012

Safety shower



E013

Stretcher



E014

Child seat presence and orientation detection system (CPOD)



E015

Drinking water



E016

Emergency window with escape ladder



E017

Rescue window



E018

Turn anticlockwise (counterclockwise) to open



E019

Turn clockwise to open



E020

Emergency stop button



E021

Protection shelter



E022

Door opens by pushing on the left-hand side

Sizes (in mm)

190mm x 190mm

290mm x 290mm

440mm x 440mm

Safety & Operational Signs

Safe Condition (Emergency) Signs



E023

Door opens by pushing
on the right-hand side



E024

Evacuation temporary
refuge)



E025

Emergency hammer



E026

Emergency exit for
people unable to walk
or with walking
impairment (left)



E027

Medical grab bag



E028

Oxygen resuscitator



E029

Emergency escape
breathing device



E030

Emergency exit for
people unable to walk
or with walking
impairment (right)



E031

Shipboard general
alarm



E032

Shipboard assembly
station



E033

Door slides right to
open



E034

Door slides left to open



E035

Liferaft knife



E036

Lifeboat



E037

Rescue boat



E038

Liferaft



E039

Davit-launched liferaft



E040

Lifebuoy



E041

Lifebuoy with line



E042

Lifebuoy with light

Sizes (in mm)

190mm x 190mm

290mm x 290mm

440mm x 440mm

Safety & Operational Signs

Safe Condition (Emergency) Signs



E043

Lifebuoy with line and light



E044

Lifejacket



E045

Child's lifejacket



E046

Infant's lifejacket



E047

Search and rescue transponder



E048

Survival craft distress signals




E049

Rocket parachute flare



E050

Line-throwing appliance



E051

Two-way VHF radiotelephone apparatus



E052

Emergency position indicating radio beacon



E053

Embarkation ladder



E054

Marine evacuation slide



E055

Marine evacuation chute



E056

Survival clothing




E057

Door opens by pulling on the left-hand side



E058

Door opens by pulling on the right-hand side



E059

Escape Ladder



E060

Evacuation chair



E061

Water life-saving equipment



E062

Tsunami evacuation area

Sizes (in mm)

190mm x 190mm

290mm x 290mm

440mm x 440mm

Safety & Operational Signs

Safe Condition (Emergency) Signs



E063

Tsunami
evacuation
building



E064

First aid responder



E065

Natural disaster outdoor
refuge area



E067

Evacuation mattress



E068

Lifebuoy with light and
smoke



E069

Person overboard call
point



E070

Evacuation lift for
people unable to use
stairs

Sizes (in mm)

190mm x 190 mm

290mm x 290mm

440mm x 440mm



SA ROAD SIGNS



015 004 0316



admin@saroadsigns.co.za



www.saroadsigns.co.za