



products catalogue

WYDA

index

- 04 purpose
- 06 company
- 10 the best choice
- 12 the best packaging
- 14 with all security
- 16 sustainable
- 20 rectangular for industrial use
- 22 round for industrial use
- 24 oval for industrial use
- 26 supermarket





SINCE 1992

Millions of consumers use Wyda products everyday; this makes us very proud and happy, which also places great responsibility. It is with this energy that our team works: combining responsibility, trust, and satisfaction.

In Wyda we create our packaging with the same responsibility as food producers. This is because we are conscious of the importance of a product capable of guaranteeing the quality of the food and, consequently, preserving people's health.

Wyda's team is made up of qualified people, committed to our philosophy of steady improvement.

We like what we do and we make an effort to do it in the best way possible.

Without any doubt, this makes a big difference in our products.

Wyda Group is composed by 3 other companies, also in the packaging segment:

Rio Prata, located in Mato Grosso do Sul, in the city of Tres Lagoas.

Alukenti, located in Pernambuco, in the city of Jaboratao dos Guararapes.

Okra, specialized in flexible packaging, located in Sao Paulo, in the city of Sorocaba.

In 2017, Wyda starts producing in South Africa, its Industrial Park meets the demands of the African Continent specific products.



DEVELOPMENT

Wyda is one of the few companies in its segment to have its own Projects and Products Development sector.

It has a Consumer Behavior Evaluation and Research Department, to understand the needs of our consumer society.

Through it, Wyda analyses the consumers' satisfaction level, to develop suitable products for their habits and requirements.

An example is the small portion packaging products, developed for those who live alone.

The characteristics that make Wyda a leader in its segment are: its toughness and attractive design, as well as the constant concern about social and environmental aspects of its productive process.



It's very important for Wyda to provide its customers with all its experience.

It is with this knowledge that the company offers a complete line of films and disposable food packaging, and guarantees a trustworthy product, hygienic and 100% environmentally friendly.



INNOVATION

Wyda is one of the most prestigious companies in the foods disposable packaging sector in Brazil. As a market leader in its segment, it is in constant evolution according to changes in consumers' habits, working to make the right product to make daily life of the consumer easier and less complicated. Its products are not only present at Brazilian homes, but also in companies, industries,

restaurants, bars, bakeries, butcheries, convenience stores, and many other places.

Apart from this, the Wyda Group is equipped with the most recent process and quality control technologies, also giving importance to areas such as administration, human resources, customer service, and sales.

Productive factories are an example of a good organization. Packaging products are produced with maximum hygiene and cleanliness, with uniformity and high quality.

The process is completely controlled; from the origin of the raw materials to the transport, from the productive sectors to the warehousing and distribution.

Wyda products are present all over Brazil and in other countries. Its operational infrastructure and its production and distribution logistics guarantee on-time supply.

Wyda: first disposable aluminum packaging company certified ISO 9001:2008.

The significance of achieving the ISO 9001:2008 Quality Certification for Wyda is that it shows our premium quality and the future potential of the company as it opens the door to a globalized world of certified companies. When a customer buys Wyda products they know that there is a trustworthy system that controls all stages such as development, production, and distribution of the products through formalized procedures, with the aim of ensuring the best results.





Wyda disposable packaging products are synonymous with comfort and practicality. The customer will find a wide range of products that are sturdier and with shapes and volumes for any kind of product, from salads to large roasted foods.

They are produced using a special grade aluminum, with a higher thickness to keep their shape and rigidity when handling and transporting the food. Resistant to high and low temperatures, the products are able to be used in a conventional oven, microwave oven, barbecue, freezer and fridge and will keep its physical, chemical and organoleptic properties, without producing toxic gases.

Wyda also offers a variety of complementary products, such as: Aluminum foils, thermal and hermetic films, to make customers' life more practical and healthier.



Wyda packaging line of products is the result of years of research, development and investments in systems, technology, high performance equipment and professionalism.

This is why Wyda today can offer smart, differentiated and innovative packaging solutions.

The one who wins is the consumer.

The aluminum is a USA FDA approved product (Food and Drug Administration), an official organization that controls and regulates food usage by the population. The organization classified it as GRAS (Generally Recognized as Safe) product, which is why it can be present in household gadgets, deodorants, medicines, and food packaging products, among others.

ADVANTAGES OF ALUMINUM PACKAGE

100% RECYCLABLE

EXCELLENT PRESENTATION

DURABLE

HIGH TEMPERATURE RESISTANT

TOTAL BARRIER TO LIGHT AND LIQUIDS

ANTICORROSIVE

GREASEPROOF

POLLUTION RESISTANT

ODORLESS

ATOXIC

HYGIENIC



Healthy – Since the food can be defrosted and warmed in the same packaging, the temperature change is very fast, keeping its nutrients. This quickness also avoids excess of handling, keeping the food far from contamination.

Versatile – We offer different sizes and shapes that are easy to put in the fridge and freezer and are fully stackable.

Efficient – Since aluminum is an efficient thermal conductor, the food freezes quickly, keeping its quality.

Resistant – A disposable aluminum Packaging is not altered by heat, therefore it is possible to cook, grill and broil the food in the same package.

Economical – Disposable aluminum packaging is much cheaper than many other options.

Nice – Apart from having an excellent finish, this packaging makes the food look better in appearance.

Waterproof – Avoids passage of humidity, oxygen, and light, preserving food.

Light – Being a light material, aluminum is more practical and functional, making its transport easier and cheaper.

Disposable – Less work and time in the kitchen: it is not necessary to wash, rinse and keep the packaging.

Recyclable – The aluminum disposable packaging is environmentally friendly because it minimizes natural resources; recycling it reduces up to 95% of the energy that would be used to produce more aluminum.

In addition to this, aluminum can be recycled infinite times without losing its properties.

wyda { with all security

Aluminum packaging is part of the daily life of the consumer and can be used in the microwave oven, which makes defrosting and warming up the food more practical.

As good partners, the aluminum packaging and the microwave oven can do a very good job together. In fact, it is in that oven that the aluminum packaging shows us its more interesting characteristics.

A lot of people still think that this kind of packaging cannot go to the microwave oven. But, the truth is that it can and it works very well in that way.

Here we give you some tips on how to use it in the best way.



IMPORTANT TIPS FOR DEFROSTING AND WARMING

Aluminum reflects the microwaves, so by putting thin strips of aluminum foil in the most sensitive parts of the food (meat, fish, poultry) it acts as a protection so you can obtain a more uniform defrost or cooking.

Use protective gloves, to avoid burning, when taking the aluminum packaging out of the micro wave oven.

Check that the packaging was correctly put in and that the oven is leveled.

The packaging must be put in the center of the turntable.

For more information, please visit the website of the "Brazilian Aluminum Association" www.abal.org.br

Important information remove the package cover before turning on the microwave.

Going directly in the microwave oven, either to be defrosted or warmed up, the food will keep all its nutrients as if it was just prepared.

Aluminum is the third most abundant element in nature, representing nearly 8% of the earth's crust.


Responsible and sustainable, aluminum is highly versatile and one of its most valuable socio-environmental characteristics is its total capacity of recycling.

Aluminum foil is totally sterile thanks to the high temperature during the production process.

It's safe to use and in contact with food, it neither accumulates nor promotes the growth of bacteria.

When the aluminum foil is not used for recycling and is processed in incinerators, most part of it will be rusty and will release energy which can be recuperated.

Most importantly the remaining non rusty aluminum can be extracted from the ashes from the bottom of the incinerator and they can be used later for recycling purposes.



Relationship between recovered waste and domestic consume.

fonte: abal



RECYCLING

Aluminum is the first name that comes to mind when the issue is recycling, due to the fact that recyclability is one of its main attributes in economic, social, and environmental terms. This material can be recycled infinite times without losing its characteristics in the process of reusing, contrary to other materials.



WHY RECYCLING?

As we mentioned above, aluminum recycling saves 95% of the electric energy which would be used in the production of metal from bauxite, which at the same time would be extracted from natural research. Moreover, recycling produces social process and sustainable development. Nowadays there are many programs that involve families in the process of recycling.



WYDA ENVIRONMENTAL PROGRAM

Wyda has always had major concern for the environment; from the purchase of raw materials until the final production stage, from its equipment

performance until the recycling of scrap recovered from the production process.



Environmental issues are always present in its training and development programs, both in the adoption of modern industrial concepts and during the orientation programs by making employees more aware.

Thinking globally in sustainable solutions which facilitate the creation of lighter materials and minimize energy is a challenge which goes beyond geographical barriers.

All the recyclable waste of the company is separated and picked up by specialized companies.

The Wyda factory in the province of San Pablo was designed to allow more natural light and ventilation in the place, providing reductions in energy use and cooling systems.

wyda { rectangular for industrial use



D1 ● hot ● cold

dimensions	volume	closure	cover	units per box
195x155x48mm	850ml	manual	aluminized cardboard	100

D2 ● hot ● cold

dimensions	volume	closure	cover	units per box
200x152x56mm	1.000ml	manual	aluminized cardboard	100

D3 ● hot ● cold

dimensions	volume	closure	cover	units per box
195x155x68mm	1.170ml	manual	aluminized cardboard	100

D4 (3 divisions - T) ● hot ● cold

dimensions	volume	closure	cover	units per box
242x187x54mm	1.170ml	manual	aluminized cardboard	100

D5 ● hot ● cold

dimensions	volume	closure	cover	units per box
221x175x49mm	1.150ml	manual	aluminized cardboard	100

D6 ● hot ● cold

dimensions	volume	closure	cover	units per box
165x124x43mm	500ml	manual	aluminized cardboard	100

D7 ● hot ● cold

dimensions	volume	closure	cover	units per box
206x138x42mm	750ml	manual	aluminized cardboard	100

D8 ● hot ● cold

dimensions	volume	closure	cover	units per box
275x185x48mm	1.500ml	manual	aluminized cardboard	100

D9 ● hot ● cold

dimensions	volume	closure	cover	units per box
294x234x49mm	2.000ml	manual	aluminized cardboard	100

D10 (ideal for fruit cake) ● hot ● cold

dimensions	volume	closure	cover	units per box
212x102x45mm	650ml	-	without cover	100

D11 (bake a cake) ● hot ● cold

dimensions	volume	closure	cover	units per box
255x130x62mm	1.200ml	-	without cover	100

D12 ● hot ● cold

dimensions	volume	closure	cover	units per box
127x98x33mm	220ml	manual	aluminized cardboard	200

DSM (dessert) ● hot ● cold

dimensions	volume	closure	cover	units per box
100x82x42mm	135ml	manual	aluminized cardboard	100

D17 (3 divisions - Y) ● hot ● cold

dimensions	volume	closure	cover	units per box
258x227x57,5mm	900ml	manual	aluminized cardboard	100

D19 (ideal for Brazilian "Cuca" Cake) ● hot ● cold

dimensions	volume	closure	cover	units per box
250x198x31mm	1.050ml	-	without cover	100

D40 ● hot ● cold

dimensions	volume	closure	cover	units per box
325x265x65mm	4.000ml	-	without cover	12

D100 ● hot ● cold

dimensions	volume	closure	cover	units per box
515x355x73mm	10.000ml	-	without cover	12



wyda { rectangular suprema



D5S (40% more resistant) ● hot ● cold

dimensions	volume	closure	cover	units per box
221x175x49mm	1.150ml	manual	aluminized cardboard	100



D6S (40% more resistant) ● hot ● cold

dimensions	volume	closure	cover	units per box
165x124x43mm	500ml	manual	aluminized cardboard	100



D7S (40% more resistant) ● hot ● cold

dimensions	volume	closure	cover	units per box
206x138x42mm	750ml	manual	aluminized cardboard	100



D8S (40% more resistant) ● hot ● cold

dimensions	volume	closure	cover	units per box
275x185x48mm	1.500ml	manual	aluminized cardboard	100

wyda { food service



D5FS ● hot ● cold

dimensions	volume	closure	cover	units per box
221x175x49mm	1.150ml	manual	pet	50



D6FS ● hot ● cold

dimensions	volume	closure	cover	units per box
165x124x43mm	500ml	manual	pet	50



D7FS ● hot ● cold

dimensions	volume	closure	cover	units per box
206x138x42mm	750ml	manual	pet	50



D12FS ● hot ● cold

dimensions	volume	closure	cover	units per box
127x98x33mm	220ml	manual	pet	100



WCake (bake a cake) ● hot ● cold

dimensions	volume	closure	cover	units per box
ø200x447mm	800ml	manual	pet	50



D10FS (ideal for fruit cake) ● hot ● cold

dimensions	volume	closure	cover	units per box
212x102x45mm	650ml	manual	pet	50



wyda { smoothwall

SW515 (food service premium) ● hot ● cold

dimensions	volume	closure	cover	units per box
142x126x45mm	515ml	clip-on	pet	25



SW783 (food service premium) ● hot ● cold

dimensions	volume	closure	cover	units per box
220x150x34mm	783ml	clip-on	pet	25



SW1000 (food service premium) ● hot ● cold

dimensions	volume	closure	cover	units per box
220x150x45mm	1000ml	clip-on	pet	25



SW1933 (food service premium) ● hot ● cold

dimensions	volume	closure	cover	units per box
293x193x45mm	1933ml	clip-on	pet	25





W5M ● hot ● cold

dimensions	volume	closure	cover	units per box
ø150xA43,5mm	350ml	manual	laminated cardboard	100



W7 ● hot ● cold

dimensions	volume	closure	cover	units per box
ø213xA25mm	480ml	machine	aluminum	100



W7M ● hot ● cold

dimensions	volume	closure	cover	units per box
ø200xA35mm	480ml	manual	laminated cardboard	100



W8 Original ● hot ● cold

dimensions	volume	closure	cover	units per box
ø215xA45mm	850ml	machine	aluminum	100/400



W8M Original ● hot ● cold

dimensions	volume	closure	cover	units per box
ø195xA57mm	850ml	manual	laminated cardboard	100



W9 Original ● hot ● cold

dimensions	volume	closure	cover	units per box
ø215xA65mm	1.200ml	machine	aluminum	100/400



W9M Original ● hot ● cold

dimensions	volume	closure	cover	units per box
ø197xA75mm	1.160ml	manual	laminated cardboard	100



RD14 (pre-cooked pizza crusts) ● hot ● cold

dimensions	volume	closure	cover	units per box
293mm ø258xA14mm	650ml	-	without cover	250



RW25 (small pizza) ● hot ● cold

dimensions	volume	closure	cover	units per box
ø284xA28mm	900ml	manual	laminated cardboard	100



RW30 (medium pizza) ● hot ● cold

dimensions	volume	closure	cover	units per box
ø320xA28mm	1.400ml	manual	laminated cardboard	100



RW35 (big pizza) ● hot ● cold

dimensions	volume	closure	cover	units per box
ø370xA28mm	1.800ml	manual	laminated cardboard	100



WP20 ● hot ● cold

dimensions	volume	closure	cover	units per box
ø198xA28mm	550ml	-	without cover	100



WEP (small patty) ● hot ● cold

dimensions	volume	closure	cover	units per box
ø70xA23mm	45ml	-	without cover	1000



WEM (medium patty) ● hot ● cold

dimensions	volume	closure	cover	units per box
ø85xA30mm	100ml	-	without cover	500





BX1 ● hot ● cold

dimensions	volume	closure	cover	units per box
640x360x58mm	6.000ml	-	without cover	12



BX2 ● hot ● cold

dimensions	volume	closure	cover	units per box
537x317x52mm	4.000ml	-	without cover	12



BX3 ● hot ● cold

dimensions	volume	closure	cover	units per box
432x262x40mm	2.000ml	-	without cover	12



BX4 ● hot ● cold

dimensions	volume	closure	cover	units per box
330x193x32mm	1.000ml	-	without cover	12



Y40 ● hot ● cold

dimensions	volume	closure	cover	units per box
380x272x72mm	4.000ml	-	without cover	12



Y70 ● hot ● cold

dimensions	volume	closure	cover	units per box
470x350x83mm	7.000ml	-	without cover	12





aluminum foil (roll) ● hot ● cold

code	dimensions	packaging	units per package	units per box
R30x4,0	4mx30cm	flow pack	1	25
R45x4,0	4mx45cm	flow pack	1	25

aluminum foil (roll) ● hot ● cold

code	dimensions	packaging	units per package	units per box
R30x7,5	7,5mx30cm	flow pack	1	12/25/50
R45x7,5	7,5mx45cm	flow pack	1	12/25

aluminum foil (box) ● hot ● cold

code	dimensions	packaging	units per package	units per box
R30x100	100mx30cm	box	1	9
R45x65	65mx45cm	box	1	9

embossed aluminum foil "cook" (roll) ● hot ● cold

code	dimensions	packaging	units per package	units per box
RC30x7,5	7,5mx30cm	flow pack	1	25
RC45x7,5	7,5mx45cm	flow pack	1	25

embossed aluminum foil "cook" (roll) ● hot ● cold

code	dimensions	packaging	units per package	units per box
RC30x15	15mx30cm	flow pack	1	25
RC45x15	15mx45cm	flow pack	1	25

easy wrap (aluminum in sheets, already cut) ● hot ● cold

code	dimensions	packaging	units per package	units per box
WEF25	27cmx30cm	box	25	24
WEF250	27cmx30cm	box	250	12

stove protector (4 and 6 burners) ● hot ● cold

code	dimensions	packaging	units per package	units per box
WFOG	27x27cm	box	12	30

stove protector (5 burners) ● hot ● cold

code	dimensions	packaging	units per package	units per box
WFOG5	27x27cm 52x27cm	box	10	25



small patty ● hot ● cold

code	dimensions	volume	packaging	units per package	units per box
WEP	ø70xA23mm	45ml	package	100	10

medium patty ● hot ● cold

code	dimensions	volume	packaging	units per package	units per box
WEM	ø85xA30mm	100ml	package	100	5

cook fast (bag) ● hot ● cold

code	dimensions	packaging	units per package	units per box
WCOZ	41x33cm	cardboard envelope	10	20

cook meat (roll) ● hot ● cold

code	dimensions	packaging	units per package	units per box
WCHU	5mx45cm	flow pack	1	20
WCHU65-9	65mx45cm	box	1	9

appetizer ● hot ● cold

code	dimensions	volume	packaging	units per package	units per box
WAPE	154x125x26mm	250ml	shrink PVC	10	10

D11 (bake a cake) ● hot ● cold

code	dimensions	volume	packaging	units per package	units per box
D11	255x130x62mm	1,200ml	single	1	100

wax paper (roll) ● hot ● cold

code	dimensions	packaging	units per package	units per box
PMR	7,5mx29cm	flow pack	1	25
PMR50-9	50mx29cm	box	1	9





put all in bags 50 (polyethylene bag) cold

code	dimensions	packaging	units per package	units per box
WET2-50	19,5x34cm	flow pack 2kg	50	25
WET3-50	22,5x37cm	flow pack 3kg	50	25
WET5-50	27,5x40cm	flow pack 5kg	50	25

put all in bags 100 (polyethylene bag) cold

code	dimensions	packaging	units per package	units per box
WET2-100	19,5x34cm	flow pack 2kg	100	25
WET3-100	22,5x37cm	flow pack 3kg	100	25
WET5-100	27,5x40cm	flow pack 5kg	100	25

wyda zip (hermetic bag) cold

code	dimensions	packaging	units per package	units per box
WZIPP	18x23cm	box	15	25
WZIPG	27x31cm	box	8	25

thermal bag cold

code	dimensions	packaging	units per package	units per box
S48	33x19x6cm	single	1	500

disposable gloves (domestic) cold

code	dimensions	packaging	units per package	units per box
LWC	one size	box	30	40

disposable gloves (industrial) cold

code	dimensions	packaging	units per package	units per box
LWI	one size	package	100	50

PVC film cold

code	dimensions	packaging	units per package	units per box
PVC15	15mx28cm	box	1	25
PVC30	30mx28cm	box	1	25

PVC film refill (industrial - roll) cold

code	dimensions	packaging	units per package	units per box
P100x28/5	100mx28cm	labelled	1	5
P100x45/5	100mx45cm	labelled	1	5
P300x28/4	300mx28cm	labelled	1	4
P300x45/4	300mx45cm	labelled	1	4

PVC film (industrial) - obs. product with cutterbox cold

code	dimensions	packaging	units per package	units per box
PVC100/28	100mx28cm	box	1	1
PVC100/45	100mx45cm	box	1	1
PVC300/28	300mx28cm	box	1	1
PVC300/45	300mx45cm	box	1	1
PVC1000/38	1.000mx38cm	box	1	1

wyda practical (sets) hot cold

code	product	format	volume	units per package	units per box
CJD12	D12	☐	220ml	10	84
CJD6	D6	☐	500ml	10	36
CJD7	D7	☐	750ml	10	32
CJD2	D2	☐	1.000ml	10	20
CJD5	D5	☐	1.150ml	10	20
CJD8	D8	☐	1.500ml	10	14

platter Y40 hot cold

code	dimensions	volume	packaging	units per package	units per box
Y40	380x272x72mm	4.000ml	individual	1	12

platter Y70 hot cold

code	dimensions	volume	packaging	units per package	units per box
Y70	470x350x83mm	7.000ml	individual	1	12

trays hot cold

code	dimensions	volume	packaging	units per package	units per box
BX1	640x360x58mm	6.000ml	individual	1	12
BX2	537x317x52mm	4.000ml	individual	1	12
BX3	432x262x40mm	2.000ml	individual	1	12
BX4	330x193x32mm	1.000ml	individual	1	12

rectangular baking pan (4.000ml) hot cold

code	dimensions	packaging	units per package	units per box
D40	325x265x65mm	individual	1	12



wyda { supermarket



rectangular baking pan (10,000ml) ● hot ● cold

code	dimensions	packaging	units per package	units per box
D100	515x355x73mm	individual	1	12



baking pan for chicken (2,000ml) ● hot ● cold

code	dimensions	packaging	units per package	units per box
DF	290x205x60mm	individual	1	12

wyda { releases



PVC film (pre-perforated) ● cold

code	dimensions	packaging	units per package	units per box
PVC21	21mx28cm	box	1	25



bake light paper (roll) ● hot ● cold

code	dimensions	packaging	units per package	units per box
PLIGHT	3mx30cm	box	1	20



aluminum foil (roll) ● hot ● cold

code	dimensions	packaging	units per package	units per box
WLUZES	50mx12cm	box	4	4

RESPONSIBILITY
TRUST
SATISFACTION

SINCE 1992



WYDA INDÚSTRIA DE EMBALAGENS LTDA.
ALAMEDA WYDA, 109 - 18086 600
ÉDEN SOROCABA SP BRASIL



+ 55 15 2101 7500