




> APR6

Very good printing quality
High speed printing capability
Excellent receptor multi-compatibility and sensitivity

APR®6 is the standard wax-resin ribbon of the inkanto range:

very versatile, it has been conceived to print all kinds of self-adhesive labels at the lowest heat settings. It also provides a higher level of mechanical resistance compared to wax ribbons.



printing receptor

Papers		Synthetics	
vellum	●●●	PP	●●●
coated	●●●	PE	●●●
glossy coated	●●●	PET	●●●

printer settings


speed

16 ips
400 mm/s




18 ips
460 mm/s

energy



print resistance



compliant with the following regulations

REACH / SVHC	1907/2006/EC
Food Contact Approved	1935/2004/EC
Heavy metals	2011/65/EU
California Proposition 65	
Halogen restrictions	

Your ribbon identity

Colours: ● ○ ● ● ● ● ●


Length (m):

Width (mm):

Part number:

Your distributor:

Contact:





> APR6

application fields




product performance

print quality		
90°Barcode	85	A _a small characters
0°Barcode	100	2D Barcode
		Logos
		Blackness <small>*Optical Density by Reflection, measured using a densitometer.</small>
technical resistances		
Heat 100°C	300	Light/Blue Wool
Water/Submerge	100	Rubbing
		Solvents

product physico-chemical features

product structure	
PET film	Thickness: 4,5 µm
Ink	Wax-resin
ribbon features	
Backcoating	Silicon based
Coefficient of Friction	Kd < 0.2
Melting point	75°C/167°F
Ribbon thickness	< 9 µm
The ribbon is anti static build-up treated	



storage

storage conditions

12 months, 5-35°C (40-95°F)

20-80 % Humidity Rate

waste management

inkanto rolls and their packaging allow an optimised waste management. For more information please contact ARMOR.

The inkanto benefits



› **Warranty**

This product is guaranteed for life against any manufacturing defect in normal conditions of use and storage.



› **Quality commitment**

Easy to use with guaranteed product performance: the certificate of conformity for your product can be accessed via the flashcode on the box.



› **Easy to identify products:**

The inkanto rolls families are identified by color codes. The roll labels highlight the important information about the product.



› **Your product is delivered with a cleaning wipe**

To clean the print head and maintain the maximum performance of your printer.



› **Packing**

Consistent packaging units depending on the roll dimensions.

A certified and approved production site



Quality, health & safety and environmental systems:

ISO 9001
OHSAS 18001
ISO 14001
ISO 50001 (France only)



Responsible Care

The charter of the International Council of Chemical Associations for improvements in health & safety and the environment.



Global Compact

UN initiative inviting companies to apply fundamental ethical and environmental values.