

ADS

**COMPANY
PROFILE**

2024



Who we are?



Products



Africa Docking Services is a Level 1 B-BBEE Contributor to the South-African Economy, specializing in the Service of all Docking Equipment. Sole (All-in-one) Full Scope Services Provider to Warehouses and Sites. SCESP (Specialized Critical Essential Services Provider)

What we offer

- Dock Levelers and Docking Equipment - sales/service/parts/installations
- Pit Frames - sales & installations
- Truck Guides and Bollards - sales/service/installations
- Extra Heavy Duty Warehouse and Truck Bumpers - sales and installations
- Roller Shutter Doors - sales/service/parts/installations
- Combo/Contact Curtain/Cushion Dock Seals/ on-site repairs/sales/Branding
- Lift Tables - sales/service/parts/installations
- Mobile Container Yard Ramps-Fabrications/Sales and refurbishment
- Wheel Chocks/ Container on-floor Ramps and Trailer Assistant
- Warehouse/Site Safety Signs
- Qualified Technicians
- Building Contractor for walls/drains/pit wells/drainage/floors and all warehouse work
- On-site paint restoration of Industrial Equipment-Hydro 7 year guarantee system
- Qualified Electricians for repairs of Isolators and Control Boxes

Contacts

- www.africadocking.co.za
- sales@africadocking.co.za
- 010 006 5452
- 082 040 1532
- 086 483 4643
- P110, Welgedagt, Springs, 1572, JNB, ZA



DOCKING SYSTEMS:



- SALES
- INSTALLATIONS
- PARTS
- SERVICES
- BREAKDOWNS 24HRS
- ON-SITE RESTORATION

- AFTER HOURS/PUBLIC HOLIDAYS STANDARD HOUR RATES
- EHP-ELECTRO HYDRAULIC PRODUCT DOCK LEVELER
- MPBS-MANUAL POWER BASED SYSTEM DOCK LEVELER
- ABP-AIR BASED PRODUCT DOCK LEVELER



ABP - AIRBAG DOCK LEVELER



- SINGLE PHASE POWER
- FOOD/BEVERAGE/MEDICAL INDUSTRY SAFE
- HEAVY DUTY BLOWER MOTOR
- SAFE
- WE SELL/SERVICE AND REPAIR THESE UNITS
- COST EFFECTIVE PRICING



TRUCK WAREHOUSE BUMPERS



- ✓ **STANDARD DUTY BUMPER**
- ✓ **LAMINATED BUMPER FOR HEAVY LOADS**
- ✓ **LOW MAINTENANCE-SOLID EXTRA HEAVY DUTY BUMPER**
- ✓ **PROTECTS SITE & WAREHOUSE WALLS**
- ✓ **EASY TO INSTALL AND REPLACE**
- ✓ **COST EFFECTIVE PRICING**

Contacts

 www.africadocking.com
 sales@afriacadocking.com
 010 006 3452

 082 040 1532
 086 483 4643
 P110, Welgedagt, Springs, 1572,

ADS

**ADVANCED
INSPECTIONS**



2024

Problem Finding?



Problem Solving!



What we offer

- ✓ Site / Warehouse and Plant Inspections
- ✓ Detailed Reports
- ✓ Structural Integrity Checks
- ✓ Docking Equipment and Bay Area Inspections
- ✓ Complete Building Area Inspection for our Building contractor
- ✓ Friendly advice and Quotes based on your Site Specific Requirements
- ✓ Electronic Detailed inspections submission
- ✓ Detailed Reports can be used in Insurance claims
- ✓ Future Recommendations
- ✓ Parking areas and demarcation area repairs
- ✓ We Cover the Entire Warehouse internally and externally and do the work for you

Contacts

 www.africadocking.co.za
 sales@afriCADocking.co.za
 010 006 5452

 082 040 1532
 086 483 4643
 P110, Welgedagt, Springs, 1572, JNB, ZA



HYDRAULIC AND SCISSOR LIFT TABLES



**5 TONNE
TO
10 TONNE
CAPACITY**




STANDARD DECK SIZE WIDTH X LENGTH mm	5 Tonne kg 500	1 Tonne kg 1000	1.5 Tonne kg 1500	2 Tonne kg 2000	2.5 Tonne kg 2500	3 Tonne kg 3000	4 Tonne kg 4000	5 Tonne kg 5000	6 Tonne kg 6000	7.5 Tonne kg 7500	10 Tonne kg 10000	Lowered Height (LH)	Maximum Vertical Travel (VT)	Raised Height (RH)
500 x 1200	x	x										200	800	800
900 x 1500		x	x	x								250	800	1050
1000 x 1500		x	x	x								250	800	1050
1200 x 1500		x	x	x	x							300	800	1100
1200 x 1800		x	x	x	x							300	900	1200
1500 x 2100			x	x	x	x	x					400	1000	1400
1200 x 2400		x	x	x	x	x	x					400	1200	1600
1500 x 2400			x	x	x	x	x					400	1200	1600
1800 x 2800 *			x *	x *	x *	x *	x *	x *	x *			475	1600	2075
1800 x 3600					x	x	x	x	x			475	1600	2075
2100 x 2800					x	x	x	x	x			475	1600	2075
2100 x 3000					x	x	x	x	x			475	1600	2075
2100 x 3600					x	x	x	x	x			475	1600	2075
1800 x 2800							x	x	x	x	x	600	1600	2200
2100 x 3000							x	x	x	x	x	600	1600	2200
2450 x 3600							x	x	x	x	x	600	1600	2200

**WE MANUFACTURE HYDRAULIC LIFT TABLES TO
YOUR SITE SPECIFIC REQUIREMENTS**



MYR - MOBILE YARD RAMP





- LIGHTWEIGHT STRONG DESIGN
- MADE IN SOUTH-AFRICA
- NON-SLIP FORKLIFT SURFACE
- RAISE LEVEL 1400MM-1800MM

- STRONGEST HAND PUMP SYSTEM
- MOBILE WITH 400MM INDUSTRIAL WHEELS
- EXTRA WIDE PLATFORM AREA
- SUPPORTS UP TO 10 TONS
- CERTIFIED, TRIED AND TESTED



COFR-CONTAINER "ON-FLOOR" RAMP






CDS-CUSHION DOCK SEALS

Technical Data

DOCK DIMENSIONS	
Customer _____	Installed at _____
Model _____	Job _____
Approved for Manufacture _____	Bumper Type _____
	Date _____



ON-SITE REFURBISHMENT AND CUSTOM BRANDING
CUSTOM COLOURS AND SITE SPECIFIC BRANDING
MONEY SAVER
PREVENTS HOT AIR ENTERING AND KEEPS COOL AIR IN



TRUCK TRAILER ASSISTANT



- IMPROVED LAND GEAR
- ISO AND TUV CERTIFIED ● UNIQUE AND PORTABLE
- EASYGRIP HANDLES FOR MOVING AROUND
- USER FRIENDLY ● RUGGED AND TIME SAVING



WAREHOUSE DOCKING SAFETY



- ☒ UNIQUE DOCKING BAY SAFETY SIGNS
- ☒ HIGHLY INFORMATIVE AND VISIBLE
- ☒ IMPROVES HEALTH AND SAFETY
- ☒ PROTECTS STAFF/CUSTOMERS AND VISITORS

☎ 010 006 54 52 ☎ 061 790 3919

📞 080 040 1532 LEVEL 1 B-BBEE

✉ sales@africadocking.co.za

🌐 www.africadocking.co.za

ADS
**DOCKING
INDUSTRY**

**HEALTH
AND
SAFETY**

Preventative



CAUTION

 Keep Pallet Jack Load Low and Stable

WARNING

KEEP CLEAR
 DOCKING BAY
 FORKlift LOADING AREA


Warning
 Mind your head
 WHEN ENTERING OR EXITING



Safety

Africa Docking Services provides Health and Safety Induction on Docking Equipment at loading bays.

What we offer



- ☒ Docking Safety Induction 54 Page book (40 years research)
- ☒ Improves level of Health and Safety
- ☒ Induction Certificate given to Staff and Company
- ☒ Hassle Free
- ☒ Induction done practically and Theoretically on-site
- ☒ Company Safety Net for customers/visitors/operators and Drivers
- ☒ Informative, Safe and Cost effective

Contacts

 www.africadocking.co.za
 sales@afriCADocking.co.za
 010 006 5452
 082 040 1532
 086 483 4643
 P110, Welgedagt, Springs, 1572, JNB, ZA





HYDRO – REDUCING YOUR COST PER M²

**AFRICA DOCKING SERVICES
EQUIPMENT REFURBISHMENT
STRONGEST WATER BASED HEAVY DUTY
PAINT IN THE INDUSTRY**



**HIGH VOLUME SOLIDS
ADHESION PROMOTED
CORROSION RESISTANT
UV STABLE
LOW VOC & LEAD FREE**



EQUIPMENT REFURBISHMENT DONE ON-SITE

- SCISSOR LIFTS
- HYDRAULIC LIFT TABLES
- TRUCK GUIDES
- BOLLARDS
- PIT FRAMES
- DOCK LEVELERS
- STEEL WALL STRUCTURES
- CONVEYORS
- INDUSTRIAL EQUIPMENT
- WALL RAILS AND GUARD RAILS
- WALKWAY RAILING
- OLDER RUSTED STEEL STRUCTURES
- SAFE ON ENAMEL BASED SURFACES AND RUSTED SURFACES
- UV/WIND/SUN/MOISTURE/RESISTANT



2.1. Hydro Prime

Hydro Prime is a direct-to-metal (DTM), cross-linking, low odour, water-based, high quality, adhesion promoted primer for application to prepared steel and galvanised iron. **Hydro Prime** is lead free, solvent free, low VOC, non-flammable, high build and corrosion inhibiting. **Hydro Prime** replaces and outperforms solvent-based alkyd coatings.

1.2. Hydro Finish

Hydro Finish is a high performance, cross-linking, low odour, lead free, water-based, UV resistant, adhesion promoted, tintable topcoat for steel applications. **Hydro Finish** is also suitable for roofs, ceiling boards, fibre cement and gypsum board. **Hydro Finish** replaces and outperforms solvent-based top coats. **Hydro Finish** is specifically formulated to be applied over **Hydro Prime**. It is not recommended to apply Hydro over solvent-based products or vice versa.

2. Benefits of Water Based Industrial Coatings

Industrial products are primed and coated for the purpose of corrosion protection and aesthetics. There have been a number of technological advancements in the field of industrial water based coatings over the past decade. **Benefits of industrial water-based coatings include:**

- Smaller ecological and environmental footprint.
- No solvent usage in product manufacturing, application, cleaning and thinning, resulting in significant cost savings (see Cost Benefit pg. 7).
- No fire hazard and the removal of fire store requirements.
- Reduction in insurance premiums.
- No need to dispose of contaminated solvent.
- Improved Health & Safety.
- The elimination of lead chromate pigments and reduced VOC's (volatile organic compounds).
- Reduced tank maintenance and product disposal costs.
- Higher volume solids and better coverage.
- Hazardous Substances Act Compliant – Lead and Methanol Free.

Further to these benefits, new generation water based coatings offer the following technical and performance benefits:



Technical: New generation water based coatings generally have higher volume solids than QD's or AD's: they cover a greater m2 for each litre of paint, at the same thickness (DFT). New generation water based coatings dry faster, at lower temperatures and adhere better than traditional coatings.

Performance: Current water based primers and top coats have improved performance over QD, AD or Super Gloss Enamels (Alkyds), specifically in areas such as yellowing, UV, corrosion resistance and chalking. Higher volumes solids generally result in higher build (DFT), therefore reducing the number of coats required.

Hydro products are cross linking and adhesion promoted which means they do not block (blocking is when dry, painted items are placed on top of each other and then stick together). They also give a hard finish, unlike most alkyds. Adherence to substrate continues to improve over a period of approximately 7 days. It should be noted that the coating gloss may initially be slightly lower than with solvent-based products. However, because of significantly superior performance the original gloss will remain long after alkyds have yellowed, faded and chalked.

3. Key Features

Hydro Clean	Hydro Prime	Hydro Finish
Water-based. Easy to use. Provides surface key. Provides anticorrosive phosphate layer.	Lead free. Solvent & methanol free. Low VOC's. APEO free. Low odour. Adhesion promoted. High build. High volume solids. Corrosion inhibiting. Pure Acrylic. Significant reduction in flash rusting when correctly applied. Reduce coating cost per square meter.	Pure Acrylic. Low odour. Reduced blocking characteristics. Reduced chalking. Lead free. Low VOC's. APEO free. Solvent & methanol free. UV resistant. Adhesion promoted. Non yellowing. Fully tintable. Gloss finish. Hard finish when fully cured. Reduced coating cost per square meter.

The Hydro products are not glossy water based decorative enamels, nor are they "roof paints" relabelled as water based industrial coatings.

The Hydro Range has been specifically formulated using the latest water based industrial coatings technology.



Significant Savings.

Improved Coverage.

Professional Finish.

Reduced application time due to higher build (DFT) and fewer coats.

WORK DONE ON SITE RESTORATION

COMPLETE RESTORATION OF LARGEST LIFT TABLE IN THE WORLD AGE 25 YEARS OLD

WORK SCOPE: LARGEST HYDRAULIC LIFT TABLE IN THE INDUSTRY...

- SOFT DISC CLEANING
- MASKING OF ALL ELECTRICAL AND HYDRAULIC PUMPS AND HOSES AND EMERGENCY STOP
- HOUSE KEEPING
- ISOLATION OF EXPOSED BEARINGS, GUIDES AND PARTS
- PRIMER – WATER BASED
- COMPLETE UNDER CARRIAGE REPAINTING
- COMPLETE TOP DECK REPAINTING IN CUSTOMER SPECIFIC COLOURS
- COLOUR MATCHING
- GUIDES PAINTED IN SEPARATE COLOURS
- THE FOLLOWING IMAGES ARE BASED ON PREP WORK AS WELL AS THE COMPLETION OF THE PROJECT
- TOP AND BOTTOM RUST TREATMENT AND CLEANING OF OIL/RUST/FLAKING/DEBRIS AND OTHER OILY/GREASY SURFACES
- PAINTING OF ENTIRE BOTTOM FRAME
- PAINTING OF TOP VASTRAP PLATE.
- PAINTING OF YELLOW ON SIDE GUIDES AND RAILS AND THE TRIP BAR.
- SIDE MATCHING OF HAZARD AREAS



ADS

**DOCKING
INDUSTRY**



2024

Specialized Work



Restorations



What we offer



-  SPECIALIZED PAINT FOR ALL INDUSTRIAL DOORS ON-SITE
-  COMPLETE RESTORATIONS ON-SITE
-  RUST TREATMENT & PAINTING OF ALL EQUIPMENT
-  NEAT AND PROFESSIONAL FINISH
-  HIGH QUALITY PAINTS ENAMEL/RUST AND WATER BASED
-  SAVE MONEY & PREVENT AN EXPENSIVE REPLACEMENT

Contacts

-  www.africadocking.co.za
-  sales@africadocking.co.za
-  010 006 5452
-  082 040 1532
-  086 483 4643
-  P110, Welgedagt, Springs, 1572, JNB, ZA



AFRICA DOCKING SERVICES company CEO



ADS
AFRICA DOCKING SERVICES (PTY) Ltd

 www.africadocking.co.za
 010 006 54 52
 082 040 1532
 sales@africadocking.co.za
 P110 Welgedagt Springs 1572